



PREMIUM GAP CONTROL

Tom Phillips
Bobst North America Inc.

YOUR EFFECTIVE CONTROL SOLUTION

Total quality folding on 100% of delivered boxes

Patented
equipment by
BOBST

PREMIUM GAP CONTROL

Your effective
control solution



 **BOBST**

**PREMIUM GAP
CONTROL**

Your effective
control solution

Patented
equipment by
BOBST




BOBST

100% of delivered boxes
conform exactly to client
specifications

Major savings:
operator time and waste

Folding quality,
your competitive edge



x 0.17

[-]

[+]


1:1

[Eye icon]



[Grid icon]

[Arrow icon]

[Arrow icon]






11:21:12	↑
11:21:07	↑
11:20:46	↑
11:20:35	↑
11:20:24	↑
11:20:14	↑
11:20:08	↑
11:19:42	↑
11:19:32	↑
11:19:16	↑
11:19:11	↑
10:07:35	↑



11:30:29

739 17








x 1.08



1:1



10:20:03



10:19:18




11:35:01


38 2



Job Name: 243 1 5895 GAP MINI [mm] AV: 4.00 AR: 4.00 FISH TAILING MAXI [mm]: 5.00
Job Reference: 5895 GAP MAXI [mm] AV: 12.00 AR: 12.00 STANDARD DEVIATION MAXI (mm): 2.00
FEED LENGTH (mm) 421.00 Job Duration: 18/04/17 10:03:14 - 18/04/17 11:33:28



FRONT BOARD



REAR BOARD

Legend: Mean (blue line with square), Mini-Maxi (green line), Ejection (red line)


Icons: A clock icon and a bar chart icon.

Navigation controls: Previous, Play, Next, and a 'LIVE' indicator. A timestamp '11:33:28' is displayed.



NB BUNDLES PROCESSED	773	GAP MINI REELS [mm]:	1.04 (AV: 1.04, AR: 1.72)
NB BAD BUNDLES GAP	17	GAP MAXI REEL [mm]:	17.72 (AV: 19.82, AR: 17.72)
NB BUNDLES FISH TAILING	0	GAP MEAN [mm]:	8.19 (AV: 8.18, AR: 8.19)
NB BUNDLES STANDARD DEVIATION	0	GAP STANDARD DEVIATION [mm]:	1.80 (AV: 1.75, AR: 1.85)



Job Name: 243 1 5895 GAP MINI [mm] AV: 4.00 AR: 4.00 FISH TAILING MAXI [mm]: 5.00
Job Reference: 5895 GAP MAXI [mm] AV: 12.00 AR: 12.00 STANDARD DEVIATION MAXI (mm) 2.00
FEED LENGTH (mm) 421.00 Job Duration: 18/04/17 10:03:14 - 18/04/17 11:34:06



NB BUNDLES PROCESSED	780	GAP MINI REELS [mm]:	1.04 (AV: 1.04, AR: 1.72)
NB BAD BUNDLES GAP	17	GAP MAXI REEL [mm]:	17.72 (AV: 19.82, AR: 17.72)
NB BUNDLES FISH TAILING	0	GAP MEAN [mm]:	8.18 (AV: 8.19, AR: 8.18)
NB BUNDLES STANDARD DEVIATION	0	GAP STANDARD DEVIATION [mm]:	1.80 (AV: 1.75, AR: 1.85)





● 100% OF DELIVERED BOXES
CONFORM EXACTLY TO CLIENT SPECIFICATIONS

Patented
equipment by
BOBST

PREMIUM GAP
CONTROL

Your effective
control solution



■ BOBST

● **MAJOR SAVINGS:**
OPERATOR TIME AND WASTE

Patented
equipment by
BOBST

**PREMIUM GAP
CONTROL**

—
Your effective
control solution



BOBST

● **FOLDING QUALITY**
YOUR COMPETITIVE EDGE

Patented
equipment by
BOBST

**PREMIUM GAP
CONTROL**

Your effective
control solution



BOBST

PREMIUM GAP CONTROL

NOT JUST A SOLUTION – THE ANSWER

Contact: tom.phillips@bobst.com

Tel.# 1-973-615-8041