

High Purity Pulps: Testing, Accessibility and Reactivity- Table of Contents

Introduction	1
Wood Types	1
Pulping Processes	2
Functions of Pulping	3
Test Values	3
Alkaline Swelling	4
Accessibility and Reactivity: Theoretical Considerations and Specific Techniques ...	8
I. Introduction	8
II. Theoretical Considerations	10
Accessibility vs. Pore Size and Surface Area Levels	12
III. Methods Utilized	12
A. Moisture Pickup and Water/Plasticizer Retention Values	12
B. Dye Pickup	13
C. Level Off D.P. (LODP)	13
D. Iodine and Bromine Absorption	15
Iodine Adsorption Procedure	16
Bromine Adsorption	16
E. Reverse Gel Chromatography	17
F. Catalytic Degradation ($\text{FeCl}_3 + \text{HCl}$) CO_2 Evolution	19
G. Formic Acid Esterification with CO Evolution	19
H. The Diluted Cuene Technique	20
Summary	22
References	22
Appendix	23

LIST OF FIGURES

Figure 1.	Wood Fiber Sizes	2
Figure 2.	Solubility of Bleached Sulfite Pulp in Various NaOH Concentrations at Different Temperatures	4
Figure 3.	D.P./Solubility Relationships in 10% and 18% NaOH @ 250°C	5
Figure 4.	Aldehyde formation due to Backbone Cleavage	6
Figure 5.	Acid Degradation vs. Accessibility	8
Figure 6.	Comparison of Effects on Aging Rate of Reducing Viscosity by Cooking and by Bleaching	9
Figure 7.	Microfibrillar Nature of Pulp	10
Figure 8.	Internal Polymer Structure of Cellulose	11
Figure 9.	LODP for Various Accessible Pulps	14
Figure 10.	Minimum Level - Off D.P. for Various Celluloses	14
Figure 11.	Solute Size Exclusion	17
Figure 12.	The Volume of Water which is Inaccessible to Molecules of Increasing Size. Solid Line = Never Dried Broken Line = Dried and Re-Swollen	18
Figure 13.	Dilute Cuene Solubility	21

LIST OF TABLES

Table 1.	Pulping Process Variables vs. Iodine Adsorption Levels	15
Table 2.	Cellulose Accessibility by Formate Formation	19