



Printing

Edited by Pirkko Oittinen

1998. 296 pages, hard cover.

Item Number 0202FIN13

ISBN 952-5216-00-4 (the series)

ISBN 952-5216-13-6 (book 13)

Published by Fapet OY (Fapet Oy, P. O. Box 146, FIN-00171 Helsinki, Finland)

Volume 13 of the *Papermaking Science and Technology Series*, published by the Finnish Paper Engineers' Association and TAPPI. This volume gives a composite view of the principles of printing processes and the use of materials in those processes.

Table of Contents

Chapter 1

Introduction

1	Scope.....	12
2	Communication process.....	12
3	Developmental history.....	14
4	Printed products.....	17
4.1	Information structure.....	18
4.2	Physical structure.....	20
5	Production.....	22
	References.....	25

Chapter 2

1	Image signals.....	27
2	Image metrics.....	30
2.1	Visual image measures.....	35
3	Information capacity.....	37
3.1	Transmission.....	42
4	Digital image processing.....	43
5	Imaging systems.....	46
5.1	System theory.....	46

5.2 System engineering.....	50
References.....	62

Chapter 3

Color and color images

1 Light and color.....	65
2 Human visual system.....	68
3 Measurement of color.....	73
4 Reproduction of color.....	79
4.1 Basic principles.....	79
4.2 Color separation.....	86
4.3 Color correction.....	88
4.4 Screening (halftoning).....	91
4.5 Restoration and enhancement.....	96
5 Color formation.....	105
5.1 Color calibration.....	105
5.2 Device independent color.....	109
6 Text processing and page make up.....	111
References.....	116

Chapter 4

Principles of printing

1 Printing in communication chain.....	119
2 Printing production operations.....	121
3 Printing methods.....	127
References	

Chapter 5

Mechanical printing

1 Printing methods	133
2 Using the methods.....	139
3 Printing plates.....	140
3.1 General.....	140
3.2 Lithographic plates.....	142
3.3 Gravure cylinders.....	144
3.4 Flexographic plates.....	146
4 Printing nip phenomena.....	146
4.1 Ink transfer to the plate.....	147
4.2 Ink transfer to the paper.....	150
5 Drying of prints.....	156
5.1 Mechanism of solvent evaporation....	158
5.2 Mechanism of chemical drying.....	159
6 Printing presses.....	159
6.1 General Aspects.....	159

6.2 Printing units.....	160
6.3 Press formats.....	163
7 Finishing in web fed printing.....	166
References	

Chapter 6

1 General principles.....	173
1.1 Overall characteristics.....	173
1.2 Method categories.....	175
2 Electrophotography.....	178
2.1 Principles.....	178
2.2 Toners and papers.....	182
3 Ink-jet.....	184
3.1 Principles.....	184
3.2 Ink and papers.....	186
4 Thermal methods.....	188
References.....	190

Chapter 7

Optical imaging in printing

1 Overview of optical phenomena.....	193
2 Surface reflection.....	194
3 Internal reflection.....	196
3.1 Solid prints.....	196
3.2 Halftone prints.....	199
4 Colorimetric color.....	201
5 Optical behavior of the substrate.....	203
6 Print Noise.....	207
References.....	210

Chapter 8

Paper in printing

1 Printing paper.....	213
2 Web transport.....	216
3 Sheet transport.....	221
4 Finishing.....	223
5 Runnability.....	223
5.1 Web breaks.....	225
5.2 Sheet feeding problems.....	227
5.3 Linting.....	229
5.4 Drying.....	231
6 Printability.....	231
6.1 Principles.....	231
6.2 Printability of solid prints.....	233
6.3 Printability of halftones.....	237

7	Paper as carrier of information.....	239
7.1	General.....	239
7.2	Information capacity.....	241
7.3	Optical information capacity of paper...	243
7.4	Color information capacity of paper....	247
8	Testing the printing potential of paper..	248
	References	

Chapter 9

Printing Inks

1	Ink in the press.....	257
2	Composition.....	263
2.1	Pigments.....	265
2.2	Binders.....	268
2.3	Solvents.....	269
2.4	Additives.....	270
3	Optical properties.....	272
4	Rheological properties.....	274
4.1	Definitions and behavior.....	274
4.2	Measuring rheological properties.....	278
4.3	Tack.....	280
5	Surface and colloid chemical properties.	281
6	Drying characteristics of printing ink....	283
6.1	Polymerization.....	286

INDEX

A

A posteriori	98
A priori	98
Absolute contrast	237
Absolute density	197
Absorption	194, 196, 273
Photon	52, 56
Light	68, 80-82, 89-90, 104-105, 194, 196, 265-266, 273
in paper	204-205
achromatic	77, 104, 247-248
achromatic paper	205, 247-248
achromatic reproduction	104
active images	32, 49, 70
additive color formation	81, 86
adhesion	147-149, 152, 181, 184, 229-231
ink	147-149, 152
toner	181, 184
lint	229-231
analog copying	178
anilox roller	260

apparent yield value	275
area probability coding	53-54

B

Bandwidth	55
Basis weight	214,216,220,222
Bimetal plates	144
Binders	264,268-270,284
Binding	21,124,166,223
Bit	29-30,38-41,43-44,53,55,72, 189,237,239,244
bitmap	176
bivariant	32
blanket-to-blanket printing	138
blistering	225,231
blue	36,58,68,70,72,74-75,80-81, 83-84,86,89-90,2101,104,266
blurring	98,200,206
book	14-15,20,124-125,223
broadsheet	40,164
business communication	14
business form	129
byte	38

C

Calibration	
Color	44,47,96,105-106, 109
Density	202
Camera	46,51-52,55-56,69,86,115
Capture	22,86
Carrier phase	182,263-264,269-270
Casing	223
Cathode ray tube	15,55,83
Cavitation	277
CD	164
Central impression	161
Centralized printing	120
Channel	13,53,55,240
Channel capacity	55,240
Channel coder	53
Channel decoder	55
Character probability coding	53-54
Charge to mass ratio	183
Chroma	77, 248
Chromatic	79,202,248,273
Chrome plating	136,144
CIE Lab	76-77,273

CIE Lch	202,273
CIE Luv	76-77
Clogging	187
CMY	70-71,74, 86, 101, 106, 109
CMYK	78
Cockling	188,227
Code	29,39,49,53-55,106,112-113
Coding	16,35,38-40-44,53-55,113,246-247
Cogation	186
Cohesion	147-150,278,281
Cold nip fusing	181
Collation	124-125
Collect production	164
Colloidal properties	281-282
Color	14,18,22-23,28,35-36,44-45,49, 52,55,58-60, 62, 66-82, 84-91,94, 96,98,101-102,104-110
color correction	45,85,88-91,98
color gamut	77
color noise	105,236
color range	74,81,91,101,105-106,155, 203,233-234,248,273
color register	201,217-218,228
color separation	22,55,74,78-79,85-90, 106,110
color temperature	60,66-67
colorimetric coordinates	74,202
colorimetical	154
communication process	13-14,119,239
computer to film	23-24
computer to plate	23-24,114,142-144
computer to press	23-24,114,142-143,169
computer to print	23-24,114,169
contact angle	149,169-170,282
contact screen	92
continuous tone images	22,29-30,85
contone	30,38,49
contrast	32,34,46,38,49,56,178,188,208, 35-238,264,268,280
contrast sensitivity	36,208
contrast sensitivity function	36,208
conventional printing	56, 95, 143,161
cosine transform	54
cracking	231
creasing	223
cropping	86
CS	178,185-187
Curling	188,227-228

Cutting 130,166-168, 218,223
 Cyan 70,74,80-81,89-91,106,
 54-155,203,248-249,266,273

D

D2T2 188
 Dampening water 138,147,155,230-231,236
 Data compression 53
 Data flow 38-41, 43
 Density 32-34,36,38-39,52,59,70,
 78,81,87,89,93,96,99,106-109,
 197-202,233-234
 detail reproduction 33-34,98,205
 development reaction 57
 device independent color 105,109-110
 diazo 144
 die stamping 223
 dielectric 178,180,229,253
 diffusely reflecting surface 196
 digital 13-14,19,22,24,28,30,24,38-39,
 42-44,49,52-53,55-56,62,72,
 84,86,93-97,116-117,173,175,244,247
 digital copying 121,178
 digital faxing 122
 digital image 28,30,38-39,43-44,49,56,62,93
 digital media 13-14,19
 digital photography 185
 digital printing 24,62,120,122-125,
 131,161,173,175
 dilitho 135
 dimensional stability 184,188,228,231
 direct thermography 178
 dispatch 121,126-127
 dispersion 288,263-265,271
 display 17,19,22,32-33,35,
 38,43,49,55,69-70,81-86,104,
 110-111,113,127-129
 dissemination 13-14, 21
 distributed printing 120
 document 14,20,39,43,109,113
 DOD 178,185-186
 Dot gain 105,200,206,210,237-238,244-245
 Dot profile model 108-109
 Dot sharpness 239,275
 Dot structure 91-93,95-96,105,144
 Double production 164-165
 Dry offset 149
 Dryng 139-140,156-159,161-163,

181,187,224-225,231,237,252,
264,268-269,271-272,281-284
dye 58,70,187-189,191,264
dye diffusion thermal transfer 188
dye sublimation 188
dynamic range 33-34,36,99,243,245
dynamic viscosity 279

E

EB curing 159
Edge noise 238-239
Elastic deformation 149-150
Electrical charge pattern 178-179
Electro assist 137
Electrography 178
Electron beam imaging 178
Electronic printing 14,24,39,56,94
116,121,124,173-178,190,222
250,279
electrophotography 55-56,128,173,
178-181, 183,188,190,211,216,
230, 237,239,264
electrostatic methods 178
emission 70-71, 73, 80, 82-83,87
emulsification 282
engraving 15,140-142,144-146
enhancement 34,36,44,86,89,96,
98-99, 101-102
entropy 53-54
equivalent neutral density 89
etching 144-146

F

Facsimile 99,122
Fax 43,122
FDDI 42
Filling-in 200-201,237
Filter operations 200-201,237
Finishing 20,22,124,126,129-130,
160-161,166,215-216,223-224,
227-228,231
first surface reflection 194,202
flexography 135-136,142,161,166,169,
222,237,260
flow resistance 258,281
fluorescence 268
folding 124-125,130,157,166-168,
223,225

fountain water 138
 Fourier transform 46, 48-49,109
 Fractal coding 53-54
 Friction 184,217-218,222,225,227-228,
 253,280-281

G

GAFt color circle 78
 Gelatin 56,145
 Geometric operations 44,46
 Glass screen 91-92
 Global operations 44,46
 Gloss 33,196,209,
 216,223,234-237,243,246,248
 253,274
 gloss contrast 235
 gloss noise 207,236-237
 gradation 52,57,60,91-92
 graininess 236
 granularity 61,236
 graphics 18,20,22,30,38-41,54,114
 117,135,250
 gravure 136-137,140,142,144-147,151-
 152, 155,157,160-161, 163-166,
 168-169, 215-216,233,237,239,
 259-260, 265, 269-270
 gravure cylinders 140,144,146
 gray balance 36
 gray component 81, 104,155
 green 36,58,68,70,72,74-76,78
 80-81,83-84,86,88-89,101,104,
 218,266
 grid frequency 41
 gutenbergr 15,111

H

Halftone angle 93
 Halftone contrast 237-238
 Halftone dot size 93,96,106
 Halftone frequency 40-41,43
 Halftone image 30,38,49,91,96,136
 Halftone percentage 30, 93, 95,200,202,237
 Halftoning 45,85-86,91,93,95-97,116-117,137,186,189,237
 Hard copy 49,55,127-128,191,193
 Heat-set offset 140,162-164,168,218,
 270,272
 high end printing 176
 high gradation 57,91

hot air drying	157
hot nip fusing	181,230
hot stamping	135-136,161
HSV	74,101
Hue	67,72-74,84,101-102,202-203,205
Hue angle	202-203-205
Hypermedia	19
Hypertext	19, 117

I

Image	15-16,18,22-24,28-39,43-62, 67-74,79,81-87,91, 93-96, 98-99, 101-102, 105, 109, 193-194
image analysis	37,46,237,239,242,253
image enhancement	34,36,86,96,99,102
image restoration	62, 85, 96, 102
image science	62, 116
image signal	28, 32, 43, 49, 52, 55,81,98 207, 209
image transform coding	53-54
imaging system	14, 33-34, 36-37, 46-47, 49, 51-51,69
impact printing	94, 161, 177, 190
imposition	125
information	13-14, 17-22, 24, 34, 37-41, 43, 47, 49, 53, 55, 86, 94, 96, 99, 102, 117, 239-248
information capacity	37-38, 206 211, 213, 239-248,254
information carrier	213,254
information structure	18-19,22
ink mileage	234,273
ink pigments	153
ink requirement	233-234, 273
ink splitting	182, 276
ink transfer equation	152
ink-jet	56, 128-129, 135, 141, 144, 173, 176-179, 184-188, 216, 237, 239, 264, 268, 278
inking unit	259-260, 262,279
Inks	15,24,47,59, 79-81, 85, 89-91, 94, 104-108, 186-188, 257-259, 263-265, 267-279,281-286
input-output relationship	44, 47-48, 50, 106
inserting	149,164,168,242-243,246
intaglio	137
intensity	32-33, 47-49, 51-52, 72, 92, 105, 142, 193-194, 196, 198-199,

204-205, 233, 238, 254
interfacial tension 149, 281-282
internal reflection 196, 198, 202, 207
internal surface reflection 194, 202
invisible scale 208
IR drying 156

J

Jetting 186-187
JND 36,76

L

Laboratory scale 154,227
Landscape orientation 165
Laser printing 178,180,191,216
Lay-out 114
Lch 202,273
LED 180,200,216,282
Letterpress 15, 94, 111, 135-137, 143, 147
161, 269, 275
light absorption 68,85, 89-90, 194, 196,
198, 204, 207, 233, 266, 273
light diffusion 194, 199, 205, 238
light quanta 67
light scattering 84, 194, 210, 233-234, 245
light pressure 150
line spread function 48, 245
linting 225, 227, 229-231,253
liquid inks 265,269,277,282
liquid toners 182, 270
lithographic plate 142
logical structure 18,20
long grain 164
low end printing 174
luminance 29-30,32,52,69,72, 76-77
83-84, 104, 202, 205, 239, 248
LWC paper 138

M

Macro scale 153,193,199,208-209,234,
237, 242, 270
magenta 70, 74, 80-81, 88-91, 104, 106,
188, 203, 266, 273
magnetography 178
mapping 44
masking equations 106, 109
MD 164,166-67, 218,223,227-228,231
Media 13-15, 17, 19, 113, 199, 121, 213

Memory 24, 36, 39, 54-55, 72, 106,
 117, 179, 199, 209, 239
 memory colors 36, 72, 117, 209
 merging 86
 metamery 71, 74, 79
 MFP 174
 Microscale 153,193,208-209,234,
 237,242, 279, 281
 mineral oil 156
 missing dots 238=239
 modulation 34, 38, 48, 52, 59, 136, 141, 189
 modulation transfer function 34, 48, 59
 mono component tones 183
 MTF 34-35, 48, 50, 108-109,
 206, 245-246
 multimedia 62
 mutual information 240
 MWC 215

N

NI 238
 Neugebauer 107-109, 201-202
 Nip pressure 135,150,152-153
 Nip width 150
 Noise 28-29, 33-37, 45, 50, 52, 69, 72, 96,
 98, 105, 116, 183, 206-209, 211,
 234, 237, 242, 279
 invisible scale 208
 macro scale 153, 193, 199, 208-209,
 234, 237, 242, 270, 281
 micro scale 153, 193,208-209,
 234, 237, 242, 270, 281
 noncontact method 128
 nonimpact 94, 128, 136, 140-144, 173-174,
 176-179
 nonuniformity 183, 237
 nozzle 178, 185-187

O

Object 49,51,66,68,71-74,85-87,110,227
 OCR 111,121
 Offset 43,115,122,135,137-138,140
 142-144,146-149,151-152,
 155-147,160-166,168-169,
 215-216,236,281,283
 offset lithography 122,135,142,147,161
 offset plate 115,142,144

offset principle 135,177
 oil 157,234,236,265,268-270
 282,284,286
 oil based inks 282
 on-demand 14,21
 opaqueness 272
 optical character recognition 111,121
 optical density 32,156,210,233
 optical signal 49,52,86,121
 optical spreading 194,200,206
 optical system 51
 orange 188
 output 28,34,38-41,43-47,50,52,55,
 85-86,99,105-106,108-111,
 113-114,129,207,240
 oxidation 157,159,231,266,268-270,283-284

P

Page data 20, 23-24,173,175,179
 181, 185-186
 page description code 55,174
 page description language 114
 page-negatives 115,142
 page positives 142
 page speed 123,175
 pagination 20
 paper grade 213,232
 paper opacity 194,205,234
 paper resistivity 183-184
 passive images 32,49
 perceptual image 146
 perfecting 138
 perforation 223
 penetration 233
 phase change inks 186
 phosphorescence 83-84
 photo conductor 179-181, 183
 photographic speed 61
 photography 16,22,46,49,55-60
 62, 70,91,101,117,176,185
 photomechanical 56,140-142,146
 photons 52,57,110
 photopolymer 59,144
 physical nature of color 110
 physical structure 18,20,24
 physiological nature of color 110
 piezoelectric ink-jet 186
 pigment 145,153,156,182,190,193

215,230,234,263-266,268,270,
 276-277,281-282
 pitch 268
 plate making 24,121,123,126,140-144,146
 161,173
 point operations 44-45
 point spread function 45-58, 50, 108-109,
 194,200,205
 polymerization 58-59,159,231,270,
 283-284
 portrait orientation 165
 power spectrum 208,236-237
 pre-ress 22,40,42,58,121,232
 precipitation 283
 press format 160,164
 prnt through 234
 printability 191,213-216,231-233,
 237,239,249
 printed communication 241
 printing head 176,178,186,189
 printing nip 105, 134-135, 137, 146
 150, 152, 155, 224, 230
 279, 286
 printing paper grades 213
 printing reproduction process 22,50, 98, 119
 printing unit 155,157,161-163,218
 private communication 14
 production printing 199,231
 proofing 117,185,188
 pseudoplastic 275
 psychological nature of color 110
 publication 14,21-22,113,166,170, 185,286
 publishing 13-14,22,24,50,62

R

Radiation curing by UV 157
 Radiation sensitive 140,142,144,146
 Raster image processor 39,55,175
 Raster scan 28,39,52,54
 Recycling 24
 Red 58,68,70,72-75,78, 80-81,83-84,
 86, 89, 104, 198, 203, 248, 266, 273
 reel stand 161, 218, 220-221
 refractive index 195-196
 relative contrast 32,238
 remoisturization 157
 replacement 44, 104
 reproduction 14,17,22,33-34,37,46

49-50,52,58,71-72,74,79-82,
 85-86,88-89,91-92,96,98-99,
 101, 104-107,109-111,115-116,
 119,203,244
 reproduction of color 71, 79, 110, 116
 resolution 31-32,34,36,40,43,52,55,85
 114,142-143,155,174-175,179
 182-186,188,206,246,255
 resolving power 34,59,61
 restoration 62,85-86,96,98,101-102
 retrieval 13-14,119-120
 RGB 70,74,78,81,84,86
 101,105-106,109-110,202
 ripping 23-24,39-42,121,173,175-176
 rolling 155,216,239
 rotary principle 134
 roughness 151, 153-154, 195
 209,214-216,234-235,237,248
 rub-off test 156
 rub-proofness 159,237
 runnability 183,213,223-224, 231-232

S

Sampling theorem 38
 Satellite unit 161
 Saturation 72-74,77,84,101-102,104,
 198,248,274,282
 scanner 51,53,55
 scanning 36,38,50,52,83,85,121
 142,174-175,179-180
 scanning frequency 85
 acattering coefficient 204,245
 screen frequency 38,93-97,260
 self information 53
 sensitivity 36,52,56-61, 69, 87
 144,208,228
 sensitometry 59
 serigraphy 139
 setting 16,21,156-157,163,169, 230
 236,252,270,278,281,283

 SGML 18,113,117
 Shadow mask 84
 Sharpness 36,96,155,183,206,
 238-239,275
 shear rate 258,274-275,278,282
 shear thinning 275-278,281
 sheen 235

short grain	164
show through	234
signal	24,28-29,32,34,36-37,43, 48-49,52-56,81-82,84-86,89-90, 98,106, 109-110,121,207-209, 242
signal to noise ratio	29,34,36-37,52,207
silk screen	129,138-139,269-270
single production	124
sizing	46,86,214
slitting	166,168,223,230
smoothness	152-153,157,184,196, 215-216,233-234
SNR	29,242
Soft copy	127-128
Solid area	152-153,232,238
Solid ink-jet	135
Solid print	106,203,207,248
Solvent evaporation	158-149,237
Solvent retention	158-159, 237
Source	13, 51,55,68,70,73,80,87,
Spatial frequency	34,37,94,193,206,208 242,245
spectral sensitivity	60, 87
spectrum of light	73-74, 80
specular gloss	235
speed	24,28,52,55,59,61,83,111
stencil	139
straight run	164
strike through	234
subtractive color formation	49,80-81
superstructure	167
surface nonuniformity	237
surface reflection	32,194-196,198,202, 207,210,235,243,248,274
surface reflection indicatrix	195
surface tension	137,281-282,284

T

Tack	154,277-278,280-281
TAPPI brightness	205
Text	13,15-22,29-30,37-41,53-54,58 62,81,86,111-116,137,140,174
test font	39,53,114
thermal dye transfer	188-189
thermal ink-jet	186, 191
thermal transfer	128,136,141,144 178,188-189
thermodynamic wetting	223

thermosensitive	178
thixotrophy	275-277
toulene	270
tone reproduction curve	237
toner	141,178-184,190,193,209, 250,252
toner development	141,178
total diffusion	199
touch-proofness	237
transfer capacity	39,42
transmission	13-14,22-23,33,40,42-43,49, 53-54,74,83,87-89,105,120,272
transmission time	40
transmittance	196,202
transparency	234,272
trapping	154-155,235-2367,248-249
two component toners	183
typography coding	113

U

UCR	104
Unevenness	208,236-237
Univariant	32-33
UV curing	158

V

Value	72-74,101-102
Variable information printing	124,144
Varnishing	159,223
Vector coding	54
Vegetable oil	286
Video	13,16,28,43,52-53 56,86,237
visocelastcity	278-279, 281
viscosity	147,178,187,258,269, 274-275,277-279,281,286
visual quality	32,36,68,96,98,116
visual tests	32,36,68,98,102
visualization	15,19,119,127,232

W

WAN	42-43
Water based inks	169
Wavelength spectrum	70,74
Web break frequency	217,225,227
Web breaks	217,219,221,225-227
Web fed printing	130,140,160,164,166 216,220,225



web tension profile	218
wet-on-wet	105,155
whiteness of paper	205
wood free paper	138,216

Y

Yellow	69-70, 72,74,80-81,86 88-90,104,106,155,266,273
yield value	275,277