

# Subject Index

## Technical Information Papers

This document was last updated June 10, 2010

### A-

#### **Abrasion**

Selection criteria for wet end ceramics, 0502-15

#### **Abrasion resistance**

Selection criteria for wet end ceramics, 0502-15

#### **Acrylic fibers**

*see Polyacrylics, Synthetic fibers*

#### **Additives**

Techniques for running "WRA" (water resistant starch adhesive), 0304-46

#### **Adhesives**

Buying, storing, and handling flexo folder gluer/rotary diecutter adhesives, 0305-25

Causes and corrections of common corrugator bonding problems, 0304-32

Evaluating glue lap adhesives, 0304-16

Green peel bond test at the corrugator, 0304-27

Procedure for setting up a raw material trial on the corrugator, 0304-01

Proper methods of measuring starch adhesive viscosity, 0304-33

Starch adhesive preparation and distribution systems: housekeeping, 0304-06

Starch adhesive trial, 0304-22

Statistical process control of starch gelatinization temperature, 0304-14

Statistical process control of starch viscosity, 0304-15

Techniques for bonding of densified liners, 0304-40

Techniques for running "WRA" (water resistant starch adhesive), 0304-46

Understanding wet strength: what are MRA, WRA, and WPA?, 0304-69

Understanding and troubleshooting hot melt adhesives, 0304-74

Using washup water as the vehicle in starch-based corrugating adhesive, 0304-44

#### **After dryers**

Paper machine drying rate, 0404-07

#### **Agitation**

Using washing water as the vehicle in starch based corrugating adhesive, 0304-44

#### **Agitators**

Guidelines for side-entering stock agitators, 0420-13

#### **Air**

Paper machine room ventilation guidelines, 0404-50

#### **Air balance**

*see Air, Materials balance*

#### **Air flow**

Measurement of vacuum pump air flow, 0420-12

Minimum dryer pocket air requirements, 0404-17

Recommended operation of dryer section hood air systems, 0404-24

Sheet handling devices, 0404-44

#### **Air jets**

Sheet handling devices, 0404-44

#### **Air permeability**

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, 0404-20

#### **Air pollution**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, 0416-09

#### **Alignment**

Checking the parallel of corrugating rolls with "NCR" paper, 0304-62

#### **Alkali**

Specific heat of caustic soda solutions, 0606-07

#### **Alkaline sulfite pulping**

Boiling point rise of spent sulfite liquors, 0607-21

Definitions of terms in the sulfite pulping process, 0607-25

Density of aqueous sodium sulfite solution, 0607-18

Density of milk of lime solution, 0607-05

Solubility of sulfur dioxide,  $\text{Ca}(\text{HSO}_3)_2$  solutions, 0607-07

Sulfur burner gas strength volume, 0607-01

Viscosities of various spent sulfite liquors at 26.7°C, 0607-22

#### **Alkalinity**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

#### **Ammonia**

Solubility of sulfur dioxide, 0607-06

#### **Anatase**

Titanium dioxide pigment index, 0106-07

#### **Analysis**

Method for determining length and other properties in rolls of various diameters and basis weights, 1008-02

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

#### **Angle of slide**

*see Slide angle*

#### **Anilox coaters**

In-line coating at the corrugator, TIP 0304-39

#### **Anilox rolls**

*see Flexography, Printing cylinders*

**Anvil**

Troubleshooting the diecutting section, 0305-39

**Approach flow systems**

Headbox approach piping guidelines, 0404-54

**Ash**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, 0416-15

Drainage evaluation by mass measurement, 0502-12

**Atmosphere**

Testing atmospheres simulating end use conditions, 0808-05

**Auditing**

Checklist for a properly planned project, 0408-01

**Automatic feeders**

*see Feeders*

**B-****Bacteria**

Starch adhesive preparation and distribution systems: housekeeping, 0304-06

**Bag papers**

Paper machine performance guidelines, 0404-47

**Bags**

Paper machine drying rate, 0404-07

**Bar Width Reduction (BWR)**

*see Product codes*

**Bar codes**

*see Product codes*

**Bases**

*see Hydroxides*

**Basis weight**

Headbox approach piping guidelines, 0404-54

Method for determining length and other properties in rolls of various diameters and basis weights, 1008-02

**Batch digesters**

Guidelines for inspecting batch digesters, 0402-22

**Batch process**

Dryer condensing rates, 0404-02

Measurement of dryer condensing rates (vertical separator method), 0404-18

**Beams**

Calibration of flexible beam crush tester, 0304-20

**Bearings**

Corrugator bearing clearance checks and their impact, 0304-47

Guidelines for inspection and nondestructive examination of paper machine dryers, 0402-16

Paper machine reel spool journals: guidelines for the in-service inspection to detect cracking and repair/replacement considerations, 0402-34

Total indicated runout and its impact on combined board quality, 0304-56

**Biocide**

Using washing water as the vehicle in starch based corrugating adhesive, 0304-44

**Biomass**

Performance test procedure for boilers using biomass as fuel, 0416-18

Sampling procedures for biomass fuel for boiler

performance testing, 0416-17

**Biomechanics**

*see Human factors*

**Bisulfites**

Physical and chemical properties of magnesia-base pulping solutions, 0607-04

Solubility of sulfur dioxide, 0607-06

Solubility of sulfur dioxide in magnesium bisulfite solution, 0607-09

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, 0607-10

**Black liquors**

Field welding of pin studs in black liquor recovery boilers, 0402-15

Recommended test procedure for black liquor evaporators, 0416-11

Recovery boiler performance calculation – short form, 0416-01

Response to contamination of high purity boiler feedwater, 0416-05

**Blade coaters**

*see also Coaters*

In-line coating at the corrugator, TIP 0304-39

**Bleach plants**

Bleaching plant washer efficiency guide, 0606-23

**Bleached board**

Paper machine drying rate, 0404-07

Paper machine performance guidelines, 0404-47

**Bleaching**

Boiling point rise of spent sulfite liquors, 0607-21

Cotton in nonwovens, 1205-02

Chlorine gas curve, 0606-02

Definitions of terms in the sulfite pulping process, 0607-25

Density of aqueous sodium sulfite solution, 0607-18

Density of chlorine gas, 0606-03

Density of milk of lime solution, 0607-05

Heat of vaporization of liquid chlorine, 0606-04

Recommended pulp bleaching stage designation method, 0606-21

Relative enthalpy (heat content) of sodium hydroxide solutions, 0606-08

Solubility of sulfur dioxide,  $\text{Ca}(\text{HSO}_3)_2$  solutions, 0607-07

Specific gravity and density of caustic soda solutions, 0606-20

Specific gravity of sodium chloride solutions, 0606-10

Sulfur burner gas strength volume, 0607-01

Viscosities of various spent sulfite liquors at 26.7°C, 0607-22

Viscosity of liquid chlorine 0606-05

Viscosity of sodium hydroxide solutions, 0606-11

**Bleaching stages**

*see Bleaching*

**Blind-drilled rolls**

*see Vacuum rolls*

**Blistering**

Addendum to *Corrugating Defect Terminology*

*Manual* - defects related to the use of fingerless singlefacers, 0304-17

### **Blow boxes**

Sheet handling devices, 0404-44

### **Blowdown**

*see also Blowing*

Design engineer decisions tree: paper mill boiler feedwater, 0416-04

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

### **Blowing**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

### **Board caliper**

*see Thickness*

### **Boiler feed water**

*see Boilers, Feedwater*

### **Boiler tubes**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, 0402-33

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, 0402-31

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, 0402-13

### **Boilers**

Design engineer decisions tree: paper mill boiler feedwater, 0416-04

Evaluating reverse osmosis for treating makeup to the boiler feedwater in a pulp and paper mill, 0416-07

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, 0416-08

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, 0402-31

Keys to successful chemical cleaning of boilers, 0416-06

Performance test procedure for boilers using biomass as fuel, 0416-18

Sampling procedures for biomass fuel for boiler performance testing, 0416-17

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, 0416-13

### **Bonding**

Green peel bond test at the corrugator, 0304-27

Techniques for bonding of densified liners, 0304-40

### **Box compression**

*see Compression strength*

### **Box flaps**

*see Flaps*

### **Box machines**

Troubleshooting a glue lap problem, 0304-10

### **Box plants**

*see Converting plants*

### **Boxes**

Corrugated boxplant-list of potential hazards, 0301-01

Critical properties to consider when unitizing, 0304-72

High vacuum sheet dewatering, 0404-60

Squaring flap cut (center special) boxes, 0305-45

### **Brightness**

Titanium dioxide pigment index, 0106-07

### **Broke**

Broke loss calculations, 0502-10

### **Bronze**

Guidelines for nondestructive examination of suction roll shells, 0402-19

Weld repairs on new suction roll shells, 0402-17

### **Burst testers**

Calibration and maintenance of, 0304-24

### **Butt joints**

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, 0402-31

### **Butt welds**

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, 0402-31

### **C-**

#### **CADCAM**

Computer-assisted machinery, 0305-02

#### **CONEG**

*see Regulations*

#### **Cadmium**

An explanation of the CONEG heavy metal guidelines, 0304-58

#### **Calcination**

Physical data of calcined kaolin-water suspensions, 0106-09

#### **Calcium base liquors**

Solubility of sulfur dioxide,  $\text{Ca}(\text{HSO}_3)_2$  solutions, 0607-07

#### **Calcium bisulfite**

Solubility of sulfur dioxide,  $\text{Ca}(\text{HSO}_3)_2$  solutions, 0607-07

#### **Calcium carbonate**

Calcium carbonate pigment index, 0106-05

Physical data of calcium carbonate-water suspensions, 0106-01

#### **Calcium hydroxide**

Density of milk of lime solution, 0607-05

#### **Calculations**

*see Computation*

#### **Calibration**

Basic guidelines for image analysis measurements, 0804-09

Calibration and maintenance of the manually operated micrometer, 0304-30

Calibration of flexible beam crush tester, 0304-20

Of burst testers, 0304-24

Calibration technique for the drum style chip thickness classifier, 0602-03

Suggestions for developing a box plant quality manual, 0304-49

### **Caliper**

*see Thickness*

### **Canadian standard freeness**

Interconversion of freeness, 0809-01

### **Carbonates**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, 0416-15

Estimating the first melting temperature of fireside deposits in recovery boilers, 0416-12

Physical data of calcium carbonate-water suspensions, 0106-01

### **Cast iron**

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, 0420-14

### **Castings**

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, 0402-25

### **Caustic soda**

*see Sodium hydroxide*

### **Causticizing**

Material balance equations relating to digester requirements, 0418-02

### **Ceramic coatings**

Press roll cover application guidelines, 0404-37

### **Ceramics**

Selection criteria for wet end ceramics, 0502-15

### **Certification**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, 0402-33

### **Chalk**

*see Calcium carbonate*

### **Charting**

Introduction to the flow chart, 0305-26

Short-run statistical process control: a basic charting method, 0304-70

Statistical process control pin adhesion, 0304-23

Statistical process control - procedures for charting warp, 0304-13

### **Checklist**

*see Maintenance*

### **Chemical preparation**

Specific gravity and density of caustic soda solutions, 0606-20

Specific gravity of sodium chloride solutions, 0606-10

### **Chemical properties**

Chlorine dioxide ( $\text{ClO}_2$ ) safe storage and handling, 0606-10

Magnesia-base pulping solutions, 0607-04

Sodium chlorate ( $\text{NaClO}_3$ ) safe handling and storage

### **Chemical pulps**

Boiling point rise of spent sulfite liquors, 0607-21

Definitions of terms in the sulfite pulping process, 0607-25

Density of aqueous sodium sulfite solution, 0607-18

Density of milk of lime solution, 0607-05

Solubility of sulfur dioxide,  $\text{Ca}(\text{HSO}_3)_2$  solutions, 0607-07

Sulfur burner gas strength volume, 0607-01

Viscosities of various spent sulfite liquors at 26.7°C, 0607-22

### **Chemical recovery**

Recausticizing material balance equations relating to digester requirements, 0418-02

### **Chemicals**

Material safety data sheets, what to look for - how to understand them, 0304-38

### **Chests**

*see Stock chests*

### **Chip classifiers**

Calibration technique for the drum style chip thickness classifier, 0602-03

### **Chip silos**

*see Chip bins*

### **Chips**

Calibration technique for the drum style chip thickness classifier, 0602-03

### **Chlorides**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, 0416-15

Estimating the first melting temperature of fireside deposits in recovery boilers, 0416-12

### **Chlorine**

Chlorine gas curve, 0606-02

Density of chlorine gas, 0606-03

Heat of vaporization of liquid chlorine, 0606-04

Viscosity of liquid chlorine, 0606-05

### **Chlorine dioxide**

Safe storage and handling of, 0606-10

Specific gravity of sodium chloride solutions, 0606-10

### **Chromium**

An explanation of the CONEG heavy metal guidelines, 0304-58

### **Clad-steel plate**

*see Plates*

### **Classification**

Paper grade classifications, 0404-36

### **Clay**

Kaolin clay pigment index, 0106-06

Physical data of calcined kaolin-water suspensions, 0106-09

Physical data of hydrous Kaolin-water suspensions, 0106-02

### **Cleaners**

Introduction to centrifugal cleaners, 0508-10

### **Cleaning**

Cleaning anilox rolls: procedures and options, 0306-18

Cleanup procedures for flexo folder gluer/rotary diecutters, 0305-33

Daily, weekly, and monthly maintenance checklists, 0305-34

Dryer fabric cleaning, 0404-38

Housekeeping at order and shift change and weekly, 0305-32

Introduction to centrifugal cleaners, 0508-10

Keys to successful chemical cleaning of boilers, 0416-06

Paper machine clothing cleaning and conditioning for recycled fiber use, 0404-51

Paper machine shower recommendations, 0404-61

Post-fabrication cleaning of stainless steel in the pulp and paper industry, 0402-35

### **Cleaning chemicals**

*see Cleansers*

### **Cleansers**

Keys to successful chemical cleaning of boilers, 0416-06

### **Clogging**

Nozzle maintenance and clogging, 0420-15

### **Clothing**

*see Felts*

### **Coating color**

*see Color*

### **Coatings**

Guidelines for applying thermal spray coatings to protect pulp mill process equipment against corrosion, 0402-32

### **Coefficient of friction**

*see Friction factor*

### **Combined boards**

Common curtain coating problems: causes, detection, and correction, 0304-26

Obtaining off the corrugator for use in statistical process control procedures, 0304-12

Total indicated runout and its impact on combined board quality, 0304-56

### **Compression**

Corrugated caliper: why is it so important?, 0304-04

### **Compression resistance**

*see Compression strength*

### **Compression strength**

Corrugated caliper: why is it so important?, 0304-04

Obtaining a combined board caliper off the corrugator for use in statistical process control procedures, 0304-12

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, 0304-11

### **Computation**

Paper machine drying rate, 0404-07

### **Computer-assisted**

*see CAD/CAM*

### **Concentricity**

Total indicated runout and its impact on combined board quality, 0304-56

### **Condensates**

Measurement of dryer condensing rates (continuous method), 0404-03

Measurement of dryer condensing rates (vertical separator method), 0404-18

Stripping of kraft pulping process condensates:

regulations, design and operation, 0416-10

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, 0416-13

Yankee dryer steam condensing rates, 0404-49

### **Condensation**

Dryer condensing rates (batch method), 0404-02

Dryer condensing rates (continuous method), 0404-03

### **Condensing rates**

*see Condensation*

### **Conditioning**

Paper machine clothing cleaning and conditioning for recycled fiber use, 0404-51

Testing atmospheres simulating end use conditions, 0808-05

### **Conductivity**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

### **Conical refiners**

Conical refining intensity, 0508-07

### **Consistency**

Drainage evaluation by mass measurement, 0502-12

Generalized method for determining the pipe friction loss of flowing pulp suspensions, 0410-14

Optimum for pumping pulp, 0410-15

### **Construction materials**

Sodium chlorate ( $\text{NaClO}_3$ ) safe handling and storage

### **Contact bearings**

*see Bearings*

### **Contact technique**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, 0402-33

### **Container boards**

Determination of moisture in containerboard using a hand held moisture meter, 0304-63

Friction -- slide angle, 0304-34

### **Contaminants**

*see Impurities*

### **Contamination**

*see Pollution control*

### **Continuous digesters**

Guidelines for inspection of continuous digesters and impregnation vessels, 0402-27

### **Contraction**

Flow from a 45° slice, 0410-03

Flow from a nozzle (slice) with inclined upper lip, 0410-04

Flow from a vertical slice, 0410-02

### **Control charts**

*see Charting*

## Control systems

Short-run statistical process control: a basic charting method, 0304-70

## Conversion factors

Units of measurement and, 0800-01

## Converting factors

Moisture content of paper: terminology and conversion, 0808-02

## Converting plants

Boxplant quality measurement: why test?, 0304-02

Computer-assisted machinery, 0305-02

Corrugated boxplant - list of potential hazards, 0301-01

Machinery considerations and selection, 0305-06

## Copper

Role of in a printing ink, 0304-61

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

## Copper sulfate

Copper sulfate test for corrugator roll wear, 0304-53

## Cores

Determination of winder sets per reel, 0502-02

Reel diameter for various reel spool and roll core sizes, 0502-03

## Corrosion

*see also Corrosion inhibitors*

Clad-steel plate use, 0402-04

Estimating the first melting temperature of fireside deposits in recovery boilers, 0416-12

Guide to the use of stainless steel pipe specifications, 0402-24

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, 0402-03

Guidelines for inspecting batch digesters, 0402-22

Guidelines for inspection of continuous digesters and impregnation vessels, 0402-27

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, 0402-28

Guidelines for nondestructive examination of suction roll shells, 0402-19

Guidelines for welding and inspection of stainless alloy piping, 0402-26

Nozzle maintenance and clogging, 0420-15

Post-fabrication cleaning of stainless steel in the pulp and paper industry, 0402-35

Ultrasonic technician performance test for boiler tube inspection, 0402-21

## Corrosion inhibitors

Keys to successful chemical cleaning of boilers, 0416-06

## Corrosion prevention

Guidelines for applying thermal spray coatings to protect pulp mill process equipment against corrosion, 0402-32

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, 0402-03

## Corrugated boards

Copper in a printing ink, 0304-61

Critical properties to consider when unitizing, 0304-72

Important quality parameters of a printing ink, 0304-59

Obtaining caliper off the corrugator for use in statistical process control procedures, 0304-12

Proofing a flexo printing ink, 0304-60

Statistical process control friction-slide angle, 0304-34

Techniques to minimize twist warp, 0304-50

Warp in corrugated board, 0304-07

## Corrugated boxes

*see Boxes, Corrugated boards*

## Corrugated containers

*see Boxes, Corrugated board, Folder gluers, Die cutters*

## Corrugated medium

An alternative method for designating flute sizes, 0302-04

## Corrugating

An alternative method for designating flute sizes, 0302-04

## Corrugating adhesives

*see Adhesives*

## Corrugating machines

Checking for coating wear on corrugating rolls, 0304-73

Checking the flute depth of corrugating rolls, 0304-75

Checking the parallel of corrugating rolls with "NCR" paper, 0304-62

Computer-assisted machinery, 0305-02

Conducting a corrugator temperature audit, 0304-65

Copper sulfate test for corrugator roll wear, 0304-53

Corrugator bearing clearance checks and their impact, 0304-47

Impact of doublebacker hot plate level on board quality and how to measure it, 0304-66

Improved techniques to measure corrugator glue machine meter gaps, 0304-68

Prevention of score cracking in a box plant, 0304-37

Procedure for setting up a raw material trial on the corrugator, 0304-01

Starch viscosity in corrugating adhesives, 0304-15

## Corrugating medium

Causes and corrections of common corrugator bonding problems, 0304-32

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, 0304-09

Paper machine performance guidelines, 0404-47

Paper machine drying rate, 0404-07

Procedure for setting up a raw material trial on the corrugator, 0304-01

Splicer defects and cures, 0304-31

## Corrugating plants

*see Operations*

**Corrugating rolls**

see *Rolls*

**Corrugator-double backer**

see *Corrugating machines*

**Corrugators**

see *Corrugating machines*

**Costs**

Press section economic evaluation, 0404-22

**Cotton**

In nonwovens, 1205-02

**Couch rolls**

Paper machine vacuum selection factors, 0502-01

**Counters**

Counter ejector section, 0305-44

**Cracks**

Guidelines for inspection and nondestructive examination of paper machine dryers, 0402-16

Guidelines for inspection of continuous digesters and impregnation vessels, 0402-27

Guidelines for nondestructive examination of suction roll shells, 0402-19

**Crescent formers**

Paper machine vacuum selection factors, 0502-01

**Cross direction**

Calculation and partitioning of variance using paper machine scanning sensor measurements, 1101-01

Statistical process control -- procedures for charting warp, 0304-13

Troubleshooting cross-machine direction moisture profile problems, 0404-57

Warp in corrugated board, 0304-07

**Crown**

see *Roll crown*

**Crush**

Calibration of flexible beam crush tester, 0304-20

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, 0304-11

**Cubical contents**

see *Volumetry*

**Curing**

Drying and curing techniques for in-line flexographic printing, 0306-06

**Curtain coating**

Common curtain coating problems: causes, detection, and correction, 0304-26

Weight test, 0304-19

**Cutters**

see *Die cutters*

**Cutting dies**

see *Die cutters, Rotary machines*

**D-****Damage**

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, 0402-28

**Dandy rolls**

Dandy roll applications, 0404-53

**Data storage**

Calculation and partitioning of variance using paper

machine scanning sensor measurements, 1101-01

**Data tables**

Moisture content of paper: terminology and conversion, 0808-02

**Deaerators**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

**Defects**

Addendum to *Corrugating Defect Terminology Manual* -- defects related to the use of fingerless singlefacers, 0304-17

Corrugator bearing clearance checks and their impact, 0304-47

Guidelines for inspection and nondestructive examination of paper machine dryers, 0402-16

**Definitions**

see *Nomenclature*

**Degradation**

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, 0402-28

**Densified liners**

see *Liners*

**Density**

Density of aqueous sodium bicarbonate solution, 0607-13

Density of aqueous sodium carbonate solution, 0607-14

Density of chlorine gas, 0606-03

Method for determining length and other properties in rolls of various diameters and basis weights, 1008-02

Milk of lime solution, 0607-05

Physical data of calcined kaolin-water suspensions, 0106-09

Physical data of calcium carbonate-water suspensions, 0106-01

Physical data of hydrous Kaolin-water suspensions, 0106-02

Sodium sulfite solution, 0607-18

Specific gravity and density of caustic soda solutions, 0606-20

Specific gravity of sodium chloride solutions, 0606-10

**Deposits**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, 0416-15

Estimating the first melting temperature of fireside deposits in recovery boilers, 0416-12

Keys to successful chemical cleaning of boilers, 0416-06

**Deterioration**

see *Degradation*

**Dewatering**

see *Drainage, Water removal*

**Diameter**

Roll diameter for various reel spool and roll core sizes, 0502-03

## **Dictionaries**

*see Nomenclature*

## **Die cutters**

*see also Rotary machines*

Buying, storing, and handling flexo folder gluer/rotary diecutter adhesives, 0305-25

Checklist: preparing die cuts for shipment, 0305-49

Cleanup procedures for flexo folder gluer/rotary diecutters, 0305-33

Troubleshooting the diecutting section, 0305-39

Drying and curing techniques for in-line flexographic printing, 0306-06

Introduction to flexo folder gluer/rotary diecutter TIPs, 0305-04

Minimizing rolling scores on lightweight and high-performance liners in diecutting operations, 0304-64

Ordering cutting dies, 0305-21

Project leader, 0305-13

Proper use of pull bands, 0305-18

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, 0305-40

Rotary cutting die maintenance, 0305-23

Rotary diecutter urethane anvil maintenance, 0305-35

Squaring flap cut (center special) boxes, 0305-45

## **Dieboard**

Multiple-out rotary diecut stacking, 0305-47

Stacking off the rotary diecutter, 0305-46

## **Diecut**

Multiple-out rotary diecut stacking, 0305-47

Stacking off the rotary diecutter, 0305-46

## **Dielectric constant**

Determination of moisture in containerboard using a hand held moisture meter, 0304-63

## **Differential steam pressures**

*see Pressure gradient*

## **Digester balance equation**

Recausticizing material balance equations relating to digester requirements, 0418-02

## **Digesters**

Energy checklist: pulp mill, 0422-01

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, 0402-03

Guidelines for inspecting batch digesters, 0402-22

Guidelines for inspection of continuous digesters and impregnation vessels, 0402-27

## **Dimensional measurement**

Calibration technique for the drum style chip thickness classifier, 0602-03

## **Dispersions**

Physical data of calcined kaolin-water suspensions, 0106-09

Physical data of calcium carbonate-water suspensions, 0106-01

Physical data of hydrous Kaolin-water suspensions, 0106-02

## **Dissolved oxygen**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

## **Dissolving pulps**

Boiling point rise of spent sulfite liquors, 0607-21

Definitions of terms in the sulfite pulping process, 0607-25

Density of aqueous sodium sulfite solution, 0607-18

Density of milk of lime solution, 0607-05

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, 0607-07

Sulfur burner gas strength volume, 0607-01

Viscosities of various spent sulfite liquors at 26.7°C, 0607-22

## **Doctor blades**

Ink metering systems for corrugated flexo presses, 0306-09

Overview of the selection process for a laser engraved ceramic anilox roll, 0306-17

## **Documentation**

Press fabric record book, 0404-21

Suggestions for developing a box plant quality manual, 0304-49

## **Documents**

Daily and month-to-date status report, 0305-31

Purchase order, 0305-07

## **Doublefacers**

Impact of doublebacker hot plate level on board quality and how to measure it, 0304-66

Splicer defects and cures, 0304-31

## **Doublewall corrugated boards**

Causes and corrections of common corrugator bonding problems, 0304-32

## **Downtime**

Daily and month-to-date status report, 0305-31

The need for planned maintenance, 0305-30

## **Drainage**

Drainage evaluation by mass measurement, 0502-12

Fourdrinier drainage performance evaluation – blow test method, 0410-07

High vacuum sheet dewatering, 0404-60

Interconversion of freeness, 0809-01

## **Drainage factor**

Interconversion of freeness, 0809-01

## **Dry bulb temperature**

Relative humidity tables, 0808-06

## **Dry ends**

Procedure for setting up a raw material trial on the corrugator, 0304-01

## **Dryer bars**

*see Dryers*

## **Dryer condensing rates**

*see Dryers*

## **Dryer felts**

*see also Felts*

Dryer fabric cleaning, 0404-38

Recommended tensions in dryer fabrics, 0404-04

## **Dryer hoods**

*see Exhaust hoods*

**Dryer pockets**

Recommended minimum dryer pocket air requirements, 0404-17

Troubleshooting cross-machine direction moisture profile problems, 0404-57

**Dryer sections**

Performance of, 0404-33

Recommended operation of dryer section hood air systems, 0404-24

Sheet handling devices, 0404-44

**Dryers**

Application of dryer bars, 0404-35

Dryer condensing rates (batch method), 0404-02

Dryer condensing rates (continuous method), 0404-03

Dryer condensing rates (vertical separator method), 0404-18

Dryer fabric cleaning, 0404-38

Dryer section performance monitoring, 0404-33

Dryer surface temperature measurement, 0404-39

Drying and curing techniques for in-line flexographic printing, 0306-06

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, 0420-14

Guidelines for inspection and nondestructive examination of paper machine dryers, 0402-16

High-velocity dryers, 0404-05

Paper machine drying rate, 0404-07

Papermaker's formulas, 0502-17

Press fabric record book, 0404-21

Recommended dryer differential pressures, 0404-31

Recommended minimum dryer pocket air requirements, 0404-17

Recommended operation of dryer section hood air systems, 0404-24

Recommended tensions in dryer fabrics, 0404-04

Steam shower applications in the forming section, 0404-58

Troubleshooting cross-machine direction moisture profile problems, 0404-57

Yankee dryer steam condensing rates, 0404-49

**Drying**

Dryer condensing rates (continuous method), 0404-03

Dryer condensing rates (vertical separator method), 0404-18

Dryer section performance monitoring, 0404-33

Drying and curing techniques for in-line flexographic printing, 0306-06

Paper machine drying rate, 0404-07

Through drying, 0404-25

**Drying rate**

*see Drying*

**Dry-laid nonwovens**

Pilot paper machines, 0502-16

**Duplex stainless steel**

*see Stainless steel*

**Dust**

Paper machine room ventilation guidelines, 0404-50

**E-****Economics**

Press section economic evaluation, 0404-22

**Economizers**

Guideline specification for procurement of an economizer for a recovery boiler, 0416-21

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, 0416-22

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

**Edge crush tests (ECT)**

Calibration of flexible beam crush tester, 0304-20

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, 0304-09

**Efficiency**

Index of suppliers for press section monitoring, 0404-62

Paper machine performance guidelines, 0404-47

Press section monitoring, 0404-19

Recovery boiler energy efficiency improvements, 0416-16

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, 0416-13

**Elliptical technique**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, 0402-33

**Employee injuries**

*see Human factors*

**Energy**

Checklist: pulp mill, 0422-01

Paper machine energy conservation, 0404-63

Recovery boiler energy efficiency improvements, 0416-16

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, 0416-13

**Energy conservation**

Paper machine room ventilation guidelines, 0404-50

Recommended operation of dryer section hood air systems, 0404-24

**Enthalpy**

Relative enthalpy (heat content) of sodium hydroxide solutions, 0606-08

**Environmental factors**

*see Environments*

**Environments**

Caustic soda (NaOH) safe storage and handling, 0606-27

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling, 0606-1

Gaseous ozone (O<sub>3</sub>) safe handling, 0606-28

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling, 0606-24

Methanol (CH<sub>3</sub>OH) safe storage and handling, 0606-25  
Oxygen (O<sub>2</sub>) bulk storage and safe handling, 0606-29  
Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage  
Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, 0606-26

### **Equations**

Papermaker's formulas, 0502-17

### **Equilibrium**

Relative humidities over saturated salt solutions, 0808-03

### **Equipment**

Starch adhesive trial, 0304-22

Quality techniques using existing equipment, 0306-

11

### **Ergonomics**

*see Human factors*

### **Erosion**

Nozzle maintenance and clogging, 0420-15

### **Evaluation**

*see also Performance*

Drainage evaluation by mass measurement, 0502-12

### **Evaporation**

*see Drying*

### **Evaporators**

Energy checklist: pulp mill, 0422-01

Recommended test procedure for black liquor evaporators, 0416-11

### **Exhaust gas**

Paper machine room ventilation guidelines, 0404-50

### **Exhaust hoods**

Recommended operation of dryer section hood air systems, 0404-24

## **F-**

### **Fabric**

*see Forming fabrics, Dryer felts*

### **Fan pumps**

Headbox approach piping guidelines, 0404-54

### **Feed section**

*see Feeding*

### **Feedback control**

*see Control systems*

### **Feeders**

Material handling considerations for flexo folder gluers, 0305-54

### **Feedwater**

Design engineer decisions tree: paper mill boiler feedwater, 0416-04

Evaluating reverse osmosis for treating makeup to the boiler feedwater in a pulp and paper mill, 0416-07

Response to contamination of high purity boiler feedwater, 0416-05

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

## **Felts**

*see also Press felts*

Dryer fabric cleaning, 0404-38

Methods to minimize sheet rewet in the press section, 0404-59

Porosity measurement of press felts on the paper machine (HSPT), 0404-29

Press fabric record book, 0404-21

Troubleshooting cross-machine direction moisture profile problems, 0404-57

Water permeability of press fabrics, 0404-43

### **Fiber length**

Cotton in nonwovens, 1205-02

### **Fiberboards**

*see Boxes, Corrugated boards*

### **Fiberglass-reinforced plastic**

*see Plastic*

### **Field tests**

*see Test methods*

### **Film**

Quality techniques using existing equipment, 0306-11

### **Filters**

Paper machine room ventilation guidelines, 0404-50

### **Fine papers**

Paper machine drying rate, 0404-07

Paper machine performance guidelines, 0404-47

### **Fingerless singlefacers**

*see Singlefacers*

### **Fingerprints**

Quality techniques using existing equipment, 0306-11

### **Flaps**

Squaring flap cut (center special) boxes, 0305-45

Understanding and troubleshooting hot melt adhesives, 0304-74

### **Flat boxes**

*see Vacuum boxes*

### **Flat crush tests**

Calibration of flexible beam crush tester, 0304-20

### **Flexibility**

Calibration of flexible beam crush tester, 0304-20

### **Flexible beam crush tester**

Calibration of flexible beam crush tester, 0304-20

### **Flexo folder-gluers**

*see Folder gluers, Die cutters, Rotary machines*

### **Flexo ink**

Printing section, 0305-38

### **Flexography**

Cleaning anilox rolls: procedures and options, 0306-18

Guide to proper wipe roll selection for the corrugated box industry, 0306-20

Identifying anilox roll volume measuring equipment, 0306-15

Ink metering systems for corrugated flexo presses, 0306-09

Quality techniques using existing equipment, 0306-

11

Overview of the selection process for a laser engraved ceramic anilox roll, 0306-17

Viscosity reading procedure for flexographic corrugated inks, 0304-18

### **Flow**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, 0410-14

Paper machine shower recommendations, 0404-61

### **Flow charts**

Introduction to the flow chart, 0305-26

### **Flow measurement**

Flow determination by chemical method, 0410-09

Weirs and flumes, 0410-10

### **Flow rates**

*see Flow measurement*

### **Flumes**

Weirs and flumes, 0410-10

### **Flutes**

An alternative method for designating flute sizes, 0302-04

### **Fogging**

Steam shower applications in the forming section, 0404-58

### **Folder gluers**

Buying, storing, and handling flexo folder gluer/rotary diecutter adhesives, 0305-25

Cleanup procedures for flexo folder gluer/rotary diecutters, 0305-33

Counter ejector section, 0305-44

Extruded glue mechanism supplement, 0305-43

Folding section, 0305-42

Introduction to flexo folder gluer/rotary diecutter TIPS, 0305-04

Installation, 0305-12

Machinery considerations and selection: yoked scoring slotting section, 0305-53

Material handling considerations for flexo folder gluers, 0305-54

Computer assisted mounting systems, 0306-02

Project leader, 0305-13

Proper use of pull bands, 0305-18

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, 0305-40

Squaring flap cut (center special) boxes, 0305-45

### **Folding**

Folding section, 0305-42

### **Formaldehyde**

Understanding formaldehyde management, 0304-25

### **Formation**

Dandy roll applications, 0404-53

### **Forming**

Forming section monitoring, 0502-14

Paper machine shower recommendations, 0404-61

Steam shower applications in the forming section, 0404-58

### **Forming fabrics**

Drainage evaluation by mass measurement, 0502-12

Forming section monitoring, 0502-14

Methods to minimize sheet rewet in the press

section, 0404-59

Paper machine clothing cleaning and conditioning for recycled fiber use, 0404-51

Paper machine vacuum selection factors, 0502-01

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, 0404-20

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements. 0404-27

### **Forming sections**

Fourdrinier drainage performance evaluation – blow test method, 0410-07

Troubleshooting cross-machine direction moisture profile problems, 0404-57

### **Fourdrinier machines**

Drainage performance evaluation – blow test method, 0410-07

Papermaker's formulas, 0502-17

### **Free sheet**

Paper machine drying rate, 0404-07

### **Freeness**

Interconversion of, 0809-01

### **Friction**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, 0410-14

### **Friction factor**

Statistical process control friction - slide angle, 0304-34

### **Furnaces**

*see Recovery furnaces*

## **G-**

### **Gas**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, 0416-09

### **Gauges**

*see Measuring instruments*

### **Gel temperature**

*see Gels*

### **Gelatinization temperature**

*see Gels*

### **Gels**

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, 0304-08

Statistical process control of starch gelatinization temperature, 0304-14

### **Gin notes**

*see Cotton*

### **Ginning**

*see Cotton*

### **Glass fibers**

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, 0402-28

## **Glossaries**

*see Nomenclature*

## **Glue**

Evaluating glue lap adhesives, 0304-16  
Extruded glue mechanism supplement, 0305-43  
Folding section, 0305-42

## **Glue lap**

*see Glued joints*

## **Glue machine**

*see Gluers*

## **Glue pattern**

*see Gluing*

## **Glued joints**

Troubleshooting a glue lap problem, 0304-10

## **Gluers**

Causes and corrections of common corrugator bonding problems, 0304-32  
How to prevent score cracking in a box plant, 0304-37  
Improved techniques to measure corrugator glue machine meter gaps, 0304-68  
Procedure for setting up a raw material trial on the corrugator, 0304-01  
Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, 0304-08  
Troubleshooting a glue lap problem, 0304-10

## **Gluing**

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, 0304-17

## **Gluing machines**

*see Gluers*

## **Grab truck**

*see Lift trucks*

## **Granite**

Roll material and surface requirements, 0404-41

## **Green liquors**

Recausticizing material balance equations relating to digester requirements, 0418-02

## **Grinders**

Grinder pulpstones – cubical contents, 0605-01  
Pulpstone speed chart, 0605-02

## **Grinding**

Granite roll material and surface requirements, 0404-41

## **Grooved rolls**

Press roll cover application guidelines, 0404-37

## **Ground calcium carbonate (GCC)**

*see Calcium carbonate*

## **Guides**

Press fabric guiding, 0404-64

## **Guide rolls**

Press fabric guiding, 0404-64

## **H-**

## **Halogens**

*see specific term, e.g., Chlorine*

## **Hardness**

Response to contamination of high purity boiler feedwater, 0416-05

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

## **Hazards**

Corrugated boxplant-list of potential hazards, 0301-01

Material safety data sheets, what to look for - how to understand them, 0304-38

## **Hazardous materials**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, 0416-09  
Formaldehyde management, 0304-25  
Material safety data sheets – what to look for, how to understand them, 0304-38  
Stripping of kraft pulping process condensates: regulations, design and operation, 0416-10  
Understanding hazardous materials warning labels, 0304-41

## **Headboxes**

Flow from a 45° slice, 0410-03  
Flow from a nozzle (slice) with inclined upper lip, 0410-04  
Flow from a vertical slice, 0410-02  
Head of stock behind slice (head/jet relationships), 0410-05  
Papermaker's formulas, 0502-17

## **Heat**

Paper machine room ventilation guidelines, 0404-50

## **Heat content**

*see Enthalpy*

## **Heat of vaporization**

Liquid chlorine, 0606-04

## **Heat recovery**

Paper machine room ventilation guidelines, 0404-50

## **Heat transfer**

Application of dryer bars, 0404-35  
Recommended test procedure for black liquor evaporators, 0416-11

## **Heat transfer coefficient**

Recommended test procedure for black liquor evaporators, 0416-11

## **Heating**

Conducting a corrugator temperature audit, 0304-65

## **Heating equipment**

Steam shower applications in the forming section, 0404-58

## **Heavy metals**

*see Metals*

## **High density**

High density liners...what are they?, 0304-43

## **High density liners**

*see Liners*

## **High intensity presses**

Terminology for high temperature pressing, 0404-48

## **High performance liners**

*see Liners*

## **High temperature**

Terminology for high temperature pressing, 0404-48

## **High vacuum**

High vacuum sheet dewatering, 0404-60

## **Hoods**

Recommended operation of dryer section hood air systems, 0404-24

## **Hot melts**

Understanding and troubleshooting hot melt adhesives, 0304-74

## **Hot pressing**

Terminology for high temperature pressing, 0404-48

## **Housekeeping**

*see Maintenance, Cleaning*

## **Humidity**

Dryer section performance monitoring, 0404-33

Equilibrium relative humidities over saturated salt solutions, 0808-03

Psychrometric charts, 0404-45

Recommended minimum dryer pocket air requirements, 0404-17

Recommended operation of dryer section hood air systems, 0404-24

Relative humidity tables, 0808-06

Testing atmospheres simulating end use conditions, 0808-05

Troubleshooting cross-machine direction moisture profile problems, 0404-57

## **Humidity measurement**

Relative humidity tables, 0808-06

## **Humidity rooms**

Paper test rooms: design considerations, 0808-04

## **Hydrocyclones**

Introduction to centrifugal cleaners, 0508-10

## **Hydrogen peroxide**

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling, 0606-24

## **Hydroxides**

Definitions of terms in the sulfite pulping process, 0607-25

Density of aqueous sodium sulfite solution, 0607-18

Density of milk of lime solution, 0607-05

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, 0607-07

Sulfur burner gas strength volume, 0607-01

## **Hypochlorite bleaching**

*see Hypochlorites, Bleaching*

## **I-**

## **Illumination**

Basic guidelines for image analysis measurements, 0804-09

## **Image analysis**

Basic guidelines for image analysis measurements, 0804-09

## **Image quality**

Guideline for obtaining high quality radiographic

testing of butt welds in boiler tubes, 0402-33

## **Impregnation**

Guidelines for inspection of continuous digesters and impregnation vessels, 0402-27

## **Impulse drying**

*see Drying*

## **Impurities**

Dryer fabric cleaning, 0404-38

Paper machine clothing cleaning and conditioning for recycled fiber use, 0404-51

## **In-process checklist**

*see Production*

## **Infiltration**

Paper machine room ventilation guidelines, 0404-50

## **Infrared detectors**

Troubleshooting cross-machine direction moisture profile problems, 0404-57

## **Infrared dryers**

Drying and curing techniques for in-line flexographic printing, 0306-06

## **Ink**

Copper in a printing ink, 0304-61

Guideline for direct contact printing of bar code symbols on corrugated, 0306-16

Ink metering systems for corrugated flexo presses, 0306-09

Proofing a flexo printing ink, 0304-60

Quality parameters of a printing ink, 0304-59

Quality techniques using existing equipment, 0306-

11

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, 0305-40

Viscosity reading procedure for flexographic corrugated inks, 0304-18

## **Inorganic salts**

Equilibrium relative humidities over saturated salt solutions, 0808-03

## **Inspection**

Guidelines for inspecting batch digesters, 0402-22

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, 0402-13

Inspecting used fiber-reinforced plastics (FRP) equipment, 0402-28

Inspection and nondestructive examination of paper machine dryers, 0402-16

Inspection of continuous digesters and impregnation vessels, 0402-27

Nondestructive examination of suction roll shells, 0402-19

Paper machine reel spool journals: guidelines for the in-service inspection to detect cracking and repair/replacement considerations, 0402-34

Ultrasonic technician performance test for boiler tube inspection, 0402-21

Welding and inspection of stainless alloy piping, 0402-26

## **Installation**

Flexo folder gluers, 0305-12

Project leader, 0305-13

### **Instrumentation**

Index of suppliers for press section monitoring, 0404-62

Press section monitoring, 0404-19

### **Instruments**

Forming section monitoring, 0502-14

### **Intensity**

Conical refining intensity, 0508-07

### **Internal bond strength**

Troubleshooting a glue lap problem, 0304-10

### **Iron**

Response to contamination of high purity boiler feedwater, 0416-05

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

### **J-**

#### **Jet dryers**

Methods of evaluating high velocity dryers, 0404-05

#### **Jet velocity**

Head of stock behind slice (head/jet relationship), 0410-05

#### **Jets**

Flow from a 45° slice, 0410-03

Flow from a nozzle (slice) with inclined upper lip, 0410-04

Flow from a vertical slice, 0410-02

#### **Joints**

Troubleshooting a glue lap problem, 0304-10

#### **Jordans**

*see Conical refiners*

#### **Jumbo rolls**

Reel diameter for various reel spool and roll core sizes, 0502-03

### **K-**

#### **Kaolin**

Kaolin clay pigment index, 0106-06

#### **Kraft papers**

Paper machine drying rate, 0404-07

#### **Kraft pulping**

Stripping of kraft pulping process condensates: regulations, design and operation, 0416-10

### **L-**

#### **Labels**

Understanding hazardous materials warning labels, 0304-41

#### **Laboratories**

Paper test rooms: design considerations, 0808-04

#### **Lead**

An explanation of the CONEG heavy metal guidelines, 0304-58

#### **Leakage**

Collection and burning of concentrated

noncondensable gases: regulations, design and operation, 0416-09

### **Lignosulfonates**

Boiling point rise of spent sulfite liquors, 0607-21

Definitions of terms in the sulfite pulping process, 0607-25

Density of aqueous sodium sulfite solution, 0607-18

Density of milk of lime solution, 0607-05

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, 0607-07

Sulfur burner gas strength volume, 0607-01

Viscosities of various spent sulfite liquors at 26.7°C, 0607-22

### **Lime mud**

*see White liquor mud*

### **Lime-base solutions**

*see Calcium base liquors*

### **Limestone**

Calcium carbonate pigment index, 0106-05

### **Linerboards**

Paper machine drying rate, 0404-07

### **Liners**

Causes and corrections of common corrugator bonding problems, 0304-32

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, 0304-09

High density liners...what are they?, 0304-43

How to minimize rolling scores on lightweight and high-performance liners in diecutting operations, 0304-64

Paper machine performance guidelines, 0404-47

Procedure for setting up a raw material trial on the corrugator, 0304-01

Splicer defects and cures, 0304-31

Techniques for bonding of densified liners, 0304-40

### **Linters**

Cotton in nonwovens, 1205-02

### **M-**

#### **Machine clothing**

Paper machine clothing cleaning and conditioning for recycled fiber use, 0404-51

#### **Machine direction**

Calculation and partitioning of variance using paper machine scanning sensor measurements, 1101-01

#### **Machine operation**

*see also Maintenance*

Project leader, 0305-13

#### **Machine rooms**

Paper machine room ventilation guidelines, 0404-50

#### **Machine speed**

Pulpstone speed chart, 0605-02

#### **Machinery**

Computer-assisted machinery, 0305-02

Machinery considerations and selection, 0305-06

Project leader, 0305-13

#### **Magnesia**

*see Magnesium oxide*

**Magnesium bisulfite**

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, 0607-10

**Magnesium bisulfite liquor**

*see Magnesium base liquors*

**Magnesium oxide**

Physical and chemical properties of magnesia-base pulping solutions, 0607-04

Solubility of sulfur dioxide in magnesium bisulfite solution, 0607-09

**Maintenance**

Burst testers, 0304-24

Calibration and maintenance of the manually operated micrometer, 0304-30

Checking for coating wear on corrugating rolls, 0304-73

Checking the flute depth of corrugating rolls, 0304-75

Checking the parallel of corrugating rolls with "NCR" paper, 0304-62

Cleaning anilox rolls: procedures and options, 0306-18

Cleanup procedures for flexo folder gluer/rotary diecutters, 0305-33

Computer-assisted machinery, 0305-02

Copper sulfate test for corrugator roll wear, 0304-53

Counter ejector section, 0305-44

Daily, weekly, and monthly maintenance checklists, 0305-34

Extruded glue mechanism supplement, 0305-43

Field welding of pin studs in black liquor recovery boilers, 0402-15

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, 0416-22

Housekeeping at order and shift change and weekly, 0305-32

Need for planned maintenance, 0305-30

Nozzle maintenance and clogging, 0420-15

Rotary cutting die maintenance, 0305-23

Rotary diecutter urethane anvil maintenance, 0305-35

Troubleshooting a glue lap problem, 0304-10

Weld repairs on new suction roll shells, 0402-17

**Management**

Project leader, 0305-13

**Manuals**

Suggestions for developing a box plant quality manual, 0304-49

**Manufacturers joints**

Evaluating glue lap adhesives, 0304-16

Folding section, 0305-42

Go/no go gauge devices for the boxplant, 0304-42

**Mass**

Drainage evaluation by mass measurement, 0502-12

**Material safety data sheets**

*see Safety*

**Materials**

Oxygen (O<sub>2</sub>) bulk storage and safe handling, 0606-29

**Materials balance**

Paper machine room ventilation guidelines, 0404-50

**Materials handling**

Caustic soda (NaOH) safe storage and handling, 0606-27

Gaseous ozone (O<sub>3</sub>) safe handling, 0606-28

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling, 0606-24

Material safety data sheets – what to look for, how to understand them, 0304-38

Methanol (CH<sub>3</sub>OH) safe storage and handling, 0606-25

Oxygen (O<sub>2</sub>) bulk storage and safe handling, 0606-29

**McKee equation**

*see Edge crush tests*

**Measurement**

Conducting a corrugator temperature audit, 0304-65

Drainage evaluation by mass measurement, 0502-12

Dryer condensing rates (continuous method), 0404-03

Troubleshooting cross-machine direction moisture profile problems, 0404-57

Units of and conversion factors, 0800-01

Utilizing statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, 0304-11

**Measuring instruments**

Gauge repeatability and reproducibility study, 0304-71

**Mechanical papers**

Paper machine drying rate, 0404-07

**Medium**

*see Corrugating medium*

**Melting point**

Estimating the first melting temperature of fireside deposits in recovery boilers, 0416-12

**Mercury**

CONEG heavy metal guidelines, 0304-58

**Metals**

An explanation of the CONEG heavy metal guidelines, 0304-58

Clad-steel plate use, 0402-04

Field welding of pin studs in black liquor recovery boilers, 0402-15

**Metering equipment**

Ink metering systems for corrugated flexo presses, 0306-09

**Methanol**

Methanol (CH<sub>3</sub>OH) safe storage and handling, 0606-25

**Microbes**

*see Bacteria*

**Micrometers**

Calibration and maintenance of the manually operated micrometer, 0304-30

**Milk of lime solution**

*see Calcium hydroxide*

**Moisture**

Determination of moisture in containerboard using a hand held moisture meter, 0304-63

Determination of water removal by wet presses, 0404-01

Moisture content of paper: terminology and conversion, 0808-02

Steam shower applications in the forming section, 0404-58

**Moisture content**

Determination of water removal by wet presses, 0404-01

Psychrometric charts, 0404-45

Troubleshooting cross-machine direction moisture profile problems, 0404-57

**Moisture control**

Cotton in nonwovens, 1205-02

Troubleshooting cross-machine direction moisture profile problems, 0404-57

Warp in corrugated board, 0304-07

**Moisture regain**

*see Moisture content, Sorption*

**Monitoring**

Index of suppliers for press section monitoring, 0404-62

Press section monitoring, 0404-19

**Monitors**

Forming section monitoring, 0502-14

Paper test rooms: design considerations, 0808-04

**Monosulfite**

*see Neutral sulfite pulping*

**Motors**

Paper machine room ventilation guidelines, 0404-50

**Mounting**

Computer assisted mounting systems, 0306-02

**Mullen**

*see Burst strength*

**Multistage process**

*see Bleaching*

**N-****Needle punched**

*see Needling*

**Needling**

Cotton in nonwovens, 1205-02

**Neutral sulfite liquors**

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), 0607-23

**Neutral sulfite pulping**

Boiling point rise of spent sulfite liquors, 0607-21

Definitions of terms in the sulfite pulping process, 0607-25

Density of aqueous sodium sulfite solution, 0607-18

Density of milk of lime solution, 0607-05

Physical and chemical properties of magnesia-base pulping solutions, 0607-04

Solubility of sulfur dioxide, 0607-06

Solubility of sulfur dioxide,  $\text{Ca}(\text{HSO}_3)_2$  solutions, 0607-07

Solubility of sulfur dioxide in magnesium bisulfite solution, 0607-09

Sulfur burner gas strength volume, 0607-01

Viscosities of various spent sulfite liquors at 26.7°C, 0607-22

**Newsprint**

Paper machine drying rate, 0404-07

Paper machine performance guidelines, 0404-47

Weight of newsprint rolls, 0502-11

**Nickel**

Guidelines for welding and inspection of stainless alloy piping, 0402-26

**Nip**

Methods to minimize sheet rewet in the press section, 0404-59

Techniques for nip impressions, 0404-46

Troubleshooting cross-machine direction moisture profile problems, 0404-57

**Nip pressure**

*see Nip*

**Nomenclature**

Recommended pulp bleaching stage designation method, 0606-21

Retention definitions, 0402-13

Moisture content of paper: terminology and conversion, 0808-02

Sulfite pulping process, 0607-25

Terminology for high temperature pressing, 0404-48

**Noncondensibles**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, 0416-09

**Nondestructive tests**

Guide to the use of stainless steel pipe specifications, 0402-24

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, 0402-03

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, 0402-13

Drainage evaluation by mass measurement, 0502-12

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, 0402-31

Inspection of continuous digesters and impregnation vessels, 0402-27

Inspection and nondestructive examination of paper machine dryers, 0402-16

Liquid penetrant testing of new suction roll shells, 0402-11

Nondestructive examination of suction roll shells, 0402-19

Paper machine reel spool journals: guidelines for the in-service inspection to detect cracking and repair/replacement considerations, 0402-34

Ultrasonic technician performance test for boiler tube inspection, 0402-21

## **Nonwovens**

Cotton in, 1205-02

Pilot paper machines, 0502-16

## **Nonwovens machines**

Pilot paper machines, 0502-16

## **Nozzles**

Nozzle maintenance and clogging, 0420-15

Paper machine shower recommendations, 0404-61

## **NSSC pulping**

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), 0607-23

## **O-**

### **Opacifiers**

Physical data of calcium carbonate-water suspensions, 0106-01

### **Opacity**

Titanium dioxide pigment index, 0106-07

### **Open time**

Troubleshooting a glue lap problem, 0304-10

### **Openings**

Measurement of vacuum pump air flow, 0420-12

### **Operations**

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, 0416-22

Machinery considerations and selection, 0305-06

### **Optical measurement**

Basic guidelines for image analysis measurements, 0804-09

### **Optimization**

Press section optimization, 0404-52

### **Orifices**

*see Openings*

### **Osmosis**

Evaluating reverse osmosis for treating makeup to the boiler feedwater in a pulp and paper mill, 0416-07

### **Overlays**

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, 0402-03

Guidelines for inspecting batch digesters, 0402-22

### **Oxygen**

Bulk storage and safe handling of, 0606-29

### **Ozone**

Safe handling of gaseous, 0606-28

## **P-**

### **Packaging**

CONEG heavy metal guidelines, 0304-58

Understanding and troubleshooting hot melt adhesives, 0304-74

### **Palletization**

Checklist: preparing die cuts for shipment, 0305-49

Material handling considerations for flexo folder gluers, 0305-54

### **Paper**

Moisture content of paper: terminology and conversion, 0808-02

Paper grade classifications, 0404-36

Through drying, 0404-25

## **Paper grades**

Paper grade classifications, 0404-36

## **Paper machines**

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, 0420-14

Index of suppliers for press section monitoring, 0404-62

Paper machine clothing performance analysis, 0404-26

Paper machine energy conservation, 0404-63

Paper machine performance guidelines, 0404-47

Paper machine reel spool journals: guidelines for the in-service inspection to detect cracking and repair/replacement considerations, 0402-34

Papermaker's formulas, 0502-17

Performance evaluation techniques for paper machine vacuum systems, 0404-55

Pilot paper machines, 0502-16

Press section monitoring, 0404-19

Recommended operation of dryer section hood air systems, 0404-24

Water permeability of press fabrics, 0404-43

## **Paper mills**

Design engineer decisions tree: paper mill boiler feedwater, 0416-04

## **Paper rolls**

*see Rolls, Wound rolls*

## **Paper stock**

Guidelines for side-entering stock agitators, 0420-13

## **Papermakers alum**

*see Aluminum sulfate*

## **Paraffin wax**

Common curtain coating problems: causes, detection, and correction, 0304-26

## **Papermaking**

Papermaker's formulas, 0502-17

## **Parallelism**

*see Alignment*

## **Parameters**

Paper machine performance guidelines, 0404-47

## **Peel tests**

Green peel bond test at the corrugator, 0304-27

## **Penetrants**

Liquid penetrant testing of new suction roll shells, 0402-11

## **Performance**

Dryer section performance monitoring, 0404-33

Paper machine clothing performance analysis, 0404-26

Paper machine room ventilation guidelines, 0404-50

Press fabric record book, 0404-21

Press section economic evaluation, 0404-22

Press section optimization, 0404-52

Recovery boiler performance calculation – short form, 0416-01

## **Performance evaluation**

Methods of evaluating high velocity dryers, 0404-05

Paper machine performance guidelines, 0404-47

Performance evaluation techniques for paper machine vacuum systems, 0404-55

### **Performance tests**

Performance test procedure for boilers using biomass as fuel, 0416-18

Sampling procedures for biomass fuel for boiler performance testing, 0416-17

Ultrasonic technician performance test for boiler tube inspection, 0402-21

### **Permeability**

Water permeability of press fabrics, 0404-43

### **Personnel**

Project leader, 0305-13

### **Petroleum wax**

*see Paraffin wax*

### **pH**

Response to contamination of high purity boiler feedwater, 0416-05

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

### **Phosphates**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

### **Physical properties**

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling, 0606-10

Chlorine gas curve, 0606-02

Density of chlorine gas, 0606-03

Heat of vaporization of liquid chlorine, 0606-04

Magnesia-base pulping solutions, 0607-04

Relative enthalpy (heat content) of sodium hydroxide solutions, 0606-08

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage

Specific gravity and density of caustic soda solutions, 0606-20

Specific gravity of sodium chloride solutions, 0606-10

Viscosity of liquid chlorine, 0606-05

Viscosity of sodium hydroxide solutions, 0606-11

### **Pigment**

Calcium carbonate pigment index, 0106-05

Kaolin clay pigment index, 0106-06

Physical data of calcium carbonate-water suspensions, 0106-01

Titanium dioxide pigment index, 0106-07

### **Pilot paper machines**

*see Paper machines*

### **Pilot plants**

Pilot paper machines, 0502-16

### **Pin adhesion tests**

Statistical process control pin adhesion, 0304-23

### **Pin register**

*see Register*

### **Pin register mounting**

*see Register, Mounting*

### **Pin studs**

*see Welding*

### **Pipelines**

Optimum consistency for pumping pulp, 0410-15

### **Piping**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, 0410-14

Guide to the use of stainless steel pipe specifications, 0402-24

Guidelines for welding and inspection of stainless alloy piping, 0402-26

Headbox approach piping guidelines, 0404-54

### **Planning**

Checklist for a properly planned project, 0408-01

Installation, 0305-12

Project leader, 0305-13

### **Plastics**

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, 0402-28

Refiner systems, their inspection and maintenance, 0508-06

### **Plates**

*see also Printing plates, Refiner disks*

Clad-steel plate use, 0402-04

Conducting a corrugator temperature audit, 0304-65

Impact of doublebacker hot plate level on board quality and how to measure it, 0304-66

### **Plugging**

Estimating the first melting temperature of fireside deposits in recovery boilers, 0416-12

### **Pocket humidity**

*see Humidity*

### **Polyurethanes**

Press roll cover application guidelines, 0404-37

### **Porosity**

Porosity measurement of press felts on the paper machine (HSPT), 0404-29

Water permeability of press fabrics, 0404-43

### **Potassium**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, 0416-15

Estimating the first melting temperature of fireside deposits in recovery boilers, 0416-12

### **Power plants**

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, 0416-13

### **Precipitated calcium carbonate (PCC)**

*see Calcium carbonate*

### **Precipitators**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, 0416-15

Estimating the first melting temperature of fireside deposits in recovery boilers, 0416-12

### **Prefeeder**

*see Feeders*

### **Preservatives**

Starch adhesive preparation and distribution

systems: housekeeping, 0304-06

### **Press**

Methods to minimize sheet rewet in the press section, 0404-59

Multiple-out rotary diecut stacking, 0305-47

Stacking off the rotary diecutter, 0305-46

### **Press drying**

*see also Drying*

Terminology for high temperature pressing, 0404-48

### **Press fabrics**

Press fabric guiding, 0404-64

Dewatering and conditioning – suction box (Uhle box) design and vacuum requirements, 0404-27

### **Press felts**

*see also Felts*

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, 0404-20

Porosity measurement of press felts on the paper machine (HSPT), 0404-29

Press fabric guiding, 0404-64

Thickness of wet press fabrics, 0404-28

Water permeability of press fabrics, 0404-43

### **Press rolls**

Granite roll material and surface requirements, 0404-41

Press roll cover application guidelines, 0404-37

Weld repairs on new suction roll shells, 0402-17

### **Press sections**

Determination of water removal by wet presses, 0404-01

Index of suppliers for press section monitoring, 0404-62

Press section economic evaluation, 0404-22

Press section monitoring, 0404-19

Press section optimization, 0404-52

Sheet handling devices, 0404-44

Steam shower applications in the forming and press section, 0404-58

Water permeability of press fabrics, 0404-43

### **Presses**

Papermaker's formulas, 0502-17

### **Pressing**

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, 0404-20

Methods to minimize sheet rewet in the press section, 0404-59

Paper machine shower recommendations, 0404-61

### **Pressure**

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, 0420-14

Techniques for nip impressions, 0404-46

### **Pressure gradient**

Recommended dryer differential pressures, 0404-31

### **Pressure roll**

Paper machine vacuum selection factors, 0502-01

### **Preventative maintenance**

*see Maintenance*

### **Print section**

Printing section, 0305-38

### **Printing**

Copper in a printing ink, 0304-61

Guide to proper wipe roll selection for the corrugated box industry, 0306-20

Guideline for direct contact printing of bar code symbols on corrugated, 0306-16

Important quality parameters of a printing ink, 0304-59

In-process checklist, 0305-27

Proofing a flexo printing ink, 0304-60

Proper use of pull bands, 0305-18

Quality techniques using existing equipment, 0306-11

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, 0305-40

Overview of the selection process for a laser engraved ceramic anilox roll, 0306-17

### **Printing cylinders**

Cleaning anilox rolls: procedures and options, 0306-18

Identifying anilox roll volume measuring equipment, 0306-15

Overview of the selection process for a laser engraved ceramic anilox roll, 0306-17

### **Printing ink**

*see Ink*

### **Printing papers**

Paper machine drying rate, 0404-07

### **Printing plates**

Guideline for direct contact printing of bar code symbols on corrugated, 0306-16

Computer assisted mounting systems, 0306-02

Quality techniques using existing equipment, 0306-11

Printing section, 0305-38

### **Printing proofs**

Method to proof a flexo printing ink, 0304-60

### **Process control**

Obtaining combined board caliper off the corrugator for use in statistical procedures, 0304-12

Short-run statistical process control: a basic charting method, 0304-70

Starch viscosity in corrugating adhesives, 0304-15

Statistical of starch gelatinization temperature, 0304-14

Statistical process control friction-slide angle, 0304-34

Statistical process control -- procedures for charting warp, 0304-13

### **Processes**

In-process checklist, 0305-27

Introduction to the flow chart, 0305-26

### **Product codes**

Guideline for direct contact printing of bar code symbols on corrugated, 0306-16

## **Production**

Daily and month-to-date status report, 0305-31

In-process checklist, 0305-27

Papermaker's formulas, 0502-17

## **Production control**

In-process checklist, 0305-27

## **Profiles**

Troubleshooting cross-machine direction moisture profile problems, 0404-57

Steam shower applications in the forming section, 0404-58

## **Project planning**

*see Planning*

## **Projects**

*see Planning*

## **Protective coatings**

Guidelines for applying thermal spray coatings to protect pulp mill process equipment against corrosion, 0402-32

## **Psychrometric charts**

*see also Humidity*

Psychrometric charts, 0404-45

## **Pull collars**

Troubleshooting the diecutting section, 0305-39

## **Pull rolls**

Printing section, 0305-38

## **Pulp mill equipment**

Guidelines for applying thermal spray coatings to protect pulp mill process equipment against corrosion, 0402-32

## **Pulp mills**

Energy checklist, 0422-01

## **Pulping**

Density of chlorine gas, 0606-03

## **Pulpstones**

Grinder pulpstones: cubical contents, 0605-01

Pulpstone speed chart, 0605-02

## **Pulps**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, 0410-14

Optimum consistency for pumping, 0410-15

Paper machine drying rate, 0404-07

## **Pumping**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, 0410-14

Pulp, optimum consistency for, 0410-15

## **Pumps**

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, 0402-25

## **Purchase**

Buying, storing, and handling flexo folder gluer/rotary diecutter adhesives, 0305-25

## **Purchase orders**

Purchase order, 0305-07

## **Pyrometry**

Dryer surface temperature measurement, 0404-39

## **Q-**

### **Quality**

Box plant quality measurement: why test?, 0304-02

Important quality parameters of a printing ink, 0304-

59

Quality techniques using existing equipment, 0306-

11

Starch adhesive trial, 0304-22

Suggestions for developing a box plant quality

manual, 0304-49

### **Quality control**

Calculation and partitioning of variance using paper

machine scanning sensor measurements, 1101-01

Guideline for direct contact printing of bar code

symbols on corrugated, 0306-16

Guidelines for specification and inspection of electric

resistance welded (ERW) and seamless boiler tube for

critical and noncritical service, 0402-13

Liquid penetrant testing of new suction roll shells,

0402-11

Method for determining length and other properties

in rolls of various diameters and basis weights, 1008-02

### **Quality manual**

*see Quality*

## **R-**

### **Radiography**

Guideline for obtaining high quality radiographic

testing of butt welds in boiler tubes, 0402-33

### **Raw materials**

Procedure for setting up a raw material trial on the

corrugator, 0304-01

### **Recausticizing**

*see Causticizing*

### **Reclaimed fibers**

Paper machine clothing cleaning and conditioning for

recycled fiber use, 0404-51

### **Record books**

*see Documentation*

### **Recovery**

Energy checklist: pulp mill, 0422-01

### **Recovery boilers**

Estimating the first melting temperature of fireside

deposits in recovery boilers, 0416-12

Field welding of pin studs in black liquor recovery

boilers, 0402-15

Guideline specification for procurement of an

economizer for a recovery boiler, 0416-21

Guidelines for operating and maintenance practices

impacting an economizer on a recovery boiler, 0416-22

Recovery boiler energy efficiency improvements,

0416-16

Recovery boiler performance calculation – short

form, 0416-01

Recovery boiler sootblowers: practical guidelines,

0416-20

Recovery boiler sootblowers: the basics, 0416-19

**Recovery furnaces**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, 0416-15

Field welding of pin studs in black liquor recovery boilers, 0402-15

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, 0416-08

Recovery boiler performance calculation – short form, 0416-01

Ultrasonic technician performance test for boiler tube inspection, 0402-21

**Recycled fibers**

*see Reclaimed fibers*

**Recycled paperboard**

Paper machine performance guidelines, 0404-47

**Recycled papers**

Paper machine performance guidelines, 0404-47

**Reels**

Determination of winder sets per reel, 0502-02

Paper machine reel spool journals: guidelines for the in-service inspection to detect cracking and repair/replacement considerations, 0402-34

Reel diameter for various reel spool and roll core sizes, 0502-03

TAPPI Roll number for inventory/tracking systems and bar codes, 1004-01

**Refiner plates**

*see Refiner disks*

**Refiners**

Conical refining intensity, 0508-07

Refiner systems, their inspection and maintenance, 0508-06

**Refining**

Conical refining intensity, 0508-07

Refiner systems, their inspection and maintenance, 0508-06

**Register**

Computer assisted mounting systems, 0306-02

**Regulating systems**

*see Control systems*

**Regulations**

CONEG heavy metal guidelines, 0304-58

**Relative enthalpy**

*see Enthalpy*

**Relative humidity**

*see Humidity*

**Relief**

Water quality and monitoring requirements for paper mill boilers, operating on high purity feedwater, 0416-03

**Removal**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, 0416-15

**Repair**

*see Maintenance*

**Repeatability**

How to perform a gauge repeatability and reproducibility study, 0304-71

**Reporting**

Daily and month-to-date status report, 0305-31

Press fabric record book, 0404-21

**Replacement**

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, 0416-08

**Reproducibility**

How to perform a gauge repeatability and reproducibility study, 0304-71

**Resolution**

Basic guidelines for image analysis measurements, 0804-09

**Retention**

Definitions, 0502-13

Fourdrinier drainage performance evaluation – blow test method, 0410-07

**Reverse osmosis**

Evaluating reverse osmosis for treating makeup to the boiler feedwater in a pulp and paper mill, 0416-07

**Reverse warp**

*see Warpage*

**Rewetting**

Methods to minimize sheet rewet in the press section, 0404-59

**Rider rolls**

Total indicated runout and its impact on combined board quality, 0304-56

**Ring crush resistance**

Techniques for bonding of densified liners, 0304-40

**Ring crush tests**

Calibration of flexible beam crush tester, 0304-20

Techniques for bonding of densified liners, 0304-40

**Rod coaters**

*see also Coaters*

In-line coating at the corrugator, TIP 0304-39

**Roll coaters**

*see also Coaters*

In-line coating at the corrugator, TIP 0304-39

**Roll core**

*see Cores*

**Roll crown**

Techniques for nip impressions, 0404-46

**Roll density**

*see Rolls*

**Roll handling**

*see Materials handling, Jumbo rolls*

**Roll identification**

*see Rolls*

**Roll length**

*see Rolls*

**Roll number**

*see Rolls*

**Roll stands**

Splicer defects and cures, 0304-31

**Roll tracking**

*see Rolls*

**Roll weight**

*see Rolls*

## **Rolling contact bearings**

*see Bearings*

## **Rolling scores**

*see Scores*

## **Rolls**

An alternative method for designating flute sizes, 0302-04

Checking the flute depth of corrugating rolls, 0304-75

Checking for coating wear on corrugating rolls, 0304-

73

Copper sulfate test for corrugator roll wear, 0304-53

Corrugator temperature audit, 0304-65

Determination of moisture in containerboard using a hand held moisture meter, 0304-63

Granite roll material and surface requirements, 0404-41

Method for determining length and other properties in rolls of various diameters and basis weights, 1008-02

Parallel of corrugating rolls with "NCR" paper, 0304-62

Press roll cover application guidelines, 0404-37

TAPPI Roll number for inventory/tracking systems and bar codes, 1004-01

Techniques for nip impressions, 0404-46

Total indicated runout and its impact on combined board quality, 0304-56

Weight of newsprint rolls, 0502-11

## **Rotary diecutter**

*see Rotary machines, Die cutters; see also Folder gluers*

## **Rotary filters**

Bleaching plant washer efficiency guide, 0606-23

## **Rotary machines**

Buying, storing, and handling flexo folder gluer/rotary diecutter adhesives, 0305-25

Cleanup procedures for flexo folder gluer/rotary diecutters, 0305-33

Introduction to flexo folder gluer/rotary diecutter TIPS, 0305-04

Ordering cutting dies, 0305-21

Project leader, 0305-13

Proper use of pull bands, 0305-18

Rotary cutting die maintenance, 0305-23

Rotary diecutter urethane anvil maintenance, 0305-

35

## **Rotation**

Pulpstone speed chart, 0605-02

## **Roundness**

*see Shape*

## **Rubbing**

*see also Abrasion resistance*

## **Runnability**

Sheet handling devices, 0404-44

## **Rutile**

Titanium dioxide pigment index, 0106-07

## **S-**

### **Safety**

Caustic soda (NaOH) safe storage and handling,

0606-27

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling,

0606-10

Corrugated boxplant-list of potential hazards, 0301-

01

Gaseous ozone (O<sub>3</sub>) safe handling, 0606-28

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling, 0606-24

Material safety data sheets, 0304-38

Methanol (CH<sub>3</sub>OH) safe storage and handling, 0606-25

Oxygen (O<sub>2</sub>) bulk storage and safe handling, 0606-29

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling,

0606-26

### **Safety equipment**

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling, 0606-1

### **Salt**

*see Sodium chloride*

### **Sampling**

Sampling procedures for biomass fuel for boiler performance testing, 0416-17

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

### **Saturated solutions**

*see Solutions*

### **Scanners**

Calculation and partitioning of variance using paper machine scanning sensor measurements, 1101-01

### **Scheduling**

Checklist for a properly planned project, 0408-01

Housekeeping at order and shift change and weekly, 0305-32

### **Schopper Riegler freeness**

Interconversion of freeness, 0809-01

### **Score breaks**

How to prevent score cracking in a box plant, 0304-37

### **Score cracking**

Troubleshooting the diecutting section, 0305-39

### **Score cracks**

*see Score breaks*

### **Scores**

Minimizing rolling scores on lightweight and high-performance liners in diecutting operations, 0304-64

Preventing score cracking in a box plant, 0304-37

### **Scoring**

Machinery considerations and selection: yoked scoring slotting section, 0305-53

### **Seal water**

*see Sealants, Water*

### **Sealants**

Guidelines for measurement of vacuum pump air flow, 0420-12

### **Seamless materials**

Guide to the use of stainless steel pipe specifications, 0402-24

**Selection**

A guide to proper wipe selection for the corrugated box industry, 0306-20

Machinery considerations and selection, 0305-06

**Semichemical pulps**

Boiling point rise of spent sulfite liquors, 0607-21

Definitions of terms in the sulfite pulping process, 0607-25

Density of aqueous sodium sulfite solution, 0607-18

Density of milk of lime solution, 0607-05

Solubility of sulfur dioxide,  $\text{Ca}(\text{HSO}_3)_2$  solutions, 0607-07

Sulfur burner gas strength volume, 0607-01

Viscosities of various spent sulfite liquors at 26.7°C and other temperatures, 0607-22

**Sensitivity**

Basic guidelines for image analysis measurements, 0804-09

**Sensors**

Calculation and partitioning of variance using paper machine scanning sensor measurements, 1101-01

**Setting time**

Understanding and troubleshooting hot melt adhesives, 0304-74

**Shafts**

Guidelines for inspection and nondestructive examination of paper machine dryers, 0402-16

Paper machine reel spool journals: guidelines for the in-service inspection to detect cracking and repair/replacement considerations, 0402-34

**Shape**

Total indicated runout and its impact on combined board quality, 0304-56

**Sheet water content**

see *Moisture content*

**Shells**

Guidelines for inspection and nondestructive examination of paper machine dryers, 0402-16

Weld repairs on new suction roll shells, 0402-17

**Shipping containers**

Guideline for direct contact printing of bar code symbols on corrugated, 0306-16

**Shock drying**

Terminology for high temperature pressing, 0404-48

**Showers**

Paper machine clothing cleaning and conditioning for recycled fiber use, 0404-51

Paper machine shower recommendations, 0404-61

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements. 0404-27

Steam shower applications in the forming section, 0404-58

**Silica**

Response to contamination of high purity boiler feedwater, 0416-05

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring

requirements for paper mill boilers operating with softened makeup water, 0416-14

**Singlefacers**

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, 0304-17

Alternative method for designating flute sizes, 0302-04

Causes and corrections of common corrugator bonding problems, 0304-32

Checking for coating wear on corrugating rolls, 0304-73

Checking the flute depth of corrugating rolls, 0304-75

Parallel of corrugating rolls with "NCR" paper, 0304-62

Preventing score cracking in a box plant, 0304-37

Setting up a raw material trial on the corrugator, 0304-01

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, 0304-08

Splicer defects and cures, 0304-31

**Siphons**

Guidelines for inspection and nondestructive examination of paper machine dryers, 0402-16

Recommended dryer differential pressures, 0404-31

**Skid**

Material handling considerations for flexo folder gluers, 0305-54

**Slabbing**

Broke loss calculations, 0502-10

**Slices**

Flow from a 45° slice, 0410-03

Flow from a nozzle (slice) with inclined upper lip, 0410-04

Flow from a stock behind slice (head/jet relationship), 0410-05

Flow from a vertical slice, 0410-02

**Slide angle**

Statistical process control, friction, 0304-34

**Slotting**

Machinery considerations and selection: yoked scoring slotting section, 0305-53

**Slurry**

Physical data of calcined kaolin-water suspensions, 0106-09

Physical data of calcium carbonate-water suspensions, 0106-01

Physical data of hydrous Kaolin-water suspensions, 0106-02

**Slushed paper stock**

see *Paper stock*

**Smearing**

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, 0305-40

**Sodium**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring

requirements for paper mill boilers operating with softened makeup water, 0416-14

### **Sodium bicarbonate**

Density of aqueous sodium bicarbonate solution, 0607-13

### **Sodium bisulfite**

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), 0607-12

### **Sodium borate**

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, 0304-08

### **Sodium carbonate**

Density of aqueous sodium carbonate solution, 0607-14

Specific heat of sodium carbonate solution, 0607-15

Vapor pressure of sodium carbonate solution, 0607-16

Viscosity of sodium carbonate solution, 0607-17

### **Sodium chlorate**

Safe storage of, 0606-31

### **Sodium chloride**

Specific gravity of sodium chloride solutions, 0606-10

### **Sodium hydroxide**

Caustic soda (NaOH) safe storage and handling, 0606-27

Relative enthalpy of solution, 0606-08

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, 0304-08

Specific gravity and density of caustic soda solutions, 0606-20

Specific heat of caustic soda solutions, 0606-07

Viscosity of sodium hydroxide solutions, 0606-11

### **Sodium sulfite**

Density of aqueous sodium sulfite solution, 0607-18

### **Solids content**

Physical data of calcined kaolin-water suspensions, 0106-09

Physical data of calcium carbonate-water suspensions, 0106-01

Physical data of hydrous Kaolin-water suspensions, 0106-02

Titanium dioxide pigment index, 0106-07

### **Solubility**

Solubility of sulfur dioxide, 0607-06

Solubility of sulfur dioxide,  $\text{Ca}(\text{HSO}_3)_2$  solutions, 0607-07

Solubility of sulfur dioxide in magnesium bisulfite solution, 0607-09

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, 0607-10

### **Solutions**

Equilibrium relative humidities over saturated salt solutions, 0808-03

Specific heat of caustic soda solutions, 0606-07

### **Sorption**

Cotton in nonwovens, 1205-02

### **Soot blowers**

Recovery boiler sootblowers: practical guidelines, 0416-20

Recovery boiler sootblowers: the basics, 0416-19

### **SPC techniques**

*see Statistical methods*

### **Specialty coating pigment**

*see Pigment*

### **Specific gravity**

*see Density*

### **Specific heat**

Specific heat of caustic soda solutions, 0606-07

Specific heat of sodium carbonate solution, 0607-15

### **Specifications**

Guideline specification for procurement of an economizer for a recovery boiler, 0416-21

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

### **Speed**

*see Velocity*

### **Spent sulfite liquors**

Density of aqueous sodium sulfite solution, 0607-18

### **Splicers**

Splicer defects and cures, 0304-31

### **Spools**

Paper machine reel spool journals: guidelines for the in-service inspection to detect cracking and repair/replacement considerations, 0402-34

Reel diameter for various reel spool and roll core sizes, 0502-03

### **Spunlaced fabric**

Cotton in nonwovens, 1205-02

### **Spray coaters**

*see also Coaters*

In-line coating at the corrugator, TIP 0304-39

### **Squared paper**

Squaring flap cut (center special) boxes, 0305-45

### **Squaring**

*see Squared papers, Trimming*

### **Stackers**

Multiple-out rotary diecut stacking, 0305-47

Stacking off the rotary diecutter, 0305-46

### **Stacking**

Corrugated caliper: why is it so important?, 0304-04

### **Stacking strength**

*see Compression strength*

### **Stainless steel**

Guide to the use of stainless steel pipe specifications, 0402-24

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, 0402-03

Guidelines for nondestructive examination of suction roll shells, 0402-19

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, 0402-25

Guidelines for welding and inspection of stainless alloy piping, 0402-26

Post-fabrication cleaning of stainless steel in the pulp

and paper industry, 0402-35

Weld repairs on new suction roll shells, 0402-17

Welding of duplex stainless steels, 0402-23

### **Standard conditions**

Testing atmospheres simulating end use conditions, 0808-05

### **Starch**

Green peel bond test at the corrugator, 0304-27

Proper methods of measuring starch adhesive viscosity, 0304-33

Starch adhesive preparation and distribution systems: housekeeping, 0304-06

Starch adhesive trial, 0304-22

Statistical process control of starch gelatinization temperature, 0304-14

Statistical process control of starch viscosity, 0304-15

Techniques for running "WRA" (water resistant starch adhesive), 0304-46

Understanding wet strength: what are MRA, WRA, and WPA?, 0304-69

Using washup water as the vehicle in starch-based corrugating adhesive, 0304-44

### **Starch conversion**

Statistical process control of starch gelatinization temperature, 0304-14

### **Statistical analysis**

How to perform a gauge repeatability and reproducibility study, 0304-71

Obtaining combined board caliper off the corrugator for use statistical process control procedures, 0304-12

Starch viscosity in corrugating adhesives, 0304-15

### **Statistical distribution**

Calculation and partitioning of variance using paper machine scanning sensor measurements, 1101-01

### **Statistical methods**

Boxplant quality measurement: why test?, 0304-02

Obtaining combined board caliper off the corrugator, 0304-12

Procedures for charting warp, 0304-13

Procedures for utilizing statistical control techniques to monitor the tare weight of a run of boxes, 0304-35

Short-run statistical process control: a basic charting method, 0304-70

Statistical process control: friction - slide angle, 0304-34

Statistical process control of starch gelatinization temperature, 0304-14

Statistical process control of starch viscosity, 0304-15

Statistical process control pin adhesion, 0304-23

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, 0304-11

### **Statistical process control**

*see Statistical methods*

### **Statistical quality control**

*see Statistical methods*

### **Statistics**

Calculation and partitioning of variance using paper machine scanning sensor measurements, 1101-01

Obtaining combined board caliper off the corrugator for use in statistical process control procedures, 0304-12

Starch viscosity in corrugating adhesives, 0304-15

Statistical process control of starch gelatinization temperature, 0304-14

### **Status reports**

*see Reporting*

### **Steam**

Application of dryer bars, 0404-35

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, 0420-14

Guidelines for inspection and nondestructive examination of paper machine dryers, 0402-16

Response to contamination of high purity boiler feedwater, 0416-05

Steam shower applications in the forming section, 0404-58

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, 0416-14

Yankee dryer steam condensing rates, 0404-49

### **Steam chests**

Terminology for high temperature pressing, 0404-48

### **Steam pressure**

*see Pressure gradient*

### **Sterilization**

Starch adhesive preparation and distribution systems: housekeeping, 0304-06

### **Stitch bonding**

Cotton in nonwovens, 1205-02

### **Stock flow**

Optimum consistency for pumping pulp, 0410-15

### **Stock (pulp)**

Head of stock behind slice (head/jet relationships), 0410-05

### **Stones**

*see Pulpstones*

### **Storage**

Buying, storing, and handling flexo folder gluer/rotary diecutter adhesives, 0305-25

Caustic soda (NaOH) safe storage and handling, 0606-27

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling, 0606-10

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling, 0606-24

Methanol (CH<sub>3</sub>OH) safe storage and handling, 0606-25

Oxygen (O<sub>2</sub>) bulk storage and safe handling, 0606-29

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, 0606-26

### **Strapping**

Critical properties to consider when unitizing, 0304-72

Material handling considerations for flexo folder gluers, 0305-54

### **Stress corrosion**

Guidelines for inspection of continuous digesters and impregnation vessels, 0402-27

### **Strippers**

Stripping of kraft pulping process condensates: regulations, design and operation, 0416-10

### **Stripping**

Troubleshooting the diecutting section, 0305-39

### **Stuff boxes**

Headbox approach piping guidelines, 0404-54

### **Suction**

*see Vacuum*

### **Suction press rolls**

*see Press rolls, Vacuum rolls*

### **Suction presses**

Paper machine vacuum selection factors, 0502-01

### **Suction rolls**

*see Vacuum rolls*

### **Sulfite liquors**

Boiling point rise of spent sulfite liquors, 0607-21

Definitions of terms in the sulfite pulping process, 0607-25

Density of aqueous sodium sulfite solution, 0607-18

Density of milk of lime solution, 0607-05

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions,

0607-07

Sulfur burner gas strength volume, 0607-01

Viscosities of various spent sulfite liquors at 26.7°C and other temperatures, 0607-22

### **Sulfite pulping**

Boiling point rise of spent sulfite liquors, 0607-21

Definitions of terms in the sulfite pulping process, 0607-25

Density of aqueous sodium sulfite solution, 0607-18

Density of milk of lime solution, 0607-05

Physical and chemical properties of magnesia-base pulping solutions, 0607-04

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions,

0607-07

Solubility of sulfur dioxide, 0607-06

Solubility of sulfur dioxide in magnesium bisulfite solution, 0607-09

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, 0607-10

Sulfur burner gas strength volume, 0607-01

Vapor pressure of sulfur dioxide solutions, 0607-11

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), 0607-12

Viscosities of various spent sulfite liquors at 26.7°C, 0607-22

### **Sulfite waste liquor**

*see Spent sulfite liquors*

### **Sulfur burners**

Sulfur burner gas strength volume, 0607-01

### **Sulfur dioxide**

Boiling point rise of spent sulfite liquors, 0607-21

Definitions of terms in the sulfite pulping process, 0607-25

Physical and chemical properties of magnesia-base pulping solutions, 0607-04

Solubility of sulfur dioxide, 0607-06

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, 0607-07

Solubility of sulfur dioxide in magnesium bisulfite solution, 0607-09

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, 0607-10

Sulfur burner gas strength volume, 0607-01

Vapor pressure of sulfur dioxide solutions, 0607-11

Viscosities of various spent sulfite liquors at 26.7°C, 0607-22

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), 0607-23

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), 0607-12

### **Sulfuric acid**

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, 0606-26

### **Supervision**

Project leader, 0305-13

### **Surface properties**

Granite roll material and surface requirements, 0404-41

### **Surface speed**

*see Retention, Machine speed*

### **Suspended solids**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, 0410-14

### **Symbols**

Guideline for direct contact printing of bar code symbols on corrugated, 0306-16

### **Systems**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, 0416-15

## **T-**

### **Tare weight**

Statistical control techniques to monitor the tare weight of a run of boxes, 0304-35

### **Task time**

*see Time*

### **Technical nomenclature**

*see Nomenclature*

### **Temperature**

Conducting a corrugator temperature audit, 0304-65

Density of aqueous sodium bicarbonate solution, 0607-13

Density of aqueous sodium carbonate solution, 0607-14

Dryer section performance monitoring, 0404-33

Dryer surface temperature measurement, 0404-39  
Recommended operation of dryer section hood air systems, 0404-24

Solubility of sulfur dioxide in magnesium bisulfite solution, 0607-09

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, 0607-10

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, 0304-08

Specific heat of sodium carbonate solution, 0607-15

Statistical process control of starch gelatinization temperature, 0304-14

Statistical process control of starch viscosity, 0304-15

Testing atmospheres simulating end use conditions, 0808-05

Troubleshooting cross-machine direction moisture profile problems, 0404-57

Vapor pressure of sodium carbonate solution, 0607-16

Vapor pressure of sulfur dioxide solutions, 0607-11

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), 0607-23

Viscosity of sodium carbonate solution, 0607-17

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

### **Tension**

Recommended tensions in dryer fabrics, 0404-04

### **Terminology**

*see Nomenclature*

### **Test conditions**

Testing atmospheres simulating end use conditions, 0808-05

### **Test equipment**

Paper test rooms: design considerations, 0808-04

### **Test facilities**

Paper test rooms: design considerations, 0808-04

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

### **Test methods**

Guidelines for measurement of vacuum pump air flow, 0420-12

### **Testing**

Basic guidelines for image analysis measurements, 0804-09

Drainage evaluation by mass measurement, 0502-12

Forming section monitoring, 0502-14

Paper machine reel spool journals: guidelines for the in-service inspection to detect cracking and repair/replacement considerations, 0402-34

Paper test rooms: design considerations, 0808-04

Recommended test procedure for black liquor evaporators, 0416-11

Water removal by wet presses, 0404-01

### **Thermal measurement**

Recovery boiler performance calculation – short form, 0416-01

### **Thermal spray**

Guidelines for applying thermal spray coatings to protect pulp mill process equipment against corrosion, 0402-32

Guidelines for inspecting batch digesters, 0402-22

### **Thermobonding**

Cotton in nonwovens, 1205-02

### **Thermography**

Troubleshooting cross-machine direction moisture profile problems, 0404-57

### **Thick stock**

*see High consistency*

### **Thickness**

Corrugated caliper: why is it so important?, 0304-04

Method for determining length and other properties

in rolls of various diameters and basis weights, 1008-02

Method for evaluating thickness of wet press fabrics, 0404-28

Obtaining combined board caliper off the corrugator for use in statistical process control procedures, 0304-12

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, 0304-11

### **Through drying**

Through drying, 0404-25

### **Titanium dioxide**

Titanium dioxide pigment index, 0106-07

### **Tolerance**

Corrugator bearing clearance checks and their impact, 0304-47

### **Total indicated runout**

*see also Combined boards*

Total indicated runout and its impact on combined board quality, 0304-56

### **Total reduced sulfur**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, 0416-09

### **Transport**

Checklist: preparing die cuts for shipment, 0305-49

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, 0606-26

### **Trim**

Broke loss calculations, 0502-10

Paper machine room ventilation guidelines, 0404-50

### **Trimming**

Machinery considerations and selection: yoked scoring slotting section, 0305-53

Squaring flap cut (center special) boxes, 0305-45

### **Troubleshooting**

Forming section monitoring, 0502-14

Glue lap problem, 0304-10

Index of suppliers for press section monitoring, 0404-62

Press section monitoring, 0404-19

Recommended test procedure for black liquor evaporators, 0416-11

Steam shower applications in the forming section, 0404-58

### **Tubes**

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, 0416-22

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, 0416-08

Keys to successful chemical cleaning of boilers, 0416-06

Ultrasonic technician performance test for boiler tube inspection, 0402-21

### **Tuning**

*see Control*

### **Twisting**

Techniques to minimize twist warp, 0304-50

## **U-**

### **Uhle boxes**

*See also Vacuum boxes*

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements. 0404-27

### **Ultrafine ground limestone**

*see Limestone*

### **Ultraviolet radiation**

Drying and curing techniques for in-line flexographic printing, 0306-06

### **Ultrasonic tests**

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, 0402-31

Guidelines for inspecting batch digesters, 0402-22

Ultrasonic technician performance test for boiler tube inspection, 0402-21

### **Unitized handling**

Critical properties to consider when unitizing, 0304-72

### **Units of measurement**

Units of measurement and conversion factors, 0800-01

### **Unloading**

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, 0606-26

### **U.P.C.**

*see Product codes*

### **Urethanes**

Rotary diecutter urethane anvil maintenance, 0305-35

## **V-**

### **Vacuum**

High vacuum sheet dewatering, 0404-60

Paper machine vacuum selection factors, 0502-01

Papermaker's formulas, 0502-17

Steam shower applications in the forming section, 0404-58

### **Vacuum boxes**

High vacuum sheet dewatering, 0404-60

Paper machine vacuum selection factors, 0502-01

Performance evaluation techniques for paper machine vacuum systems, 0404-55

### **Vacuum equipment**

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements, 0404-27

### **Vacuum filters**

Bleaching plant washer efficiency guide, 0606-23

### **Vacuum pumps**

Guidelines for measurement of vacuum pump air flow, 0420-12

Performance evaluation techniques for paper machine vacuum systems, 0404-55

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements. 0404-27

### **Vacuum rolls**

Guidelines for nondestructive examination of suction roll shells, 0402-19

Liquid penetrant testing of new suction roll shells, 0402-11

Paper machine vacuum selection factors, 0502-01

Press roll cover application guidelines, 0404-37

Techniques for nip impressions, 0404-46

Weld repairs on new suction roll shells, 0402-17

### **Vacuum washers**

Bleaching plant washer efficiency guide, 0606-23

### **Valves**

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, 0402-25

Headbox approach piping guidelines, 0404-54

### **Vapor pressure**

Chlorine gas curve, 0606-02

Vapor pressure of sulfur dioxide solutions, 0607-11

Vapor pressure of sodium carbonate solution, 0607-16

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), 0607-12

### **Variance**

Calculation and partitioning of variance using paper machine scanning sensor measurements, 1101-01

### **Varnish**

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, 0305-40

### **Velocity**

*see also Machine speed*

Pulpstone speed chart, 0605-02

### **Ventilation**

Paper machine room ventilation guidelines, 0404-50

Recommended minimum dryer pocket air requirements, 0404-17

Recommended operation of dryer section hood air systems, 0404-24

### **Viscosity**

Density of aqueous sodium sulfite solution, 0607-18

Liquid chlorine, 0606-05

Proper methods of measuring starch adhesive viscosity, 0304-33

Quality techniques using existing equipment, 0306-11  
Statistical process control of starch viscosity, 0304-15  
Viscosities of spent sulfite liquors at 26.7° C (Oswalt capillary viscometer), 0607-22  
Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), 0607-23  
Viscosity of sodium carbonate solution, 0607-17  
Viscosity of sodium hydroxide solutions, 0606-11  
Viscosity reading procedure for flexographic corrugated inks, 0304-18

#### **Vision**

Basic guidelines for image analysis measurements, 0804-09

#### **Volume**

Grinder pulpstones – cubical contents, 0605-01  
Identifying anilox volume measuring equipment, 0306-15

#### **W-**

#### **Warning labels**

*see Hazardous materials*

#### **Warpage**

Go/no go gauge devices for the boxplant, 0304-42  
Statistical process control -- procedures for charting warp, 0304-13  
Techniques to minimize twist warp, 0304-50  
Warp in corrugated board, 0304-07

#### **Wash waters**

Using washing water as the vehicle in starch based corrugating adhesive, 0304-44

#### **Washers**

Bleaching plant washer efficiency guide, 0606-23

#### **Washing**

Bleaching plant washer efficiency guide, 0606-23  
Recommended pulp bleaching stage designation method, 0606-21

#### **Wastewater treatment equipment**

*see Effluent treatment*

#### **Water**

*see also Solubility*

Design engineer decisions tree: paper mill boiler feedwater, 0416-04  
Guidelines for measurement of vacuum pump air flow, 0420-12  
Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), 0607-12  
Water treatment-related opportunities for energy conservation in a paper mill powerhouse, 0416-13

#### **Water content**

*see Moisture content*

#### **Water hardness**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, 0416-03

#### **Water permeability**

Troubleshooting cross-machine direction moisture profile problems, 0404-57

#### **Water removal**

Determination of water removal by wet presses, 0404-01

High vacuum sheet dewatering, 0404-60

Methods to minimize sheet rewet in the press section, 0404-59

Paper machine drying rate, 0404-07

#### **Water resistance**

Techniques for running "WRA" (water resistant starch adhesive), 0304-46

Understanding wet strength: what are MRA, WRA, and WPA?, 0304-69

#### **Water treatment**

Design engineer decisions tree: paper mill boiler feedwater, 0416-04

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, 0416-13

#### **Water vapor**

Paper machine room ventilation guidelines, 0404-50

#### **Wax**

Common curtain coating problems: causes, detection, and correction, 0304-26

Curtain coating weight test, 0304-19

#### **Wear resistance**

*see Abrasion resistance*

#### **Webs**

*see Paper webs*

#### **Weight**

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, 0404-20

Procedure for utilizing statistical control techniques to monitor the tare weight of a run of boxes, 0304-35

Weight of newsprint rolls, 0502-11

#### **Weirs**

Weirs and flumes, 0410-10

#### **Welding**

Clad-steel plate use, 0402-04

Duplex stainless steels, 0402-23

Guide to the use of stainless steel pipe specifications, 0402-24

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, 0402-03

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, 0402-31

Guidelines for inspection of continuous digesters and impregnation vessels, 0402-27

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, 0402-25

Guidelines for welding and inspection of stainless alloy piping, 0402-26

Field welding of pin studs in black liquor recovery boilers, 0402-15

#### **Wet bulb temperature**

Relative humidity tables, 0808-06

#### **Wet ends**

Drainage evaluation by mass measurement, 0502-12

Forming section monitoring, 0502-14

How to prevent score cracking in a box plant, 0304-37

Selection criteria for wet end ceramics, 0502-15

#### **Wet felts**

*see also Felts*

Porosity measurement of press felts on the paper machine (HSPT), 0404-29

#### **Wet presses**

Determination of water removal by, 0404-01

#### **Wet pressing**

Terminology for high temperature pressing, 0404-48

#### **Wet strength**

Understanding wet strength: what are MRA, WRA, and WPA?, 0304-69

#### **Wet-laid nonwovens**

Pilot paper machines, 0502-16

#### **White liquors**

Recausticizing material balance equations relating to digester requirements, 0418-02

#### **White water**

Drainage evaluation by mass measurement, 0502-12

Flow determination by chemical method, 0410-09

Weirs and flumes, 0410-10

#### **Width**

Weight of newsprint rolls, 0502-11

#### **Williams freeness**

Interconversion of freeness, 0809-01

#### **Winders**

Determination of winder sets per reel, 0502-02

#### **Wiperoll**

*see Flexography*

#### **Wood**

Calibration technique for the drum style chip thickness classifier, 0602-03

#### **Wood chips**

*see Chips*

#### **Wood containing papers**

*see Mechanical papers*

#### **Wood free papers**

Paper machine drying rate, 0404-07

#### **Work place**

*see Human factors*

#### **Working conditions**

*see Environments*

#### **Wound rolls**

Method for determining length and other properties in rolls of various diameters and basis weights, 1008-02

Reel diameter for various reel spool and roll core sizes, 0502-03

TAPPI Roll number for inventory/tracking systems and bar codes, 1004-01

#### **Woven fabric**

Press fabric record book, 0404-21

#### **Writing papers**

Paper machine drying rate, 0404-07

#### **X-Y-Z-**

#### **Yankee cylinders**

*see Yankee dryers*

#### **Yankee dryers**

Techniques for nip impressions, 0404-46

Yankee dryer steam condensing rates, 0404-49