

Useful Methods Subject Index

Note: This list was updated January 12, 2011.

Absorptivity

Water absorbency of nonbulbous paperboard, [UM 596](#)

Bag papers

Wetting shipping sack paper for testing, [UM 566](#)

Bagasse

Determination of useful fiber in bagasse, [UM 3](#)

Ball mills

Laboratory processing of pulp (ball or pebble-mill method), [UM 253](#)

Bonding

Water retention value (WRV), [UM 256](#)

Bulk density

Bulk density of wood chips, [UM 23](#)

Chips

Bulk density of wood chips, [UM 23](#)

Classifiers

Shive content of mechanical pulp (Somerville fractionator), [UM 242](#)

Coated papers

Amount of coating on mineral-coated paper, [UM 542](#)

Coating

Amount of coating on mineral-coated paper, [UM 542](#)

Color

Color strength and shade of dye, [UM 658](#)

Corrugated board

A non-destructive production tool to measure the general flute quality and damage of corrugated board using resonance frequency technology, [UM 821](#)

Creasing

Creasing (using steel rules) of paperboard for water vapor transmission (WVTR) testing, [UM 590](#)

Density

Bulk density of wood chips, [UM 23](#)

Dirt

Dirt in pulp (measured by transmitted light), [UM 205](#)

Dirt count

Dirt in pulp (measured by transmitted light), [UM 205](#)

Drainage

Water retention value (WRV), [UM 256](#)

Dyes

Color strength and shade of dye, [UM 658](#)

Fiber

Determination of useful fiber in bagasse, [UM 3](#)

Flat screens

Shive content of mechanical pulp (laboratory flat screen), [UM 240](#)

Flexible packaging

Water vapor permeability of sheet materials at -18°C (0°F), [UM 573](#)

Flutes

A non-destructive production tool to measure the general flute quality and damage of corrugated board using resonance frequency technology, [UM 821](#)

Freeness

Freeness of pulp (Williams tester), [UM 203](#)

Frequency

A non-destructive production tool to measure the general flute quality and damage of corrugated board using resonance frequency technology, [UM 821](#)

Grease resistance
Testing of grease-repellant treated paper, [UM 555](#)

Greaseproof papers
Testing of grease-repellant treated paper, [UM 555](#)

Kollergang
Laboratory processing of pulp (Kollergang method)), [UM 258](#)

Laboratories
Laboratory processing of pulp (ball or pebble-mill method)), [UM 253](#)
Laboratory processing of pulp (Kollergang method)), [UM 258](#)
Laboratory processing of pulp (plate refiner), [UM 221](#)
Shive content of mechanical pulp (laboratory flat screen), [UM 240](#)

Light
Dirt in pulp (measured by transmitted light), [UM 205](#)

Mechanical pulps
Shive content of mechanical pulp (laboratory flat screen), [UM 240](#)
Shive content of mechanical pulp (Somerville fractionator), [UM 242](#)

Mills (machinery)
Laboratory processing of pulp (ball or pebble-mill method)), [UM 253](#)

Minerals
Amount of coating on mineral-coated paper, [UM 542](#)

Opacity
Opacity of paper using 45°0° reflectometer, [UM 411](#)

Paper
Amount of coating on mineral-coated paper, [UM 542](#)
Testing of grease-repellant treated paper, [UM 555](#)
Opacity of paper using 45°0° reflectometer, [UM 411](#)
Polystyrene in paper products, [UM 554](#)
Water repellency of paper and boards, [UM 579](#)
Water vapor permeability of sheet materials at -18°C (0°F), [UM 573](#)
Wetting shipping sack paper for testing, [UM 566](#)

Paperboard
Creasing (using steel rules) of paperboard for water vapor transmission (WVTR) testing, [UM 590](#)
Water absorbency of nonbibulous paperboard, [UM 596](#)
Water repellency of paper and boards, [UM 579](#)
Water vapor permeability of sheet materials at -18°C (0°F), [UM 573](#)

Pebble mills
Laboratory processing of pulp (ball or pebble-mill method)), [UM 253](#)

Pigment
Color strength and shade of dye, [UM 658](#)

Pith
Determination of useful fiber in bagasse, [UM 3](#)

Polystyrene
Polystyrene in paper products, [UM 554](#)

Pretreatment
Wetting shipping sack paper for testing, [UM 566](#)

Pulps
Determination of useful fiber in bagasse, [UM 3](#)
Dirt in pulp (measured by transmitted light), [UM 205](#)
Freeness of pulp (Williams tester), [UM 203](#)
Laboratory processing of pulp (ball or pebble-mill method)), [UM 253](#)
Laboratory processing of pulp (Kollergang method)), [UM 258](#)
Laboratory processing of pulp (plate refiner), [UM 221](#)
Shive content of mechanical pulp (laboratory flat screen), [UM 240](#)
Shive content of mechanical pulp (Somerville fractionator), [UM 242](#)

Refiner disks
Laboratory processing of pulp (plate refiner), [UM 221](#)

Refining

Laboratory processing of pulp (plate refiner), [UM 221](#)

Reflectometer

Opacity of paper using 45° reflectometer, [UM 411](#)

Resonance

A non-destructive production tool to measure the general flute quality and damage of corrugated board using resonance frequency technology, [UM 821](#)

Screens

Shive content of mechanical pulp (laboratory flat screen), [UM 240](#)

Sheets

Water vapor permeability of sheet materials at -18°C (0°F), [UM 573](#)

Shives

Shive content of mechanical pulp (laboratory flat screen), [UM 240](#)

Shive content of mechanical pulp (Somerville fractionator), [UM 242](#)

Swelling

Water retention value (WRV), [UM 256](#)

Transmittance

Dirt in pulp (measured by transmitted light), [UM 205](#)

Water absorbance

Water absorbency of nonbulbous paperboard, [UM 596](#)

Water removal

Water retention value (WRV), [UM 256](#)

Water repellance

Water repellency of paper and boards, [UM 579](#)

Water retention

Water retention value (WRV), [UM 256](#)

Water vapor permeability

Water vapor permeability of sheet materials at -18°C (0°F), [UM 573](#)

Water vapor transmission rate

Creasing (using steel rules) of paperboard for water vapor transmission (WVTR) testing, [UM 590](#)