

Document Name:	08apwcfa
Section:	TAPPI PRESS
Title:	Wood Chemistry Fundamentals and Applications

TAPPI PRESS

Wood Chemistry Fundamentals and Applications

Edited by Eero Sjöström

1993, 1981. Second Edition. 293 pp., 6" x 9-1/2" hard cover

Item Number: 08APWCFA

ISBN: 0126474818

Table of Contents

1 the Structure of Wood

1.1 the Macroscopic Structure of Wood

1.2 the Living Tree

1.2.1 Growth of the Tree

1.2.2 Development of the Cell

1.2.3 Annual Rings

1.2.4 Cell Types

1.2.5 Pits

1.2.6 Softwood Cells

1.2.7 Hardwood Cells

1.2.8 Sapwood and Heartwood

1.3 Wood Ultrastructure

1.3.1 Building Elements

1.3.2 Cell Wall Layers

1.3.3 Pits

1.4 Reaction Wood

2 Introduction to Carbohydrate Chemistry

2.1 Definitions and Nomenclature

2.2 Monosaccharides

2.2.1 Configuration of Monosaccharides

2.2.2 Ring Structures of Monosaccharides

2.2.3 Mutarotation

2.2.4 Conformation of Monosaccharides

2.3 Monosaccharide Derivatives

2.3.1 Glycosides

2.3.2 Alkylidene Derivatives

2.3.3 Ethers

2.3.4 Anhydro Sugars

2.3.5 Esters

2.4 Oligo- and Polysaccharides

2.5 Reactions of Carbohydrates

2.5.1 Oxidation

2.5.2 Reduction

2.5.3 Addition and Condensation Reactions

Of Carbonyl Groups

2.5.4 the Influence of Acid

2.5.5 the Influence of Alkali

2.6 Methods

3 Wood Polysaccharides

3.1 Biosynthesis

3.2 Cellulose

3.2.1 Molecular Structure

3.2.2 Polymer Properties

3.3 Hemicelluloses

3.3.1 Softwood Hemicelluloses

3.3.2 Hardwood Hemicelluloses

3.3.3 Isolation of Hemicelluloses

3.3.4 Distribution of Hemicelluloses

4 Lignin

4.1 Isolation

4.2 Biosynthesis and Structure

4.2.1 Phenylpropane - the Basic Structural

Unit of Lignin

4.2.2 Biosynthesis of Lignin Precursors

4.2.3 Polymerization of Lignin Precursors

4.2.4 Types of Linkages and Dimeric Structures

4.2.5 Functional Groups

4.2.6 Lignin Formula

4.2.7 Lignin - Carbohydrate Bonds

4.3 Classification and Distribution

4.4 Polymer Properties

5 Extractives

5.1 Terpenoids and Steroids

5.1.1 Occurrence

5.1.2 Chemical Composition

5.2 Fats and Waxes

5.2.1 Occurrence

5.2.2 Chemical Composition

5.3 Phenolic Constituents

5.4 Inorganic Components

5.5 Changes Caused by Wood Storage

- 6 Bark
 - 6.1 Anatomy of Bark
 - 6.1.1 Inner Bark
 - 6.1.2 Outer Bark
 - 6.2 Chemistry of Bark
 - 6.2.1 Soluble Constituents (Extractives)
 - 6.2.2 Insoluble Constituents
 - 6.2.3 Inorganic Constituents
- 7 Wood Pulping
 - 7.1 Background and Definitions
 - 7.2 Sulfite Pulping
 - 7.2.1 Cooking Chemicals and Equilibria
 - 7.2.2 Impregnation
 - 7.2.3 Morphological Factors
 - 7.2.4 General Aspects of Delignification
 - 7.2.5 Lignin Reactions
 - 7.2.6 Carbohydrate Reactions
 - 7.2.7 Reactions of Extractives
 - 7.2.8 Side Reactions
 - 7.2.9 Composition of Sulfite Spent Liquors
 - 7.2.10 Recovery and Conversion of Sulfite Cooking Chemicals
 - 7.3 Kraft Pulping
 - 7.3.1 Cooking Chemicals and Equilibria
 - 7.3.2 Impregnation
 - 7.3.3 General Aspects of Delignification
 - 7.3.4 Lignin Reactions
 - 7.3.5 Reactions of Polysaccharides
 - 7.3.6 Stabilization of Polysaccharides Against Alkaline Degradation
 - 7.3.7 Sulfur-Free Pulping
 - 7.3.8 Reactions of Extractives
 - 7.3.9 Composition of Black Liquor
 - 7.3.10 Recovery and Conversion of Kraft Cooking Chemicals
 - 7.4 Special Features of High-Yield Pulping
- 8 Pulp Bleaching
 - 8.1 Lignin-Removing Bleaching
 - 8.1.1 Background
 - 8.1.2 Bleaching Chemicals
 - 8.1.3 General Aspects of Bleaching
 - 8.1.4 Lignin Reactions
 - 8.1.5 Carbohydrate Reactions
 - 8.1.6 Reactions of Extractives
 - 8.1.7 Spent Liquors after Bleaching
 - 8.2 Lignin-Preserving Bleaching
 - 8.3 Yellowing of High-Yield Pulps
- 9 Cellulose Derivatives
 - 9.1 Reactivity and Accessibility of Cellulose
 - 9.2 Swelling and Dissolution of Cellulose
 - 9.3 Swelling Complexes - Alkali Celluloses
 - 9.4 Esters of Inorganic Acids
 - 9.4.1 Cellulose Nitrate
 - 9.4.2 Cellulose Sulfate
 - 9.4.3 Other Inorganic Cellulose Esters
 - 9.5 Esters of Organic Acids
 - 9.5.1 Cellulose Acetate
 - 9.5.2 Other Esters of Organic Acids
- 9.6 Ethers
 - 9.6.1 Alkyl Ethers
 - 9.6.2 Hydroxyalkyl Ethers
 - 9.6.3 Carboxymethylcellulose
 - 9.6.4 Cyanoethylcellulose
- 9.7 Cellulose Xanthate
- 9.8 Cross-Linking of Cellulose
- 9.9 Grafting on Cellulose
- 9.10 Cellulose Ion Exchangers
- 10 Wood-Based Chemicals and Pulping by-Products
 - 10.1 Wood-Based Chemicals and Fuels
 - 10.1.1 Extractives
 - 10.1.2 Hydrolysis Products and Their Further Processing
 - 10.1.3 Thermal Treatment
 - 10.1.4 Other Treatments
 - 10.2 Chemicals from Pulping Liquors
 - 10.2.1 Sulfite Spent Liquors
 - 10.2.2 Kraft Black Liquors
- Appendix
- Bibliography

Subject Index

- Abienol
 - Abietane-Type Resin Acids
 - Abietic Acid
 - Absolute Configuration
 - Acetaldehyde, from Ethanol
 - Acetals
 - Acetate Rayon
 - Acetic Acid;
 - From Black Liquor,
 - In Black Liquor,
 - From Ethanol,
 - Fermentation,
 - From Hardwood Neutral Sulfite Spent Liquors,
 - From Polysaccharides
 - During
 - Kraft Pulping,
 - From Sulfite Liquors,
 - In Wood Pyrolysis
 - Acetone;
 - In Wood Pyrolysis,
 - As a Fermentation Product
 - Acetovanillone, in
 - Black Liquor
 - Acetyl Groups
 - In Galactoglucomannans
 - In Glucuronoxylan
 - Hydrolysis
 - In Acid Sulfite Pulping
 - Effect on Carbohydrate Yield
 - In Draft Pulping
 - In Neutral Sulfite Pulping
 - In Two Stage Sulfite Pulping
- Acidic Groups, in Wood
 - And Pulps
 - Acrylamides, Cross Linking
 - Of Cellulose with
 - Activated Carbon, See
 - Charcoal
 - Activation Energy, of
 - Delignification in Kraft
 - Active Alkali, in Kraft
 - Cooking
 - Liquor
 - Acute Toxicity
 - Aglycon
 - Aldaric Acids
 - Alditols
 - Preparation
 - Aldonic Acids
 - Epimerization
 - Fermentation
 - From Monosaccharides
 - During Sulfite Pulping
 - In Sulfite Spent Liquors
 - Aldonic Acid End Groups,
 - Introduction to
 - Polysaccharides
 - During Alkali Pulping
 - During Anthraquinone
 - Alkali Pulping
 - During Bleaching
 - During Kraft Pulping
 - During Oxygen Alkali Bleaching
 - Aldoses
 - Aldosuloses
 - Aliphatic Acids
 - From Black Liquors
 - In Black Liquors
 - For Protein Production
 - Alkali Lignin
 - Alkaline Extraction Stage
 - See Bleaching
 - Alkali Pulping, See Also
 - Kraft Pulping
 - Effect of Anthraquinone
 - History
 - Lignin Reactions
 - Oxirane Intermediates
 - Stilbene Structures
 - Styryl Aryl Ether Structures
 - Alkoxy Eliminations
 - Alkylidene Derivatives
 - Allose
 - Allulose
 - Altrose
 - Aminoethylcellulose, as
 - Anion Exchanger
 - Amylopectin
 - Amylose
 - Angelica Lactone, from
 - Levulinic Acid
 - Anhydro Sugars
 - Anomeric Effect
 - Anomers
 - Anthraquinone - Alkali Pulping
 - Antidaniellic Acid
 - Aox
 - Arabinan, in Bark
 - Arabinogalactan
 - Arabinoglucuronoxylan
 - See Also Glucuronoxylan
 - Xylan
 - Acid Hydrolysis
 - Alkaline Degradation
 - Content in Softwood
 - Arabinonic Acid End Group, Introduction to
 - Polysaccharides During Bleaching
 - Arabinose
 - In Sulfite Spent Liquors
 - Arachidic Acid
 - Arachinol
 - Arogenic Acid
 - Asymmetric Carbon Atom
 - Asymmetric Center, See
 - Asymmetric Carbon Atom
 - Asymmetric Induction
 - Azo Compounds, as
 - Initiator in Cellulose Grafting
- Balata
 - Bark
 - Anatomy
 - Chemical Composition
 - Hydrophilic Fraction
 - Inorganic Constituents
 - Insoluble Constituents
 - Lipophilic Fraction
 - Bast Fibers
 - Behenic Acid
 - Behenol
 - Benizlic Acid Rearrangement
 - Betulaprenols
 - Betulin, See Betulinol
 - Betulinol
 - In Bark
 - Biopulping
 - Bjorkman Lignin, See Milled Wood Lignin
 - Black Liquor, Composition
 - Bleach Liquor
 - Chemical Characteristics,
 - Environmental Aspects
 - Comparison of Pollution Load
 - Bleachability, Factors
 - Affecting
 - On,
 - Bleaching, See Also Bleach Liquor, Lignin Preserving Bleaching, Oxygen Alkali Bleaching
 - Alkaline Extraction
 - Background and History
 - Carbohydrate Reaction
 - Concepts
 - Conditions and Performance
 - General Aspects
 - Inorganic Chemistry
 - Lignin Reactions
 - Pollution Load, See Bleach Liquor
 - Reactions of Extractives
 - Sequences
 - Spend Liquor, See Bleach Liquor

Boat Conformation
Bod
Borate Complex, of
 Glucomannans
Berneol
Bornyl Acetate
Borohyde, Redox Potential
 Of
Birghtness,
 Of Fully Bleached Pulps
 Of Prebleached Pulps
 Stability, of High Yield
 Pulps
 Butano, as a Fermentation
 Product

Cadalanes
 -Cadinene
 -Cadinol
Cadmium Ethylenediamine
Cadoxen, See Cadmiun
 Ethylenediamnie
Caffeic Acid
Cahn - Inglood - Prelog
 Convention
Calcium Oxalate, in Bark
Callose, in Bark
Cambium
Campesterol
Camphene
Carbamates, Cross-Linking
 Of Cellulose with
Carbohydrates
 Addition of Cyanide
 Analysis by Enzymic
 Methods
 Determination of Structure
 Esters, of, See Also
Specific
 Name
 Ethers of
 Gas - Liquid
Chromatography
 Mass Spectrometry
 Isolation from Sulfite Spent
 Liquors,
 Methylation
Nmr Spectroscopy
 Nomenclature
 Oxidation
 With Bromine
 With Lead Tetraacetate,
 With Nitric Acid
 With Periodic Acid
 Reduction
 Trimethylsilylation,
 Carbon Monoxide, in Wood
 Gassification
Carbonyl Groups

Additons Reactions
Condensation Reactions
Introduction to
Polysaccharides During
 Bleaching
 Reduction
Carboxyl Groups,
Introduction
 To Polysaccharides During
 Bleaching
Carboxylic Acid End Groups,
Introduction to Cellulose
 During Anthraquinone-Alkali
 Pulping
During Kraft Pulping
 During Oxygen-Alkali
 Bleaching
 During Polysulfide Pulping
Carboxymethylcellulose
 As Cation Exchanger
 Preparation
 Solubility
 Uses
3-Carene
 Conversion to M-Cymene
 In Sulfate Turpentine
Carotenoids
Caoutchouc, See Rubber
Catechin
Causticizing Efficiency
Ced, See
Cupriethylenediamine
 -Cedrene
Cell
 Development
 Division
 Types
Cell Walls, Layers
Cellobiose
Cellophane, from Cellulose
 Xanthate
Cellylolytic Enzyme Lignin
Cellulose
 Accessibility
 Effect on Yield in Kraft
 Pulping
 Acetylation
 Catalysts
 By Fibrous Process
 Mechanism
 Morphological Factors,
 By Solution Process
 Acid Hydrolysis
 Effect of Accessibility
 Glucose Production
 Acidity of Hydroxyl Groups
 Activation
 Addition Compounds
 Alkaline Degradation

Alkylation
Alkyl Ethers
In Bark
Biosynthesis
Carboxymethylation
Chain Conformation, See
 Polymer Properties
Content in Wood
Cross Linking
Crystalline Structure
Crystallinity
Cyanoethylation
Degree of Polymerization
 See Molecular Weight
Depolymerization During
 Oxygen-Alkali Bleaching
Derivatives
Degree of Substitution
Substituent Distribution
Diffusion Rate
Dissolution, Mechanism
Enzymatic Hydrolysis
Esterification
 Reactivity of Hydroxyl
Groups
 Etherrification
 Reactivity of Hydroxyl
 Groups,
 Grafting
 Hydrogen Bonds
 Hydroxyethylation
Immunological Adsorbents
 From
 Inclusion Compounds
 Inorganic Esters
 Methylation, Substituent
 Distribution
 Mixed Organic Esters
 Molecular Structure
 Molecular Weight
 Nitration
 Organic Esters
 With Basic Groups
 Polydispersity
 Polymer Properties
 Reactivity
 Influence of Hydrogen
 Bonds
 Morphological Factors
 Sedimentation Rate
Swelling
 Alkali,
 Electrolytes
 Organic Bases
 X-Ray Measurements
 Viscosity
 Water Adsorption
 Yield in Kraft Pulping
 Yield in Sulfite Pulping

Cellulose I	Carbohydrates	Dichlorine Monoxide,
Cellulose Ii	Chlorolignin	3,4 Dideoxypentonic Acid
From Cellulose I	Chromospheres	In Black Liquors,
Cellulose Iii	Formation and Actions	From Cellulose in Alkali
Cellulose Iv	In Prebleached Pulps	From Gucomannan in
Cellulose Acetate	In Pulps	Alkali
Preparation	Chorismic Acid	Diethylaminoethylcellulose,
Raw Materials for	Chorsin	As Anion Exchanger
Solubility and Uses	Cinnamate Pathway	Dihydrogathic Acid
Cellulose Esters	Cinnamic Aid	Dihydroconiferyl Alcohol,
Cellulose Ethers	Cinnamyl Alcohol	In Black Liquor
Commercial Types	Citrostadienol	Dihydroquercetin, See
Solubility and Uses	Cmc, See	Taxifolin
Sulfate Groups in	Carboxymethylcellulose	3,4-Dihydroxypentanoic
Cellulose Phosphate	Cod	Acid,
Cellulose Solvents	Combined Sulfur Dioxide	From Polysaccharides by
Cellulose Sulfate	Communci Acid	Oxygen in Alkali
Cellulose Xanthate	Compression Wood	2,5-Dihydroxypentonic
Cembrene	Coidendrin	Acid,
Ceric Ions,, as Initiators	Isolation from Wood and	See 3,4 Dideoxypentonic
In Cellulose Grafting	Properties	Acid, See 3,4
Chain Transfer, in Cellulose	Coniferin	Dioexypentonic Acid
Grafting	In Bark	Dimethyl Disulfide
Chanootin	Coniferyl Alcohol	Dimethy Sulfide
Char Conformation	Coniferyl Aldhyde	From Kraft Lignin
Charcoal, in Wood Pyrolysis	Cork Cells	Dimethyl Sulfone, from
Chemimechanical Pulp	Cork Layer, See Periderm	Dimethyl Sulfoxide
Chemithermomenchanical	Cortex	Dimethyl Sulfoxide
Pulp	Cotton Cellulose	As Cellulose Solvent
Chemotaxonomy,	Crystallinity	From Dimthyl Sulfide
Classification Based on	Degree of Polymerization	Dioxane Lignin
Extractives	As Raw Material for	Dioxins, See Bleach Liquor,
Chiral Center, See	Cellulose	Toxic (Chlorinated)
Asymmetric	Derivates	Compounds
Carbon Atom	P-Coumaric Acid,	Dioxin Value
Chlorinated Phenolics	P-Coumarul Alcohol	Dipentene,
Chlorine	Cresols, In Wood Tar	Disaccharides
Equilibria in Aqueous	Cyrstallites, in Cellulose	Displacement Bleaching
Solutions	Cypriethylenidiamine	Dissolving Pulp
In Radical Chain Reactions	Cutin, in Bark	Diterpenes, See
Chlorine Bleaching	Cycloarternol	Deterpenoids
Carbohydrate Reactions	P-Cymene	Deterpenoids
Conditions	From α -Pinene During	Dithionite
Effect of Chlorine Dioxide	Sulfite Pulping	Redox Potential
Kinetics	Recovery and Uses,	Stability
Lignin Recactions		
Chlorine Dioxde	Dehydroabiatic Acid	Earlywood
Oxidation Equivalents	Dehydrodiveratric Acid	Tracheids in
Oxidation Pathways	Dehydrogenase Polymer	Eteola-Cellulose, as Anion
As Radical Scavenger	Lignin	Exchanger
Chlorine Dioxide	3-Dehdroquinic Acid	Effective Alkali
Bleaching	3-Dehydroshilimic Acid	Effective Capillary Cross
Conditions	Delifgnifying Bleaching, See	Sectional Area
Lignin Reactions	Bleaching	Eicosatrienoic Acid
Selectivity	2-Doxyglyceric Acid, See	Einstein's Equation
Chlorine Radicals	Droxypropanoic Acid	Elementary Fibril
Formation and Actions	3-Doexypentonic Acid	Ellagic Acid,
Radical Scavenagers of	Dialdoses	In Bark
Reactions with	Diastereoisomers	Elliotinic Acid,

Enantiomers
 Enzymers, Application
 For Bleaching
 Epidermis
 α -Epimanol
 Epimers
 Epithelial Cells
 Epoxides
 Erythronic Acid End Groups,
 Formation During Bleaching
 Erythrose
 D-Erythrose 4-Phosphate,
 Ethanol
 From Sulfite Spent Liquor
 by
 Fermentation
 From Wood Hydrolysates
 Further Processing to
 Chemicals
 Ethanolysis
 Ethyl Alcohol, See Ethanol
 Ethylcellulose,
 Ethylene, from Ethanol
 Ethylene Oxide, from
 Ethanol
 Extractives, See Also Fats;
 Phenolic Extractives; Pitch
 Rosin, Steroids,
 Terpenoids,
 Turpentine, Waxes, Specific
 Name
 Analysis
 In Bark,
 Biosynthesis from Black
 Liquors
 Changes During Wood
 Storage
 Chlorination Products
 Content in Wood
 Fungicidal Properties
 Inorganic Components
 Occurrence
 As Oleoresin
 As Parenchyma Resin
 Reactions
 During Bleaching,
 During Kraft Pulping
 During Sulfite Pulping,
 Use as Chemicals
 Exudate Gums

 Farnesyl Pyrophosphate
 Fats, See Also Extractives
 In Bark
 In Wood
 Fatty Acids
 As Components in Fats and
 Waxes
 From Black Liquor

 Ferulic Acid
 In Suberin
 Fiber, See Cell
 Fiber Fractionation, for
 Removal
 Of Resin
 Fischer Formulas,
 Flavonoids
 In Bark
 Uses
 Flory's Equation
 Formaldehyde
 Condensation with
 Lignin During Kraft
 Pulping
 Cross Linking of
 Cellulose with
 Formation from Lignin
 Kraft Pulping
 Formic Acid
 In Black Liquors
 From Black Liquors,
 From Hardwood Neutral
 Sulfite Spent Liquors
 From Hexoses
 From Polysaccharides
 During Kraft Pulping
 From Polysaccharides by
 Oxygen in Alkali
 Free Sulfur Dioxide
 Fringe Micellar Model
 Fructose
 Furanosides
 Furfural
 From Pentoses
 Raw Materials for
 From Sulfite Spent
 Liquors
 In Wood Pyrolysis
 Uses

 Galactan, in Compression
 Wood
 Galactoglucomannans,
 Acid Hydrolysis
 Changes During Kraft
 Pulping
 Content in Softwood
 Linkages to Lignin
 Galactose
 In Sulfite Spent Liquors
 Galacturonic Acid, in
 Glycuronoxylan,
 Gallic Acid
 In Bark
 Gasification
 Gas Phase Bleaching
 Gdp-D Glucose,
 Gelatinous Layer, in Tension

 Wood
 Genistein
 Geranyl Pyrophosphate
 Geranylgeranyl
 Prophosphate
 Geranyl Linalool
 Glucaric Acid
 Glucitol
 Glucoisosaccharinic
 Acid from Black
 Liquors
 From Cellulose in
 Alkali
 From Glucomannan in
 Alkali
 Glucomannan, See Also
 Galactoglucomannans
 Acid Hydrolysis
 Content in Hardwood
 Yield in Kraft Pulping
 Yield in Sulfite Pulping
 Gloumetasaccharinic
 Acid End Groups,
 Introduction to Cellulose
 In Alkali
 Gluconic Acid
 Glycopyranosides
 Acid Hydrolysis
 Alkaline Hydrolysis
 Glucosaccharinic Acid,
 See 2-C-Methylribonic
 Acid End Groups
 Glucose,
 From Cellulose
 Chair Conformations,
 Chemicals from
 Gdp-D-Glucose
 Mutarotation
 Oxidation
 Reduction
 In Sulfite Spent Liquors
 Udp-D-Glucose
 β -D-Glucosidase
 Glucuronic Acid, from
 Glucose
 Glycuronoxylan, See
 Also Arabinoglucuronoxylan
 Xylan
 Acid Hydrolysis
 Content in Hardwood
 Reaction in Alkali
 Glyceraldehyde
 From Polysaccharides in
 Alkali
 Stereoisomers of
 Glyceric Acid, from
 Polysaccharides by Oxygen
 In Alkali
 Glycitols

Glycodiuloses	Summarizing Table	Hydroxymethylfurfural, from
Glycolaldehyde, from	Yield after Pulping	Hexoses
Polysaccharides in Alkali	Hexoses, Fermentation	P-Hydroxyphenylpyruvic
Glycolic Acid in Black Liquor	Hibbert Ketones	Acid
From Black Liquor	High Yield Pulping	2-Hydroxypropanoic Acid,
From Black Liquor	Acidic Groups,	See
From Polysaccharides by	Definitions	Lactic Acid
Oxygen in Alkali,	Material Losses	3-Hydroxypropanoic Acid,
Glycols, in Dydrogenolysis	Hydrocarbons	From Xylan by Oxygen in
Of Carbohydrates	In Wood Gasification	Alkali
Glycosans,	In Wood Pyrolysis	Hydroxypropylcellulose
Glycosides,	Hydrogen Chloride,	Hydroxypropylmethyl-
Glycosidic Bonds	Formation	Cellulose
Acid Hydrolysis	During Chlorine Bleaching	α -Hydroxysulfonic Acids
Alkaline Hydrolysis	Hydrogen Peroxide	In Sulfite Spent Liquors
Glycuronide Bonds, Acids	Disassociation	Hypochlorite
Hydrolysis	Hydrogen Peroxide-Ferrus	Decomposition
Graft Copolymers, with	Salts, as Initiator in	Oxidation Equivalents
Cellulose	Cellulose	Preparation
Green Liquor, Causticizing	Grafting	Hypochlorite Bleaching
Guaiacol	Hydrogen Sulfide,	Carbohydrate Reactions
In Black Liquor	Dissociation	Conditions
Guanasine	Hydroperoxides	Lignin Reactions
Gulose	Decomposition	Hypochlorous Acids,
Gum Arabic	Formation	Dissociation Constants,
	From Lignin	
H Factor	By Hydrogen Peroxide	Ildose
Half-Chair Conformation	By Oxygen	Inorganic Components
Hardwood	Hydroquinones, See	In Bark
Cells,	Quinones	In Wood
Chemical Composition	Hydroxy Acids	Inositol
Hardwood	From Black Liquors	Intercrystalline Swelling
Cells,	In Black Liquors	Interfibrillar Swelling
Chemical Composition	From Polysaccharides	Intercrystalline Swelling
Haworth Formulas	During Kraft Pulping	Intrafibrillar Swelling
Head to Tail Coupling	During Oxygen Alkali	Inulin
Heartwood	Treatment	Ion Exchange Properties,
Typical Extractives in	P-Hydroxybenzaldehyde,	Of Wood and Pulps
Hemicelluloses, See	From Lignin	Ion Exchangers
Also Specific Name	P-Hydroxybenzoic Acid	From Cellulose
Acid Hydrolysis, Sulfite	2-Hydroxybutanoic Acid	From Lignosulfonates
Pulping	In Black Liquors	Iron Tartrate Cellulose
Analytical Methods,	From Black Liquors	Complex
In Bark	From Xylan in Alkali	Isohemipinic Acid
Boisynthesis	Hydroxy Carboxylic Acids,	Isopimaric Acid
Chemical Bonds to Lignin	See Hydroxy Acids	Isoprene Rule
Chemical Compositions	P-Hydroxycinnamic Acid	Isoprene Units
In Compression Wood	-Hydroxy Elimination	Isoprenoids
Content in Wood	Hydroxyethyl Cellulose	Isosaccharinic Acid, See
Degree of Polymerization	Methyl Substitution	Glucoisosaccharinic
Distribution in Wood	Preparation	Acid, Xyloisosaccharinic Acid
Extraction, See Isolation	Solubility	
In Hardwood	Uses,	Juniperol
Isolation	Hydroxyethylcellulose	Juvabaine, Isolation from
Monomeric Units of	Hydroxymethylcellulose,	Wood
Precipitation and	Hydroxyl Radicals, as	
Purification	Initiators in Cellulose	Ketoses
In Softwood	Grafting	Kiliani Reaction
Solubility	Hydroxymatairesinol	Klason Lignin

Kraft Black Liquor, See Black Liquor	From Polysaccharides in Alkali	Gravimetric Determination
Draft Lignin	From Sulfite Spent Liquors	Guaiacyl Type
From Black Liquor	By Fermentation	Hydrogenolysis
Degradation Products	Lactones	Hydroxyl Groups, α -Hydroxyl Groups
Demethylation	Lamberitianic Acid	Cleavage by Acid
Functional Groups	Laricinane, in Compression	Cleavage by Alkali
Molecular Weight	Wood,	P-Hydroxyphenyl Type
Precipitation	Latewood	Isolation
Sulfonation	Tracheids in	Linkage Types
Sulfur Content,	Leaving Group	Biosynthetic Formation
Ultrafiltration	Leucochromophores,	Proportions
Uses	See Chromophores	Linkages to Carbohydrates
Kraft Pulping	Levogluconan	Methoxyl Groups
Background,	From Hexoses by Acid	Cleavage by Hydrogen
By Products,	From β -D-	Sulfide Ions
Carbohydrate Losses,	Glycopyranosides	Cleavage by Sulfite Ions
Reason	By Alkali	Cleavage During Bleaching
Carbohydrate Yield	In Wood Pryolysis	Molecular Weight,
Consumption of Alkali	Levopimaric Acid	Oxidation
Cooking Chemicals	Levulinic Acid, from Hexoses	With Chlorine
Diffusion into Chips	Libriform Cells	With Chlorine Dioxide
Recovery of,	Lignans,	With Hydrogen Peroxide
Kraft Pulping	Acid Soluble	With Hypochlorite
Cooking Liquor	Acidolysis	With Nitrobenzene
Equilibria in	β -Aryl Ether Bonds	With Oxygen
Delignification	Cleavage by Alkali	With Ozone
General Aspects	Cleavage by	With Permanganate
Kinetics	Anthrahydroquinone	Phenolic Hydroxyls
Morphological Factors	Cleavage by Hydrogen	Phenylpropane Unit
Selectivity, Compared	Sulfide Ions	Polymer Properties
With Sulfite Pulping	Cleavage by Neutral and	Precursors
Extractives, Reactions	Alkaline Sulfite	Biosynthesis
History	In Bark	Polymerization
Hydrogen Sulfide	Benzyl Alcohol Groups,	Structural Methods
Pretreatment	See α -Hydroxyl Groups	Structural Unit and Linkage
Impregnation	Biosynthesis	Types
Lignin Reactions	Carbonyl Groups	Sulfonation, Ph Dependence
Cleavage of α -Aryl Ether	Chemical Structure	In Acid Conditions
Bonds,	Chlorination	In Neutral and Alkaline
Condensation	Condensation Reactions	Conditions
Formation of	During Kraft Pulping	Synthetic Preparations
Chromophores,	Condensation Reactions	Syringyl Type
Formation of Conjugated	During Sulfite Pulping	Thioacetolysis
Structures,	Content in Wood	Thioacidolysis
Liberation of Phenolic	Dehydrogenative	Uv Spectrophotometry
Hydroxyl Groups,	Formation,	Viscosity
Oxirane Intermediates	See Biosynthesis	Lignin Carbohydrate
Quinone Methide	Distribution	Complex
Intermediates	In Wood Fibers and Cell	Lignin Precursors
Thiirane Intermediates	Walls	Biosynthesis
Polysulfide Modification	In Softwood Pulp Fibers	Bulk Polymerization
Kraft Spent Liquor, See	Electrophilic Side Chain	End Wise Polymerization
Black Liquor	Displacement by Chlorine	Lignin Preserving Bleaching
	α -Ether Bonds	Oxidative Type
	Cleavage by Acid	Reducing Type
Labdane Type Resin Acids	Cleavage by Alkali	Lignin Removing Leaching,
Lactic Acid	Formula	See
From Black Liquors	Functional Groups	Bleaching
In Black Liquors		

Lignoceric Acid
Lignocerol
Lignols
Lignosulfonates
As Cation Exchangers
Isolation from Sulfite
Spend Liquors
Solubilizing Effect on Resin
Limonene
Linoleic Acid
Linolnic Acid
Lobry De Bruyn Alberda Van
Ekenstein Transformation
Longifolene
Lyxose

Magnesium Salt, Inhibitor in
Oxygen Alkali Bleaching
Maltose
Mannitol
Mannonic Acid End Groups,
Introduction to
Polysaccharides During
Oxygen Alkali Bleaching
Mannose
In Sulfite Spend Liquors
Manoyloxide
Margo
Mark Houwink Equation
Mataieresinol, See
Hydroxymataieresinol
Mechanical Pulp Types
Mercerization
Mercerized Cotton,
Crystallinity
Mercusic Acid
Metasaccharinic Acid End
Groups, Introduction
To Polysaccharides in Alkali
Methane, in Wood
Gasification
Methanesulfonic
Methanol
Formation During Bleaching
In Wood Pyrolysis
Methoxyl Groups, See Also
Ligning
In Xylan
Cleavage During Kraft
Pulping
Methylcellulose
Preparation
Solubility and Properties
4-O-Methylglucuronic Acid
Groups in
Arabinoglucuronoxylan in
Glucuronoxylan
2-C-Methylglyceric Acid
End Groups, Introduction

To Polysaccharides in Alkali
Methylglyxal
From Polysaccharides in
Alkali
Methyl Mercaptan
2-C-Methylribonic Acid End
Groups,
Introduction to
Polysaccharides in Alkali
Microfibril
Middle Lamella
Milled Wood Lignin
Monosaccharides, See
Al Carbohydrates
Specific Name
Addition of Hydrogen
Cyanide
Addition of Hydrogen
Sulfite
Configuration
Conformation
Nomenclature System
Degradation by Acid
Derivatives,
Diconvention
Fermentation Products
Fischer Projection Formula
Furanoid Structures
Glycosidic Hydroxyl
Haworth Projection
Formula
Isomerization in Alkali
Mills Formula
Mutarotation
Oxidation to Aldonic Acids
During Sulfite Pulping
Pyranoid Structures
Reduction
Ring Structures
In Sulfite Spend Liquors
From Sulfite Spent Liquors
Monoterpenes, See
Monoterpenoids
Monoterpenoids
In Sulfite Turpentine
Muconic Acid Structures,
Formation from Lignin
During Bleaching
 α -Muuroleone
 β -Myrcene
Preparation and Uses

Naval Stores Industry
Neoabietic Acid
Nonreducing Disaccharides
Nootkatin
Nucleosides

Oleic Acid

Oleoresin
In Bark
Recovery from Trees and
Uses
Oligosaccharides
Occurrence
Organic Excess Sulfur
Organosolv Pulping
Oxiranes
Oxygen
Energy States
In Radical Chain Reaction
Oxygen Alkali Bleaching,
See Also Bleaching
Carbohydrate Reactions
Chemicals Recovery
Conditions
Effect on Pollution Load
Inorganic Chemistry
Lignin Reactions
Selectivity
Oxygen - Alkali Pulping
Ozone Bleaching

Palmitic Acid
Palustric Acid
Paraformaldehyde, as
Cellulose Solvent
Raraquat
Parenchyma Cells
In Bark
Delignification
In Hardwood
In Softwood
Parenchyma Resin
Pectic Polysaccharides
Peeling Reaction, of
Polysaccharides,
Pekilo Protein
Pentoses, Fermentation
Periderm
Periodic Acid Oxidation
Peroxides, as Initiators in
Cellulose Grafting
Peroxide Bleaching, Lignin
Preserving
 β -Phelladrene
Phelloderm
Phellogen
Phenolic Extractives
In Bark
Classification of Wood
Species According to
Condensation Wit Lignin
Isolation from Wood
Pyrolysis
Phenols, in Wood
Purolysis
Phenoxy Radiclas

In Biosynthesis of Lignin
 From Phenolates by
 Oxygen
 Phenylalanine
 Phenylsaxzone
 Phenylpyruvic Acid
 Phloem
 Phosphochrismic Acid
 Phosphomethylcellulose,
 As Cation Exchanger
 Phytanes
 Phtoene
 Phtol
 Pimaral
 Pimarene Type Resin Acids
 Pimaric Acid
 Pimarol
 Pine Oil
 Synthetic, from
 Monoterpenes
 In Wood Pyrolysis
 α -Pinene
 Dehydrogenation During
 Sulfite Pulping
 Isomeraiztion
 In Sulfate Turpentine
 β -Pinene
 Pularlysis to Myrcene
 In Sulftate Turpentine

 Pinolenic Acid
 Pinoresinol
 Pinosylving
 Condensation with Lignin
 Pitch
 In Tall Oil Distillation
 In Wood Tar
 Pit Problems
 Pith
 Pit Membrane
 Pit Pair
 Pits
 In Harwood Cells
 In Softwood Cells
 Ultrastructure
 Plicatic Acid
 Extraction from Wood
 Polychlorinated Phenolics
 Polyestolides, See Suberin
 Polyhydric Alcohols
 Polymers
 Intrinsic Viscosity
 Relation to Hydrodynamic
 Valume
 Relation to Molecular
 Weigth
 Relation to Polymer
 Conformation
 Molecular Weights

 Melecular Wieght
 Distribution
 Stiffness
 Theta Conditions
 Polyphenols
 Uses
 Polysaccharides, See Also
 Carbohydrates
 Cellulose, Hemicelluloses,
 Specific Name
 In Bark
 Content in Wood
 Degradation
 By Acid
 By Alkalide
 By Bleaching Agents
 During Wood Storage
 Polydispersity
 Reactivity, Accessibility
 Factors
 Stabilization Against
 Alkaline Degradation
 Polysulfide Pulping
 Polysulfides
 Preparation
 Stabilization of
 Polysaccharides
 Polyterpenes, See
 Polyterpenoids
 Polyterpenoids
 Polythonates
 Polyuronides
 Pores, See Pits
 Prenylation
 Prephenic Acid
 Primary Wall
 Prosenchyma Cells
 Proteins
 From Sulfite Spendd
 Liquors
 By Fermentation
 From Wood Hydrolyzates
 Pulp, Mechanical Treatment,
 Material Losses
 Pulp Types
 Pulping Methods, See
 Specific Name
 Background and Definitions
 Pyranosides
 Pyrolysis
 Pyruvic Acid

 Quercetin
 In Bark
 From Taxifolin During
 Sulfite Pulping
 Quinones, Redox Potentials
 Of

 Radiation Sources, as
 Initiators
 For Cellulose Grafting
 Raffinose, in Bark
 Ray Parenchyma Cells
 Ray Tracheids
 Rayon Fibers, from
 Cellulose Xanthate
 Reaction Wood
 Reducing Disaccharides
 Regenerated Cellulose
 From Cellulose Xanthate
 Crystalline Structure
 Crystallinity
 Resin, See Extractives
 Resin Acids
 Recovery from Black Liquor
 See Tall Oil
 Recovery from Trees,
 Rosin
 Resin Canals
 Rhamnose
 In Glucuroxnoxytan
 Rhytidome
 Ribose
 Rosanoff's Convention
 Rosin, See Also Tall Oil
 Recovery from Trees
 Uses
 Rubber

 Salicin, in Bark
 Sandaracopimaric Acid
 Sapwood
 Schweitzer's Solution
 Sclerids,
 Sclerenchymatous Cells
 Secodehydroabiatic Acid
 Secondary Wall
 Serratanes
 Serratenediol
 Sesquiterpenes, See
 Sesquiterpenoids
 Sesquiterpenoids
 Shikimate Pathway
 Shikimic Acid
 Sievel Cell, in Bark
 Sieve Tubes, in Bark
 Sinapci Acid
 In Suberin
 Sinapyl Alcohol
 Singlet Oxygen
 Sitostanol
 Sitosterol
 Recovery and Uses
 Skew Boat Conformation
 Soda Oxygen Pulping, See
 Oxygen Alkai Pulping
 Soda Pulping, See Alkali

Pulping	Acid Sulfite	In Bark
Sodium Sulfide, Equilibria in Aqueous Solutions	Alkaline and Neutral Sulfite	Biosynthesis
Softwood, Cells	Cleavage α -Ether Bonds	Classification
Sorbitos, See Glucitol	Cleavage of Methoxyl Groups	Thermomechanical Pulp
Spend Bleach Liquors, See Black Liquor	Condensation	Thioacetolysis
Stachyose, in Bark	Degree of Sulfonation	Thioacidolysis
Starch	Formation of Conjugated Structures	Thoglycolic Acid Lignin
Steam Explosion Pulping	Influence of Carbonyl Groups	Thiol Groups, in Cellulose Grafting
Stearic Acid	Quinone Methide Intermediates	Thiosulfate
Stereoisomers	Two-Stage Method	Formation During Sulfite Pulping
Steroids	Sulfite Spent Liquor	Reaction with Lignin
Recovery and Uses	Composition	Throese
Sterols, See Steroids	Fermentation	β -Thujaplicin
Stilbenes	Sulfoethylcellulose, as Cation Exchanger	Thunbergene
Stone Groundwood Pulp	Sulfomethyl Cellulose, As Cation Exchanger	Toci
Suberin	Sulfur, Formation During Kraft Pulping	Torula Yeast
In Bark	Sulfur Dioxide	Torus
Extraction from Bark	Combined	Tracheids, in Softwood
Sucrose	Decomposition	Transition Metal Ions
Sugar Alcohols, See Alditols	Equilibria in Aqueous Solutions	In Cellulose Grafting
Sugar Nucleotides	Free	In Oxygen Alkali Bleaching
Sugar Sulfonic Acids	Loosely Combined	Tree Growth
Sugars, See Carbohydrates	Suspension Culture Lignin	Triazine, Cross Linking of Cellulose with
Sulfate Black Liquor, See Black Liquor	Syringaldehyde	Trithylaminoethylcellulose
Sulfate Turpentine	From Hardwood	Trimethylsilethers, of Carbohydrates
Composition	Lignosulfonates	Triplet Oxygen
Recovery and Uses	From Lignin	Triterpenes, See Triterpenoids
Sulfidity	Tail to End Cyclization	Triperenoids
Sulfite, Redox Potential	Tail to Tail Coupling	Trityl Ethers, of Carbohydrates
Sulfite Pulping	Tall Oil, See Also Rosin	Tropolones
Active Base	Composition	Complexes with Heavy Metal Ions
Background and Definitions	Distillation	Tss
By Products	Tall Soap, See Tall Oil	Turpentine, See Also Sulfate Turpentine
Carbohydrate Reactions	Talose	Recovery from Trees
Carbohydrate Yield	Tannis	Uses
Cooking Liquor	From Bark and Wood	In Wood Pyrolysis
Acidity	In Bark	Two Stage Sulfite Pulping
Combined Sulfur Dioxide	Condensed	Tyloses
Decomposition	Hydrolyzable	Tyrosine
Diffusion of Chemicals	Taxifolin	
Equilibria in	In Bark	Udp-D-Glucose
Free Sulfur Dioxide	Dehydrogenation During Sulfite Pulping	Uloses
Loosely Combined Sulfur Dioxide	Tcdd Equivalents	Urea, Cross Linking of Cellulose
Penetration	Tension Wood	With
Delignification	Formation	Uridine
General Aspects	Terpenes, See Terpenoids	Uronic Acids
Kinetics	Terpenoids, See Also Turpentine	
Morphological Factors	Turpentine	Vanillic Acid, in Black Liquor
pH Dependence	Sulfate Turpentine	
Selectivity		
High Yield Pulps, Special Features		
History		
Impregnation		
Lignin Reactions		

Vanillin
 In Black Liquor
 From Ligning
 Production from
 Lignosulfonates
Veratric Acid
Vessels
Viscose, See Cellulose
Xanthate

Warty Layer
Waxes, See Also Extractives
 In Bark
 Extraction from Bark
 In Wood
White Liquor
Wood
 Building Elements
 Carbonization, See
 Pyrolysis
 Chemical Composition
 Chemicals from
 Distillation, See Pyrolysis
 Gasification
 Hydrolysis Products
 Macroscopic Structure
 Ultrastructure
Wood Pulping, Background
 And Definitions
Wood Strogae, Effect on
 Extractives
Wood Tar

Xylan,m See Also Specific
 Name
 Behavior During Kraft
 Pulping
 Influence of Arabinose
 Units
 Influence of Glucuronic
 Acid Groups
 Readsorption
 Yield,
 Behavior During Sulfite
 Pulping
 Yield
 Content in Wood
 Linkages to Lignin
 Losses from Pulp During
 Mechanical Treatment
Xylem
Xylitol, Production of
Xyloisosaccharinic Acid
 From Black Liquors
 In Black Liquors
 From Xylan in Alkali
Xylose
 From Hardwood
Hydrolysates

In Sulfite Spent Liquors
Yellowing, of High Yield
Pulps