



Document Name:	0101r255
Section:	TAPPI PRESS
Title:	Mechanics of Rollers, The

TAPPI PRESS

The Mechanics of Rollers
by David R. Roisum, Ph.D.

1996. 306pp., 7"x10" soft cover book
Item Number: 0101R255
ISBN: 0-89852-313-3

Now in Japanese!
translated by Kiyoshi Wada
1997. 306 pp., 7"x10" soft cover
Item Number: 0101R255J
ISBN 0-89852-313-3

The Mechanics of Web Handling is the third book in Dave Roisum's trilogy. *The Mechanics of Winding* and *The Mechanics of Rollers* are also available from TAPPI PRESS.

The Mechanics of Rollers combines the science of web handling with the application of rollers. This unique book covers design, application, and maintenance for rollers of all sizes, shapes, and webs. *The Mechanics of Rollers* is a comprehensive yet easy-to-use reference containing hundreds of figures, tables, and design equations, plus bibliography, glossary, and index. A must-have text for anyone involved in buying, selling, or specifying rollers, this book will also be a valuable reference for machine designers, process engineers, and maintenance personnel in the paper, film, foil, nonwovens, textiles, and converting industries.

Table of Contents

1	Introduction	2	Tension and Tension Control
1	The Foundation of Web Processes	11	Why Web Tension Is Important
2	Roller Applications	12	Choosing a Process Tension
3	Dead and Live Shaft Arrangements	13	Load Cell Tension
4	Heads and Journals	14	Load Cell Sizing Example
4	Bearings	15	Other Load Cell Considerations
5	Roller Geometry - Axial	16	Dancer Controlled Tension
5	Roller Geometry - Diametral	17	Dancer Design
6	Shell Materials	18	Dancer Dynamics
6	Coverings and Coatings	19	Draw Control
7	To Drive or Not to Drive	20	Tension Variations in a Draw Zone
7	Roller Drives	21	Catenary (Loop) Control
8	Roller Issues	22	Tension from Motor Readings
10	Articles and Books	23	Current Control

23	Torque Control
24	Multiple Drive Sections
26	Down Web Tension Variations
27	Cross Web Tension Profiles
28	Bibliography
3	Deflection
29	Why Deflection Must Be Minimized
30	How Much Deflections is Allowable
31	Deflection Definition and Forces
32	Deflection Calculation Made Simple
33	Deflection Calculation Example
34	A Closer Deflection Calculation
35	Cantilevered Machines
36	Cantilever Calculation Example
37	Roller Deflection Summary
38	Bibliography
4	Traction, Torque and Power
39	Why Traction Is Important
41	Which Mode Is In Effect
42	The Normal Entry Law
43	Static Coefficient of Friction
44	Friction Complications
45	Air Entrainment
46	Air Entrainment Model and Application
47	Air Entrainment Example Calculation
48	Grooving
49	Texturizing
49	Web and Roller Porosity
50	Measuring Traction
51	Traction Factors
52	The Band-Brake Equation
53	Band Brake Application
54	Band-Brake and Macroslippage
54	Band-Brake and Microslippage
55	Nipped Pull Rollers
56	S or Bridle Wrapped Drive Rollers
57	Vacuum, Pressure and Centrifugal Effects
58	Roller Drag
58	Measuring Drag
60	Inertial Tension
62	Wrap Angle
64	Drive Tension
64	To Drive or Not to Drive
65	Tension from DC Motor Readings
66	Summary
67	Bibliography
5	Nipped Rollers
69	Nipped Rollers for Web Transport
70	Nipped Rollers for Web Processing
71	Nipped Roller Issues

72	Web Stresses in a Nip
73	Hertzian Contact
74	Determining Peak ZD Nip Stress
75	Interior Contact Stresses
76	Complex Nip Models
77	Nip Loading Mechanisms
78	Nip Load System Friction
79	Load Versus Gap Control
80	Roller Deflection in a Nip
81	Crowning
82	Load-Crown Match
83	Deflection and Bearing Position
84	Deflection Compensating Techniques
85	Deflection Compensating Techniques
85	Roller Geometrical Errors
86	Nip Impressions
87	Static Nip Impressions
88	Dynamic Nip Impressions
89	Bibliography
6	Shells
91	Introduction
92	Axial Shell Geometries
92	Radial Shell Geometries
93	Shell Materials
94	Heads
95	Shell Stresses
96	Composites
97	Case for Composites
98	Bibliography
7	Journals and Shafts
99	Journals and Shafts Must Be Short
100	Bending
101	Bending Stress Example Problem
102	Torsion
102	Combined Stresses
103	Fatigue
104	Fits
104	Bibliography
8	Bearings
105	Introduction
106	Bearing Types
107	Sizes and Options
108	Lubrication
109	Load and Life
110	Bearing Drag
111	Maintenance of Bearings
112	Bibliography
9	Coatings and Covers
113	Why Coat

196	Mandrels and Spools
197	Core Chucks
197	Core Shafts
198	Sizing Specifications
199	Bibliography
17	Spreaders
201	Introduction
202	Spreading Principles
203	Concave Spreader
204	Bowed Spreader Roller
207	Bent Pipe and D-Bar Spreaders
208	Dual Bowed Roller Spreader
209	Pos-Z Spreader
210	Expander Rollers
210	Expander Rollers
210	Edge Pull Web Stretchers
211	Compliant Cover Rollers
212	Grooving
213	Spreading Is Temporary
214	Bibliography
18	Specialty Rollers and Elements
215	Additional Roller Resources
216	Air Bars
217	Vacuum Bars
217	Concave Rollers
217	Crowned Rollers
218	Edge Guides
220	Footage (Length) Counters
221	Spring Mounted rollers
221	Skewing or Squaring Rollers
222	Calendering
224	Laminator Curl
225	Embossing
226	Slitting
228	Static Electricity
230	Bibliography
19	Wound Rolls
233	Rolls Versus Rollers
234	Roll Cylindricity and Defects
235	Roll Runout, Vibration and Handling
236	Roll Hardness
237	Interlayer Slippage
238	Air Entrainment
239	Unwind Drive Sizing
239	Drive Sizing Example - English Units
243	Drive Sizing Example - Metric Units
245	Bibliography
20	Maintenance
247	Introduction

248	Alignment
249	Balance and Vibration
250	Bearings
251	Cylindricity
252	Drive Controls
253	Drive Mechanicals
254	Grinding
255	Heated/Chilled rollers
256	Nips
257	Purchasing
258	Rigging
258	Storage
258	Transport
259	Surface Defects
260	Bibliography

Appendices

261	A Unit Conversion Tables
262	B Selected Bibliography
269	C Calculations and Formulae

Glossary

Index

Index

- Abrasion - see Wear
- Acceleration - 7, 26, 37, 58-61, 63, 66, 97, 172, 175, 240-244, 252, 274
- Acid - 114, 115, 123
- Acrylic - 122
- Adhesion - see Roller, Release
- AFBMA - 105
- Air Bar/Roller - 57, 216
- Air/Fluid Entrainment - see also Grooving - 11, 45-51, 58, 69, 125, 238, 262, 269
- Air Flotation - see Flotation
- Air Pressure - see Pressure, Air
- Alignment - 155-166
 - Angular - 170
- Bearings - 106, 111, 250
- Bent Journal - 100
- Cantilevered Rollers - 35, 99
- Couplings - 170
- Datum - 165
- Difficulties - 10, 35, 255
- Documentation - 164
- Doweling - 162, 163
- Grinder - 254
- Inplane Misalignment - 155-158, 160
- Justification - 9
- Landmarks - 165
- Level - 161, 165, 248
- Methods - 9, 155, 248
- Nip Loads - 80
- Out-of-Plane Misalignment - 155, 159
- Parallel Offset - 170
- Parallelism - 77, 161, 248
- Publications - 262
- Pulleys - 169
- Preparation for - 163
- Provision for - 107
- Schedule - 155, 257
- Service - 164
- Shims - 162, 163, 165
- Square - 161, 165
- Tolerances - 9, 37, 56, 155-159, 165
- Tramming - 161
- Transit - 155, 161, 165, 170
- Vibration - 131, 136
 - and Web Stresses - 155-159, 272
 - and Wrinkling - 160, 248
- Aluminum - 6, 32, 43, 93, 103, 113, 114, 228
- Aluminum Oxide - 114, 115, 116
- Amperage - see Drive, DC Armature Amps
- Anemometer - 185
- Angle of Twist - 102, 170, 275
- Anodize - 91, 113, 114, 251
- Area Moment of Inertia - 32, 33, 101, 269
- Axel - see Dead Shaft Roller
- Babbitt - 4
- Backlash - see Clearance
- Baggy Web - see Web, Baggy
- Balance
 - Balancing - 143, 257
 - Bearing Load - 105, 250
 - Bent Journal - 100
 - Couple Unbalance - 142
 - Critical Speed - 135
 - Dynamic Balance
 - Flexible Rotor - 144
 - Grade - 145, 152
 - and Grinding - 254
 - Hard Balance - 143
 - Publications - 262
 - Rigid Rotor - 144
 - Runout - 249
 - Shells - 91
 - Soft Balance - 143
 - Specifications - 145, 146
 - Static Unbalance - 139, 140
 - Unbalance Causes - 139
 - Unbalance Force - 139, 145
 - Vibration - 132, 134, 137, 249
 - Weights - 141
 - Wound Rolls - 195
- Band Brake Equation - see also Slippage; Traction - 43, 44, 50, 52-54, 62, 63, 66
- Ball Bearing - see Bearings
- Barrel Roller - 203
- Barring - see Nip, Vibration
- Base - 114, 123
- Bearings - 3-5, 105-112
 - Axial Loads - see Thrust From Nips
 - Alignment - 155
 - Babbitt - 106
 - Ball - 105
 - Bowed Roller - 204
 - Brg-Brg Distance - 32-34
 - Brinelling - 105
 - Bushings - 106
 - Clearance - 250
 - Condition - 105, 250
 - for Corechucks - 193, 197
 - Dimension Series - 107
 - Drag - 7, 8, 23, 26, 41, 58, 61, 63, 97, 105, 108, 110, 171, 250, 253
 - Drag Measurement - 58, 59, 110
 - Dynamic Load Rating - 105, 109
 - Failure - 111
 - Fit - 5
 - Floating (expansion) - 91
 - Grade - 107
 - and Grinding - 253
 - Helper - 171
 - Housing - 106
 - Impact Loads - 258
 - Journal - 106

Life - 4, 105, 109, 111, 250,269
 Loads- 31, 105, 109, 111
 Loose - 104
 Lubrication - 4, 58, 105, 108, 111, 250
 Maintenance - 108, 111
 Mountings - 106, 162
 Pillow Block - 106
 Reliability- 108
 Revolutions- 103
 RPM Limit - 105
 Seals - 105, 107, 108, 111
 Sizing- 107, 109
 Spares - 257
 Spherical Roller- 106
 Static Load Rating - 105, 109
 Temperature - 107, 111, 250
 Thrust- 105, 106
 Belt
 Alignment- 169
 Cogged (Timing) Belt- 168, 169
 Flat Belt - 168
 Losses - 58
 Speed Control - 55, 169, 270
 Tension- 169
 V Belt - 7, 168, 169
 Bending Inplane - see Web, Bending
 Bending Moment - 99, 100, 101
 Bending Stress - 269
 Bent Journal- 100
 Bent Pipe Spreader - see Spreading, D-Bar
 Bibliography, Selected - 261-268
 Bolt - 4,9
 Bonding-69,114, 115
 Books - 215
 Bow - 195, 204, 206
 Bowed Roller - see Spreading, Bowed Roller
 Bowtie Roller - see Concave Roller Spreader
 Brake
 Chatter - 131
 Pneumatic- 172, 174
 Sizing- 172
 Strap- 174
 Water Cooled- 183
 Bridle Wrapped Roller- see S Wrapped Roller
 Brinell - sec Hardness
 Bulk - sec Web, Caliper
 Bumpering- 203
 Buna N- 122, 123
 Bushing - See Bearings
 Butyl- 122
 Calendering - 69, 76, 117, 183, 186, 222, 223
 Caliper - see Web, Caliper
 Camber - see Web, Baggy
 Carbon Fiber - see Composite
 Cantilevered Rollers - 27, 35, 36, 91, 99, 193
 Cartridge Heaters - see Resistance Heating
 Cascading- 188
 Cast Iron - 93
 Cast Steel - 6
 Catenary - 273
 CC Roll - 84
 CEMA - 215
 Centrifugal Effects - 46, 47, 57, 141, 142, 145, 269
 Ceramic- 114, 116, 190
 Chains - 7, 163, 168, 169
 Chemical Attack- 121, 122
 Chevron - see also Grooving - 127
 Chill Rollers - 183, 186
 Chrome - 114, 251
 Chromium Oxide - 116
 Chuck - see Corechuck
 Cigar Roller - 203
 Circularity - see Runout
 Clay - 113
 Clearance - 10, 105, 110, 131, 136, 173, 249, 254
 Clutch
 Application- 170
 Chatter - 131
 Pneumatic- 172
 Unwind- 173
 CMM - 215
 Coating (Roller) - 6, 113- 116
 Coating (Web) - 70, 113, 117, 213
 Coefficient of Web/Roller Traction - see Friction Measurement; Slippage; Traction
 Combined Stress - 102
 Complexity - 7
 Compliance - 131
 Compliant Cover Spreader - see Spreading, Compliant Cover
 Composite
 Durability - 116
 Fatigue- 100
 Justification - 96, 97
 Properties - 6, 32, 93
 Shafts- 197
 Shell - 6
 Concave Roller Spreader - see Spreading, Concave
 Condensate- 188
 Conductivity - see Thermal Conductivity and Static
 Cone Pulley - see Belt, Flat
 Continuous Lubrication - see Lubrication
 Controlled Crown Roll - see CC Roll
 Conversion Factors - 261
 Converting - 263
 Cool Down - 191
 Copper- 114
 Core - 30, 193-200
 Clearance- 195, 197

Deflection- 194
 Diameter- 197, 198
 Failures- 196, 197
 Fiber- 196
 Humidity Control - 195
 Metal- 195, 113
 Sizing- 198
 Vibration- 194
 Corechuck- 193, 195, 197, 198
 Coreshaft- 193, 197
 Corrosion - 103, 115, 116, 186, 259
 Corrugations - 72, 234
 Cost - see also Productivity - 8, 9, 30, 96, 101, 108, 113, 167, 175, 226, 247, 257
 Couplings- 155, 170
 Cover - 117- 123
 Abrasion - see Cover, Wear
 Air Entrainment - 46
 Barring - see Nip, Vibration
 Blowout - 259
 Bond- 114
 Calendering- 222
 Delamination - 75, 121
 Glazing - 41, 121
 Hardness - 79, 113, 117, 119, 121, 123
 Hysteresis - 76, 120, 204
 Knife Cuts - 259
 Materials - 6, 122, 123
 Modeling - 76
 Modulus - 119, 123
 Motivation - 29, 55
 Nip Pressure- 113, 117
 Nip Uniformity - 85, 113, 117
 Life- 10,70, 113,251
 Loose- 121
 Properties- 122, 123
 Rolling Resistance - 58, 76
 Set- 121, 123
 Stresses - 75
 Swelling - 259
 Temperature - 183, 222, 223
 Traction - 43, 55
 Very Soft - 211
 Wear- 121~ 123
 Cracks - see also Thermal, Shock - 116, 121, 259
 Crease Marks - 259
 Critical Speed - see Vibration, Critical Speed
 Crown-29,81,82,87,88, 117,217,218,222 223, 256
 Curl - see Web, Curl
 Current - see Tension Measurement & Control
 Curvature - see Spreading, Bowed Roller and Spreading, D-Bar
 Cuts - see Knife Cuts
 Cycles - see Roller, Revolutions
 Cylindricity - see Roller Diametral Tolerance;

Runout
 D-Bar Spreader - see Spreading, D-Bar
 Dancer - see Tension Measurement & Control
 Database - 215
 Dead Shaft Roller
 Bowed Roller - 204
 Configuration - 3
 Deflection Calculation - 32
 Forces on - 31
 Deceleration - see Acceleration
 Deckle - see Web, Width
 Decurling - see also Web, Curl - 224
 Deflection - 29-38
 and Bearing Location - 83
 Bowed Roller- 204, 206
 Calculation - 32-34, 36
 Calendering- 223
 Cantilevered - 35, 36, 99,270
 Compensation- 84
 Composites - 96
 Cores- 194
 and Crowning - 81, 217
 Diameter - 92
 Excessive - 9, 10, 30, 163, 251
 Guidelines - 30,37, 66
 Nipped Roller - 80
 Publications - 263
 Simply Supported - 32-34,270
 and Wrinkles - 194
 Delamination - see Cover, Delamination
 Density - 32-34, 36, 93, 237
 Dents - 114,259
 Design Life- 109, 111, 113, 131,247,250,251
 Detonation Gun - 115
 Dial Indicator- see also Runout- 161, 170
 Diameter - see Roller Diameter
 Diametral Tolerance - see Roller Diametral Toler.
 Die-Cutting - 70
 Dielectric- 116
 Diffuser- 189
 Doctor Blades - 114, 115, 116, 26
 DOM - 6
 Drag
 Bearing - see Bearings, Drag
 Sliding- 54
 Draw Control - see Speed Control
 Drawing - 12, 56, 0, 182
 Drive
 AC scalar - 175, 176
 AC vector- 7, 175, 177
 Armature- 178
 Armature Current - 65, 177, 179, 180, 182
 Bowed Roller - 204
 Brake - 7, 23, 24, 167
 Bridge- 176, 180
 Brushes- 177,178, 181

Commutator- 177, 178
 DC - 7, 22, 23, 175, 177-180
 DC Brushless - 175, 181
 Draw Control - see Speed Control
 Drive Room - 180
 Dynamic Braking - 179
 Electrical- 175-182
 Electromechanical- 173
 Emergency Stop - 241-244
 Encoder- 181
 Field - 178-180
 Firing Angle - 180
 Follower- 179
 Frame Size - 242
 Gain- 179
 Helper- 179
 Hydraulic- 173
 Induction Motor - 177
 Inertia- 239-244
 Inertia Comp - 24, 60, 179, 252
 Inverter- see Drive, AC scalar
 Losses - 58, 65
 Means - 7, 64
 Mechanical - 167-174
 MG Set - 179, 180
 Motoring- 167
 Nipped Rollers - 29, 117, 256
 Power- 60, 65, 167, 172, 177, 178, 239-244, 271
 Power Conversion- 176, 180
 Provision - 3
 Regenerative Drive - 179
 Requirement for - 7, 64, 97, 167
 Response - 60, 175, 179, 181
 Rotor - 176, 177
 RPM Limits - 167, 176, 240, 242
 SCR- 179, 180
 Sizing - 239-244
 Slip- 176
 Speed - 176- 179
 Speed Control - see Speed Control
 Speed. Synchronous- 176, 177
 Stall Tension - 181
 Stator- 176, 177, 178
 Sunday - 235, 254
 Tendency - 171, 172
 Tension Control - see Tension Control
 Tension Difference - 64
 Thyristor - see Drive, SCR
 Torque - 66, 167, 177-181, 241, 243, 244
 Torque Oscillation - 132, 181
 Transformer- 180
 Tuning - 175, 179, 247, 252, 253
 Winder/Unwind- 233
 Wrap Angle - 53, 62
 Dryer - 120, 183, 187- 189
 Dual Bowed Roller Spreader - see Spreading, Dual
 Dual Pass - 189
 Dub - 81, 121
 Durometer - see also Cover, Hardness - 119, 123
 Dust- 226, 228
 Dwell Time
 Nip- 113,117
 Wrap - 66, 183, 190
 Eccentricity - see Runout
 Economics - see Cost
 Eddy Current - see Drive, Electromechanical
 Edge Position - see Guiding and Web Edge Position
 Edge Pull Stretchers - see Spreading, Edge Pull
 Equations- 269-275
 Electric Motor- see Drive
 Electrolysis - 114
 Elongation - 93, 123
 Embossing - 70, 79, 113, 125, 129, 183, 225
 Endurance Limit - see Fatigue
 Engraving- 129
 EPDM- 122, 123
 Etching- 114, 129
 Expander Rollers - see Spreading, Expander Roller
 Failure Analysis - 253
 Failure Criteria - 102
 Fatigue - 93, 96, 103
 Feedforward - 25
 FEM - 76, 133, 135, 190
 FFT-71,85, 111, 133, 135, 136, 143, 147, 152, 249, 250
 Fiberglass - 113, 251
 Filled Rolls - 223, 225
 Flame Spray- 115
 Flattening - see Spreading, Flattening
 Flexibility - see Compliance
 Flooring - see Foundation
 Flotation - 39-41, 45, 209, 216
 Fluorocarbon- 122
 Fluid Flow - 184 186, 189
 Flutter - see Web, Flutter
 Folding - 202
 Foldovers - see Web, Wrinkling
 Footage Counter - see also Web, Length - 3, 220
 Footprint- see Nip, Width
 Formula- 269-275
 Foundation - 9, 138, 150, 152, 155, 162
 Framework - 8, 9, 10, 91, 107, 152, 221
 Creep- 155, 162
 Design- 151, 162
 Stress Relieving - 162
 Vibration - 134, 138, 151, 249

Friction Measurement - 43, 44, 50,51, 110, 270
 Gears- 169
 Losses - 58
 Ratio - 168, 244, 270
 Speed Control - 55
 Grease - see Bearing, Lubrication
 Grinding - see Machining
 Grooving - 10, 45, 51, 92
 Geometry - 48, 126
 Patterns- 125
 Sizing - 48, 126
 Spreading - 212
 Winding- 238
 Wrinkling - 48, 125, 212
 Guiding - 156, 156, 158, 159, 216-219
 Active - 218
 Center- 218
 Displacement- 219
 Edge Sensor- 218
 Passive - 218
 Publications - 264
 Steering - 218, 219
 Unwind- 219
 Winder- 219
 Hardness
 Covers - see Cover, Hardness
 Metals - 93, 113, 114, 129
 Wound Rolls - 236
 Heads- 3,4
 Mounting Styles - 94
 Heat
 Pipe- 187
 Spreading Requirement - 213
 Transfer- 186, 190
 Web- 7
 Zone- 187
 Heated Rollers - 120, 187, 188
 Herringbone - see also Grooving - 127
 Humidity - 195, 229
 HVOF - 116
 Hydraulic- 173
 Hypalon- 122
 Hysteresis- 120
 Idler Roller - 2, 8, 97
 Drag - see Bearing, Drag
 Construction - 3
 Criteria- 37
 Number of - see Roller, Count
 Temperature Profile - 185
 Tension Across - see
 Tension, Diff. Across Roller
 Tension Downweb Profile
 Wrap Angle - 62, 63
 Imbalance - see Balance
 Induction Heating
 Bearings - 5
 Rollers- 187
 Information Resources - 215
 Inertia- see Roller, Inertia
 Inertia Compensation - see Drive, Inertia Comp
 Interlayer Slippage - 75, 233, 237
 Iron - 93,113
 Isolation
 Drive - 7, 20
 Nip- 24
 Jacketed Roller- 188
 Journal Bearings - see Bearings
 Journals - 3-5
 Bearing Sizing - 106
 Bending Stresses- 100, 101
 Bent- 100
 Fatigue - 6, 103
 Fillet Radius - 100
 Stresses - 99-103
 Torsion- 102
 Keys and Keyways - 101, 162, 170
 Knife Cuts - 113, 121, 259
 Knurling - 49
 Laminating - see also Calendering
 25, 70, 113, 117, 183, 223, 224, 225
 Lateral Movement of Web - see also Guiding
 202, 203, 205
 Length - see Web, Length
 Life - see Design Life
 Live Shaft Roller
 Configuration - 3
 Forces on - 31
 Deflection Calculation - 32-34
 Load Cell - see Tension Measurement, Load Cell
 Loop - See Tension Measurement, Catenary
 Lubrication - see Bearing, Lubrication
 Machine Builders 215
 Machine Design - 8-10, 40, 101, 162
 Machining-3,41,81,91,94, 113, 115, 126, 129, 251, 254, 257
 Magazines - 215
 Maintenance - 8-10, 247-259
 Alignment - 155, 160, 162, 163, 165, 248
 Balance- 248
 Bearings - 108, 111, 250, 253
 Clearance or Play - 248
 Electric Drives - 167, 252
 Failure Analysis - 253
 Mechanical Drives - 253
 Nipped Rollers - 256
 Pulleys- 169
 Purchasing - 257
 Records - 86, 247, 253
 Roller Cylindricity - 163, 248, 251
 Rotary Joints - 186
 Slender Rollers - 251
 Service Intervals - 247, 251, 253
 Surface - 259

Temperature Measurement - 255
 Vibration - 131, 139, 152
 Mandrel - see Coreshaft
 Mass Moment of Inertia - 59, 240, 243, 271
 Metals- 223
 Metal Matrix - 116
 Misalignment - see also Alignment
 Bearings 106
 Deflection Comparison - 30
 Edge Position Change - 40
 Tension Skewing - 27
 Wrinkling- 8
 Modulus - 32-34, 36, 93, 119, 123, 1.55, 170, 175, 195
 Mohr's Circle - 102
 Moisture
 Calender- 222
 Cores- 194, 195
 Length- 220
 Moment - see Bending Moment
 Moment Transfer - 158
 Monopass- 189
 Neoprene- 122, 123
 Nickel- 115,259
 Nip
 Air/Fluid Entrainment - 46
 Applications - 113
 Bearing Force - 105
 Calendering - 70, 113, 222
 Covers-6, 113, 117, 118
 Crown - see Crown and Nip, Deflection
 Cylindricity - 256
 Deflection - 29, 30-32, 217
 Drive - 256
 Embossing - 225
 Footprint - see Nip, Width
 Gap Control - 79, 117
 Gearing - 69, 118
 Impressions - 86-88, 256
 Isolation - see Isolation
 Load - 70, 73, 74, 77, 79, 222, 223, 256
 Load Friction - 71, 77, 78, 120
 Load Control - 77, 78, 79, 117, 256
 Models - 76
 Pressure - see Nip, Stress Z
 Publications - 264
 Pull Roller - 55, 69
 Rejection - 238
 Rolling Resistance - 7, 58, 118
 Speed Control - 69, 118
 and Spreading - 213
 Stress, Shear- 72, 74
 Stress, Z - 72, 73, 74, 88, 271
 Thrust- 100, 105, 193, 198
 Uniformity - 71, 72, 82, 85, 113, 117
 Vibration - 71, 85, 123, 132, 138, 147, 148, 259
 Width - 73, 74, 87, 113, 117
 Winding - 194, 234
 Wrap Angle - 62
 Nip Induced Defects (winding) - 69, 75, 194, 196
 Nitrile- 122
 Noise - 131,216, 253
 Nonwovens - 43, 70, 186, 223, 225
 Normal Entry Law - 42, 156, 202, 204, 265
 Number of Rollers - see Roller, Count
 Nylon - 228
 Oil - See Bearing, Lubrication
 Oil Canning - see Shell, Wall Deflection
 Oil Heat - 189
 Oil Resistant Covers - 122, 123
 Operators - 8,131
 Organizations - 215
 Ovens
 Air Float - 39, 216
 Guiding - 218
 Spreading Requirement - 213
 Temperature- 120, 183, 185
 Oxides - 41, 114, 115
 Ozone- 122
 P&J - see also Cover, Hardness - 119
 Pans- 39
 Paper - 43, 113, 183, 194, 223, 225, 228, 251
 Patterns
 Permeability - see Web, Permeability
 Pillow Block- see Bearings, Pillow Block
 PIV - see Speed Control, Variable
 Transmissions
 Pivots - 77
 Plasma Spray - 116
 Plating- 114
 Play - see Clearance
 Pneumatics - see Pressure, Air Cylinder
 Poisson Ratio - 118
 Polar Moment of Inertia - 170
 Polyester- 228
 Polyurethane - 118, 122, 123, 228
 Porosity - see Web, Permeability
 Pos-Z Spreader - see Spreading, Pos-Z
 Power - 271
 Pressfit- 4, 100, 104, 170
 Pressure
 Air/Hyd Cylinder - 17, 23, 74, 77, 78, 172, 256
 Web on Bar/Roller - 45, 49, 57, 216, 272
 Printing - see also Edge Position; Tension, Control
 Covers- 113, 117
 Drying of Ink - 183
 Plated Rollers- 114
 Process - 70
 Publications- 265

Smoothness - 223
 Web, Registration - 125
 Productivity - 60, 91, 131
 Profilometer- see Surface Roughness
 Puddling- 188
 Pull Roll - see Nip, Pull Roll
 Pulley - see Belt
 Purchasing- 257
 Pyrometer - see Temperature, Measurement
 Ra - see Surface Roughness
 Refrigerated Air- 186
 Registration - see Web, Registration
 Reliability - see also Design Life - 247, 253
 Resilience - see also Cover, Hysteresis - 120-122
 Resistance Heating - 187
 Resonance - see Vibration
 Revolutions- 103
 Rigging- 111, 258
 Rimming 188
 Ring Deflection - see Shell, Wall Deflection
 RMS - see Surface Roughness
 Rockwell - see Hardness
 Roll Handling - 233, 235
 Roller
 Cantilevered - see Cantilevered Roller
 Count - 8, 11,53, 59-61,66, 110, 163, 186, 248
 Critical Speed - see Vibration,
 Dead Shaft - see Dead Shaft Roller
 Deflection - see Deflection
 Diameter - see Roller Diameter
 Diametral Tolerance - see Roller
 Diametral Tolerance
 Drag - see Bearing, Drag
 Eccentricity- 145
 Grooving - see Grooving
 Handling - 233
 Idler - see Idler Roller
 Inertia- 8, 23, 59-61, 63, 64, 66, 93, 96, 239-244
 Length - S, 32-36, 92
 Live Shaft - see Live Shaft Roller
 Misalignment - see Misalignment
 Pressure from Web - 45, 49
 Process - 2
 Publications - 265
 Pull - 55
 Release- 10, 113, 115, 116
 Revolutions- 103
 Runout - see Runout
 Shell - see Shell
 Slenderness - 5, 9, 30
 Span Length - see Span Length
 Storage - 254, 258
 Surface - see Surface
 Tension - see Tension Force over

Roller
 Tolerances- 37
 Transport - 2
 Width - 5, 92
 Weight - 29, 31, 32-36, 96, 105, 275
 Wrap Angle - see Wrap Angle
 Roller Diameter - 7, 8, 19, 66, 225
 Air Entrainment - 46-47
 Covered Rollers in Nip - 118
 Deflection - 9, 31, 32-34, 92
 Effective - 220
 Geometry - 5
 Inertia - see Roller, Inertia
 and Nip Pressure - 222
 Traction - 42, SI
 Web Caliper - 62
 Wrinkling - 62
 Roller Diametral Tolerance - 5, 9, 27, 46, 71, 85, 115, 117, 126, 203, 233, 234, 251
 Roller Radial Tolerances - see Runout
 Rolling - 70, 74
 Rolling Friction - 76
 Rotary Joint - 186
 Roughness - see Surface Roughness
 RPM
 Bearing- 105
 Belt Transmission - 168, 169
 Limits- 169, 171
 and Surface Speed - 19, 168, 118, 234, 273
 Vibration- 133, 145
 Rubber- 118, 122, 228
 Runout-9,79,85, 103, 105, 115, 117, 126, 133, 144, 146, 147, 148, 149, 152, 233, 235, 249, 251
 Rust - see Corrosion
 S Wrapped Roller - 6
 Safety - 95, 101, 113, 131, 149, 197, 226, 228, 255, 256, 258
 Safety Factor- 101
 SBR- 122
 Scale- 186, 189
 Scoring- 259
 Sensors
 Edge - 218
 Footage - 220
 Speed - see Tachometer
 Temperature - see Temperature, Measure
 Set - see Cover, Set
 Shafts - see also Journals
 Bent - 131
 Inshaft- 170
 Lineshaft- 170
 Stresses - 99-103
 Through - see Dead Shaft Roller
 Wind/Unwind- 30
 Shear Diagram - 99

Sheeters - 62, 69
 Shell- 3
 Drilled - 92
 Oil Canning - 5
 Material - 92
 Temperature- 185, 189
 Wall Deflection - 5, 80, 91, 92, 96
 Wall Thickness - 5, 92
 Shipping- 258
 Shoes - see Pans
 Shore - see also Cover, Hardness - 119
 Silicone - 122, 123, 228
 Siphon- 188
 Skewing - 84
 Skewing Roller- 221, 256
 Slack Web - see Web, Slack
 Sleeves - see also Covers - 204
 Slenderness - see Roller, Diameter; also
 Deflection, Excessive
 Slides - 77
 Sliding - see Slippage
 Slippage - 8,9, 10, 26, 39-41, 54, 66
 D-Bar Spreader - 203
 Drag Calculation - 54
 Drive - 7, 64, 167
 Flattening- 128
 Interlayer - see Interlayer Slippage
 Nip - 55, 69
 Pos-Z Spreader - 209
 Tension Difference - 45-57
 Wrap Angle - see Wrap Angle
 Slit Separation - see Spreading
 Slitters - 70, 113, 176, 226-227, 265
 Smoothness - see Web, Smoothness
 Solvents- 183, 115, 121, 122, 123,213,228
 Spalling - 75, 259
 Span Length - 8, 21, 155-159, 206, 218, 219
 Spares - 257
 Specific Heat - 189
 Speed
 Air/Fluid Entrainment - 46, 47, 50
 and Calendering - 222
 Centrifugal Limit - 57
 Changes - see Acceleration
 Design - 131
 and Drag - 58
 Dwell Time - see Dwell Time
 Oscillation - 132
 Measurement - 3, 41
 and Power - 65
 from RPM - see RPM
 Traction - 42, 46, 47, 51
 and Vibration - 249
 Speed Control - 7, 12
 and Covers - 55, 69, 118
 Draw Definition - 19, 270
 Drawing- 56
 Precision - 7, 19, 171, 177,182
 Publications - 264
 Time Constant - 20
 Traction - 55,56
 Variable Transmissions - 168. 171
 Speed Control Continued
 Variations - 20
 Speed Reference - 24
 Spherical Roller Bearing - see Bearings
 Spline- 173
 Spoiler Bar- 188
 Spool - see Coreshaft
 Spreading - 201 -214
 Bowed Roller - 204-206, 210
 Compliant Cover - 211
 Concave Roller - 203, 217
 D-Bar- 207
 Definition - 201
 Deflection - 30, 62
 Dual Bowed Roller - 208
 Edge Pull Stretchers - 210
 Expander Rollers - 210
 Flattening - 128, 211
 Grooving - 48, 125, 126
 Locations - 213
 Motivation - 29
 Pos-Z- 209, 216
 Publications- 265
 Sizing- 159
 Traction Requirement - 62, 113, 201, 202
 Spring Mounted Roller- 221
 Squaring Roller - 221
 Stainless Steel - 6, 116
 Static Electricity - 10, 44, 228-229, 266
 Static Lubrication - see Lubrication
 Steam Heated Rollers, 188
 Steel - 6, 32, 43, 93, 103, 113, 228
 Stickies - 259
 Stiffness-to-Weight - 6
 Storage - see Roller, Storage
 Strength
 Covers- 123
 Shells - 93
 Strength-to-Weight- 6
 Stress
 Concentration Factor - 101
 Journal - 99-103
 Shaft - 36,99-103
 Roller - 92, 95, 96
 Web - see Tension; Web Bending.
 Web, Twisting
 Surface Roughness - 8, 259
 Air/Fluid Entrainment - 45. 49
 Chipping- 259
 Chrome- 114
 Coating- 113
 Cracks - 259

Embossing - 225
 Measurement- 126
 Publications- 263
 Traction - 41, 43, 44, 51, 125
 Tungsten Carbide - 115
 Waviness- 126
 Swelling - see Cover, Swelling
 Swetting- 186
 Tachometer- see Speed, Measurement
 Taping Rollers - 203
 TAPPI - 215
 Teflon - IIS, 228
 Telescope - 233, 237
 Temperature- 183-192
 Bearings- 106-108
 Calendaring 222, 223
 Covers- 122
 Grinding - 254
 and Hysteresis - 120
 and Length - 220
 Machine Condition - 253
 Measurement - 120, 183-185, 255
 and Modulus - 119
 Motors- 177, 178
 Oven- 185
 Profile - 185, 190, 255
 Publications - 266
 versus Time - 191, 255
 Web - 183, 185
 Tendency Drive - see Drive, Tendency
 Tension
 Air Entrainment - see Air Entrainment
 Deflection of Roller - 11, 29,31-33
 Design for - 11,97
 Difference Across Roller - 7,11, 52-54,
 59, 60, 110
 Force over a Roller - 13, 105
 in Laminating - 25, 224
 and Length - 220
 and Roller Force Resultant- 13, 14,270
 Setpoint- 12, 25, 155, 252, 266
 Stall Tension - 181
 and Traction - see Band-Brake;
 Slippage; Traction
 and Wrinkling - 155, 160
 Tension Crossweb Profile (see also Web,
 Baggy) - 27, 34, 55, 155-159, 202,
 203, 205, 221
 Tension Downweb Profile - see also
 Tension, Difference Across Roller -
 26, 37, 53, 58-61,64, 66, 97, 167, 171
 Tension Measurement and Control
 Brakes and Clutches - 172
 Catenary - 21, 62, 182, 273
 Current
 Control - 23
 DC Motor amps - 22, 65, 273
 Dancer - 16-18
 Calibration- 17
 Configuration- 17
 and Damping - 18
 Friction - 16, 252
 Inertia Compensated- 18
 Mass- 16-18
 Publications- 263
 Sensitivity - 17, 252
 Sensors- 16, 17
 Tension From - 16
 Tension Range - 17
 Vacuum- 17
 Draw - sec Speed Control
 Isolation - see Isolation
 Load Cell - 13-15, 50, 66, 221
 Amplifier- 15
 Calibration - 15, 252
 Sensitivity- 13, 182
 Sizing- 14
 Troubleshooting - 15, 247
 Loop - see Tension M&C, Catenary
 Precision - 14, 17, 19, 26, 167, 175,
 182, 252
 Taper- 24
 Tension Temporal Variations
 see also Acceleration
 40, 60, 172, 194
 Tenter - see Spreading, Edge Pull
 Textiles - 43
 Thermal
 Coating- 116
 Conductivity - 91, 189, 190
 Expansion-91,96, 106, 111, 184, 189,
 274
 Shock- 189, 191, 255
 Thermometer - see Temperature, Measurement
 Thiokol- 122
 Threading - 69
 Thrust from Nips - 100, 105, 193, 198
 Time Constant - 191
 TIR - see Runout
 Titanium Oxide - 116
 Torque
 Acceleration - see Acceleration
 Belt Drive 169
 Brakes and Clutches - 172
 Control - 23
 on Cores - 195
 Drag - see Bearing, Drag
 Drive - see Drive, Torque
 Nipped Roller - 118, 169
 Shaft Stress - see Torsional Stress
 Tension Difference - 50
 Torsional
 Angle of Twist - 170, 275
 Backlash - 253

Resonance - see Vibration
 Stress - 102, 170, 275
 Traction - see also Slippage - 39-59
 Air/Fluid Entrainment - 45-50
 Band Brake Equation - 52-54, 275
 Coatings - 113
 Drive- 167
 Measuring- 50-51, 62
 Nip - 55, 69, 71
 Normal Entry Law - 42
 Publications- 267
 Requirements - 7, 9, 64
 S Wrapped Roller - 56
 Speed (Draw) Control - 20
 and Spreading - 202, 203, 205, 210,
 211
 Surface Topology- 115, 125
 Wrap Angle - see Wrap Angle
 Vacuum Roller- 57
 Transit - see Alignment
 Transportation - see Shipping
 Transmission- 168
 Triboelectric Series - 228
 Trim Removal - 227
 Troughing - see Web, Wrinkling
 Tungsten Carbide - 49, 91, 113, 114, 115, 116,
 251
 Twisting - see Web, Twisting
 U-Joint - see Coupling
 Unbalance - see Balance
 Units - 261
 Unwind - see also Winder - 60, 167, 172, 174,
 195, 197, 219, 239-244
 Urethane - see Polyurethane
 Vacuum Roller - 57, 125, 216
 Vibration - 9, 131-138, 150-152
 Amplitude- 132
 Antinode- 132
 Avoidance- 135, 138, 149
 Balance - see Balance
 Bearings 105
 Beating- 135
 Critical Speed - 37, 96, 133-137, 263
 Damping - 96, 133, 147
 Frequency 133, 134
 Grinder- 254
 Half Critical- 133, 135
 Imbalance - see Balance
 Measurement - see also FFT - 249
 Mode Shape- 134, 136, 149
 Natural Frequency - 134- 137
 Nips - see Nip, Vibration
 Publications - 267
 Resonance- 132, 134, 137, 138, 195
 Severity- 132, 138, 146
 Torsional Resonance - 170
 Unbalance - see Balance
 Winder- see Winder, Vibration
 Viscosity - 45-47, 51, 189
 Voltage 229
 Warmup - 191
 Water
 Cooling- 172, 186
 Covers- 123
 Drying of Paper - 183
 Treatment- 186
 Waviness - see Surface Roughness, Waviness
 Wear - see also Slippage - 54, 55, 91, 113,
 114, 1 IS, 116, 119, 125, 126, 128, 207,
 247, 251
 Weave - 213
 Web
 Baggy - 27, 31, 34, 46,51, 201, 206,
 220, 233
 Basis Weight - 12, 21, 46, 182
 Bending (In Plane) - 39, 156-158, 202
 203
 Blocking- 186
 Breaking Length - 57
 Breaks- 12, 131, 138, 165, 182
 Caliper - 12, 62, 69, 70, 71, 155, 156, 182,~
 1
 222, 223, 234
 Contraction - see also Spreading - 29,
 30, 31
 Curl - 25, 223, 224, 267
 Edge Position - see also Guiding - 8, 39,
 40, 42, 182, 213
 Edge Quality - 226
 Expansion - 7, 20
 Flutter- 132, 138, 216, 268
 Foldovers - see Web, Wrinkling
 Handling - 9,215
 Heating - 7
 Length - 11, 220, 271
 Marking - 8, 9, 10, 39, 55, 125, 174,
 186, 207, 216
 Material Properties - 66
 Materials- I
 Modulus - 20,30,155, 175
 Path - see Web, Edge Position
 Permeability - 42,45,49-51
 Porosity - see Web, Permeability
 Profile.- 183
 Registration - 9, 11, 20, 41,225
 Scratches - see Web, Marking
 Slack- 35, 158, 160, 182
 Smoothness - 222, 223
 Strength - 12, 21
 Stretch - 19, 21,182
 Temperature - see Temperature, Web
 Troughing - see Web, Contraction and
 Spreading
 Twisting (Out-of-Plane) - 31, 159, 202,

208, 209
Yielding- 12
Width - 4, 7-9, 11, 65, 92, 182, 212,
213
Wrinkling - 9, 29, 30, 48, 55, 62, 69,71,
72, 125, 126, 155, 160, 161, 165,
194, 205, 212, 213, 248, 259, 268
Web Handling Research Center - 215
Weight - see Roller, Weight
Weld- 4
WHRC - see Web Handling Research Center
Windage - 7
Winder- 233-246
Acceleration Rate - 60
Cores - see Cores
Drive - 64, 239-244
Drums - 69, 115
Guiding - 219
Nip - 69,71
Publications - 268
Shafts - 96
Vibration - 132, 137, 147-150, 195, 249
Wire Arc - 116
Wire Combustion- 116
Wound Roll - 233-246
Air Entrainment - 238
Corrugations - 234
Cylindricity - 195, 234
Defects - 234-238
Handling - 233
Hardness - 236
Interlayer Slippage - 233,237
Interweaving - see Spreading
Length, see Web, Length
Offsets- 182
Publications - 268
Ridges - 234
Roll Structuring - 236
Rolling Resistance - 58
Starring - 238
Stresses - 235, 236
Support- 193
Telescoping - 233
Wound-in-tension- 19
Wrap Angle - 8, 66
Design Requirement - 62, 63, 206
Roller Force- 13
Traction - 9, 40, 42, 50-54, 62, 63, 205
S Wrap - 56
Sizing - 53
Wrinkling - see Web, Wrinkling
Wrinkle Removal - see Spreading
WK2 - see Roller, Inertia
WR2 - see Roller, Inertia
Yankee Dryer - 188
Zirconium Oxide - 116