Papermaking Science and Technology

a book series
covering the latest
technology and
future trends

Book 6 (Part 2)

Chemical Pulping Part 2, Recovery of Chemicals and Energy

Second Edition

Totally updated version

Book editor
Panu Tikka

Publisher
Paper Engineers' Association/Paperi ja Puu Oy

Paperi ja Puu Oy

Table of Contents

1 Chemical recovery 9

2 Evaporation of black liquor 36

3 Recovery boiler 85

4 White liquor preparation 122

5 Combustion of bark 194

6 Heat and power co-generation 288

7 Secondary heat systems and pinch technology 322

8 Soap and tall oil 359

Conversion factors 381

Index 383

CHAPTER 1

Chemical recovery

1 Overview of kraft recovery 10
1.1 Kraft recovery unit operations 10
1.1.1 Evaporation 11
1.1.2 Recovery boiler 12
1.1.3 Lime kiln 13
1.1.4 Causticising 14
1.2 Gasification 14
1.3 Direct alkali recovery 15
2 Properties of kraft recovery process streams 16
2.1 Black liquor properties 16
2.1.1 Composition of black liquor 16
2.1.2 Elementary analysis of black liquor dry solids 17
2.1.3 Heating value 19
2.1.4 Density 21
2.1.5 Specific heat capacity 22
2.1.6 Boiling point rise 23
2.1.7 Thermal conductivity 24
2.1.8 Viscosity 24
2.1.9 Surface tension 26
2.2 Smelt properties 26
2.2.1 Enthalpy 26
2.2.2 Heat of formation 27
2.2.3 Heat of reduction 28
2.3 Flue gas and air properties 28
2.3.1 Density 28
2.3.2 Enthalpy 29
2.3.3 Specific heat capacity 30
2.3.4 Conductivity 31
2.3.5 Viscosity 32
2.4 Air 33
2.5 Properties of green liquor 33
2.6 Properties of miscellaneous chemical compounds 34
References 35

CHAPTER 2

Evaporation of black liquor

1 General 38

2 Black liquor properties 38

2.1 Composition of black liquor dry solids 38

2.2 Physical properties of black liquor 39

3 Principles of evaporation 41

3.1 Multiple-effect evaporation 42

3.2 Vapour compression evaporation 43

3.3 Multi-stage flash evaporation 44

3.4 Evaporator plant flow sequences 44

3.5 Concentrator 46

3.6 Stripper column integration 46

4 Types of evaporators and auxiliaries 47

4.1 Rising-film (RF) evaporator 47

4.2 Falling-film (FF) evaporators 48

4.3 Forced-circulation evaporator 51

4.4 Evaporator plant auxiliary equipment 52

4.5 Stripping column and methanol liquefaction 54

4.6 Direct contact (DC) evaporator 55

5 Heat transfer 56

5.1 Heat transfer of evaporators 56

5.2 Heat transfer theory and calculation in multiple-effect evaporation 58

5.3 Heat balance 61

5.4 Evaporator calculation 62

6 Multiple-effect evaporation plant with stripper in integration 67

7 Evaporation systems and applications 71
7.1 Application of vapour compression evaporation (VCE) or mechanical vapour recompression (MVR) 71
7.2 High-solids concentrators 71
7.3 Liquor heat treatment (LHT) 72
7.4 Pressurised tank method 73
7.5 Integration of subprocesses to evaporation plant 74
8 Design 75
8.1 Typical liquor specification for black liquor evaporation 75
8.2 Evaporator plant design 75
8.3 Storage tank design 79
9 Scaling of heat transfer surfaces 79
9.1 Scaling and heat transfer 79
9.2 Reasons for scaling 79
9.3 Types of scale 80
9.3.1 General 80
9.3.2 Calcium carbonate scaling 81
9.3.3 Calcium carbonate scale control 81
9.3.4 Concentrator scaling by Na_2CO_3 and Na_2SO_4 81
9.3.5 Sodium carbonate and sulphate scale control 82
9.3.6 Oxalate scaling 82
9.3.7 Fouling by fibres and soap 82
9.3.8 Aluminium silicate scaling 83
9.3.9 Aluminium silicate scale control 83
References 84

CHAPTER 3

Recovery boiler

1 Evolution of recovery boiler design 86
1.1 Two-drum recovery boiler 87
1.2 Modern recovery boiler 88
1.3 Future recovery boilers 90
2 Material and energy balances 91
2.1 Material balance 91
2.2 Energy balances 94
2.3 High dry solids 95
3 Combustion of black liquor 98
3.1 Drying 99
3.2 Devolatilisation 100
3.3 Char combustion 100
3.4 Smelt reactions 102
3.5 Combustion of black liquor droplet in the furnace 102
4 Sizing of boiler heat transfer surfaces 103
4.1 Main design criteria 104
4.2 Effect of high dry solids on recovery boiler design 106
5 Boiler processes 110
5.1 Air system 110
5.2 Flue gas system 111
5.3 Water and steam 111
6 Recovery boiler operation 113
6.1 Soot blowing control 113
6.2 Enrichment of potassium and chlorides in dust 116
References 119

CHAPTER 4

White liquor preparation

1 General 124
1.1 Characterisation of liquors 126
1.2 Recausticising chemistry 129
1.3 Chemical reactions in lime reburning 131
2 White liquor plant material balances 131
3 Green liquor handling 134
3.1 Separation of solid impurities 135
3.1.1 Clarification 136
3.1.2 Filtration 137
3.2 Dregs handling 140
3.2.1 Dregs washer clarifier 140
3.2.2 Vacuum precoat filtration 141
3.2.3 Pressure disc precoat filtration 141
3.2.4 Chamber filter press filtration 141
3.2.5 Centrifugation 143
4 Recausticising 144
4.1 Process 144
4.1.1 Slaking 145
4.1.2 Green liquor cooling 145
4.1.3 Causticiser train 147
4.1.4 White liquor separation 149
4.1.5 Storage tanks for white liquor and weak white liquor 153
4.1.6 Lime mud dewatering 153
4.1.7 Modifications of white liquor 156
4.2 Automation of recausticising 157
4.2.1 Process requirements 157
4.2.2 Recausticising operation and control 158
4.2.3 Modern instrumentation for recausticising 159
4.2.4 Emission control 160

5 Lime reburning 161
5.1 Lime reburning process and equipment 162
5.1.1 Mechanical dewatering 162
5.1.2 Lime reburning process in the kiln 163
5.1.3 Brick lining 166
5.1.4 Firing equipment 168
5.1.5 Dust handling 168
5.1.6 Scrubber 168
5.1.7 Ring formation 169
5.2 Limestone burning 170
5.2.1 Limestone quality 171
5.3 Material and heat balance 171
5.3.1 Factors influencing heat balance 172
5.4 Combustion 174
5.4.1 Fuel oil and natural gas 174
5.4.2 Non-condensible gases (NCG) 175
5.4.3 Tall oil and methanol 176
5.4.4 Wood waste and other solid fuels 176
5.5 Emissions 178
5.5.1 Formation of SO_2, TRS, CO, particulates and NO_x 178
5.5.2 Emission control 179
5.6 Automation of rotating kiln 180
5.6.1 Lime kiln field instrumentation 181
5.6.2 Lime kiln operation and control 183
5.7 Maintenance 186
6 Non-process elements in white liquor preparation 186
6.1 Non-process elements in recausticising 187
6.2 Non-process elements in lime reburning 188
6.3 Reducing non-process elements in the lime cycle 190
7 Future challenges 191
Refereces 192

CHAPTER 5

Combustion of bark

1	**Introduction**	**196**
1.1	Operating principle of steam boilers	196
1.2	Cogeneration steam cycles	198
2	**Physical and chemical properties of fuels**	**198**
2.1	Fuels and their composition	198
2.2	General terminology and properties of fuels	199
2.3	Bark, wood and hog fuel	203
3	**Calculation of combustion**	**205**
3.1	Combustion reactions	205
3.2	Combustion air demand	206
3.3	Flue gas composition	207
3.4	Adiabatic temperature of combustion	210
3.5	Emissions from combustion	211
3.6	Heat transfer properties of flue gases	214
4	**Bark combustion technologies**	**214**
4.1	Grate firing	214
4.2	Introduction to fluidised bed combustion	217
4.3	Bubbling fluidised bed (BFB) combustion	221
4.4	Circulating fluidised bed (CFB) combustion	223
4.5	Environmental aspects of fluidised bed combustion	227
4.6	Gasification	229
5	**Boiler processes**	**231**
5.1	Handling of bark	231
5.2	Handling of auxiliary fuels	232
5.3	Air and flue gas circuit, fans	235
5.4	Dust separation methods for flue gas cleaning	242

5.5 Feed water pumping 244
5.6 Water-steam circuit 251
5.7 Main boiler controls 255
6 Construction and design of boiler heat exchangers 256
6.1 Introduction 256
6.2 Corrosion of heat transfer surfaces 258
6.3 Furnace tubes 260
6.4 Superheaters 260
6.5 Economisers (feed water preheaters) 262
6.6 Air preheaters 263
6.7 Cleaning of heat delivery surfaces 265
6.8 Thermodynamic design of heat exchangers 268
7 Boiler efficiency and losses 276
7.1 Determining efficiency with the direct method 276
7.2 Determining efficiency with the indirect method 279
References 287

CHAPTER 6

Heat and power co-generation

1 Introduction 290

2 Heat and power demand in pulp and paper manufacturing 290

3 Heat and power demand of chemical pulp mills 292

3.1 Woodyard 292

3.2 Cooking 293

3.3 Washing and screening 293

3.4 Bleaching 293

3.5 Bleached stock cleaning 294

3.6 Drying machine 294

3.7 Evaporation 295

3.8 Recovery boiler 296

3.9 Causticising plant and lime kiln 297

3.10 Bleaching chemicals preparation 298

3.11 Water and effluent 299

3.12 Power boiler 299

3.13 Steam turbines and water cooling 299

3.14 Other 300

4 Heat and power balance of a chemical pulp mill 301

4.1 Installed power vs. demand 301

4.2 Heat generation 302

4.3 Heat and power balance 305

4.4 Steam turbines 305

4.5 Back-pressure power process 309

4.6 Co-generation alternatives 313

5 Paper mills 316
5.1 Heat and power balance of newsprint production 316
5.2 Heat and power generation in SC and LWC production 317
6 Time-dependent variation in power demand 319
6.1 Variations in energy production 320
6.1.1 Variations in power demand in industry 320
6.1.2 Power balance drawings 321

CHAPTER 7

Secondary heat systems and pinch technology

1 Introduction....324

2 Secondary heat....324

2.1 Definition of secondary heat....324

2.2 Secondary heat production in the pulp mill....325

2.2.1 Continuous cooking....325

2.2.2 Displacement batch cooking....326

2.2.3 Conventional batch cooking....328

2.2.4 Warm water production from surface condenser....329

2.2.5 Secondary condensates from evaporation....331

2.2.6 Secondary heat production from recovery boiler flue gas scrubber....331

2.2.7 Lime kiln flue gas scrubber....333

2.2.8 Production of hot water from drying machine....333

2.2.9 Other secondary heat sources in the pulp mill....335

2.3 Secondary heat consumption....336

2.4 Optimising the secondary heat system....337

2.4.1 Optimising warm water production....337

2.4.2 Optimising hot water production....337

2.5 Mill-wide secondary system....340

2.5.1 Design considerations....340

2.5.2 Water quality control....341

2.5.3 Secondary heat system applications....343

3 Process integration techniques....345

3.1 Basic principles of pinch technology....345

3.1.1 Composite curves....345

3.1.2 Grand composite curve....349

3.1.3 Total site analysis....351
3.1.4 Advantages and limitations....353
3.2 Process integration using mathematical programming techniques....353
3.2.1 Overview of techniques....354
3.2.2 Advantages and limitations....355
3.3 Exergy analysis....355
References....357

CHAPTER 8

Soap and tall oil

1 Introduction 360

2 Wood extractives and soap characteristics 360

2.1 General 360

2.2 Composition of tall oil 361

2.3 Why recover soap? 362

3 Soap in black liquor area 363

3.1 Solubility of soap in black liquor 363

3.2 Behaviour of soap during washing 364

3.2.1 Foaming 364

3.2.2 Soap recirculation and accumulation 365

3.3 Soap in evaporation and recovery boiler 366

4 Separation of soap 367

5 Soap balance of a pulp mill 370

6 Soap acidulation 371

6.1 General 371

6.2 Soap handling 371

6.3 Soap acidulation — conversion of soap to crude tall oil 372

6.3.1 General 372

6.3.2 One-stage acidulation 372

6.3.3 Two-stage acidulation 374

6.3.4 Sodium bisulphite in semi acidulation stage 376

6.3.5 Carbon dioxide in semi acidulation stage 376

6.3.6 Tall oil handling and storage 379

6.3.7 End use of tall oil products 379

References 380