

**"Paper Machine Design and
Operation--Descriptions and
Explanations"
By Gunnar Gavelin**

1998., 222 pp., Published by Angus Wilde
Item Number: 08AWPMD
ISBN: 0-9694628-2-4

This new book offers an update on current paper machine developments and operating practices and compares design approaches by major paper equipment manufacturers. Seven chapters cover the following topics: Approach Flow, Headboxes, Fourdrinier Wet End, Twin Wire Formers, Press Section, Drying of Paper, Surface Treatment of Paper.

TABLE OF CONTENTS

| | |
|--|-------------|
| PREFACE | vii |
| ACKNOWLEDGEMENTS | viii |
| CHAPTER 1 -- APPROACH FLOW | |
| 1.1 Introduction – Basics of Papermaking | 1 |
| 1.2 Definitions and Nomenclature | 2 |
| 1.3 White Water System | 3 |
| Short Circulation | 3 |
| Long Circulation | 5 |
| 1.4 Machine Refiners | 5 |
| 1.5 Stuff Box | 5 |
| 1.6 Basis Weight Valve | 6 |
| 1.7 Basis Weight Variations | 6 |
| 1.8 Fan Pump | 7 |
| 1.9 Headbox Feed Pump | 8 |
| 1.10 Centricleaners | 8 |
| 1.11 Deaeration | 8 |
| 1.12 Screens | 10 |
| References | 12 |
| CHAPTER 2 – HEADBOXES | |
| 2.1 Headbox With Air Cushion | 13 |
| Flow Spreader | 14 |
| Flow Distributor | 14 |
| Headbox Proper | 15 |
| Perforated Rolls | 15 |
| Air Cushion | 17 |
| 2.2 Hydraulic Headbox | 18 |
| 2.3 Slice | 19 |

"Paper Machine Design and Operation--Descriptions and Explanations"

By Gunnar Gavelin

| | | |
|------|--|----|
| 2.4 | Acceleration of Flow in the Headbox | 20 |
| 2.5 | Fiber Angle | 21 |
| 2.6 | Dilution Control | 22 |
| | Voith Module Jet | 23 |
| | Beloit System | 25 |
| | Valmet system | 26 |
| 2.7 | Precision Demands on Headbox Surfaces | 28 |
| 2.8 | Hydraulic Headbox Developments | 28 |
| | Beloit converflo | 30 |
| 2.9 | Multichannel Headbox | 32 |
| | Why Multichannel Headboxes? | 34 |
| 2.10 | Headbox Effects on formation and MD/CD Ratio | 35 |
| 2.11 | Length of the Free Jet | 35 |
| 2.12 | Efflux Ratio | 35 |
| 2.13 | Automation of Headbox Operation | 37 |
| | References | 38 |

CHAPTER 3 – FOURDRINIER WET END

| | | |
|-----|------------------------------------|----|
| 3.1 | Fourdrinier Components | 40 |
| | Breast Roll | 41 |
| | Deckle Rulers | 41 |
| | Forming Board | 41 |
| | Table Rolls | 42 |
| | Foils (Foil blades) | 42 |
| | Wet Suction Boxes | 44 |
| | Dry Suction Boxes | 44 |
| | Dandy Roll | 45 |
| | Couch Roll | 47 |
| | Couch Press | 48 |
| | Wire Turning Roll | 49 |
| 3.2 | Closed Transfer | 49 |
| 3.3 | Forming Fabric | 50 |
| | Fabric Designs | 50 |
| | Seaming | 51 |
| | Fabric Quality | 52 |
| 3.4 | Auxiliary Rolls | 54 |
| | Guide and Stretch Rolls | 54 |
| | Bowed Roll | 56 |
| 3.5 | Fabric Cleaning | 58 |
| | High Pressure Showers | 58 |
| | Voith Jetcleaner | 60 |
| 3.6 | Drainage Along the Wire Table | 61 |
| 3.7 | Elements of the White Water System | 62 |
| | Dry Suction Box Seal Pit | 62 |
| | Wire Pit | 63 |
| | White Water Tanks | 63 |

"Paper Machine Design and Operation--Descriptions and Explanations"

By Gunnar Gavelin

| | | |
|------|---|----|
| | White Water Cleaning | 64 |
| 3.8 | Broke System | 66 |
| | Couch Pit | 66 |
| | Dry Broke | 67 |
| 3.9 | Wire Retention | 68 |
| 3.10 | White Water system Closure- Reducing Fresh Water Usage | 69 |
| 3.11 | Cleaning of Paper Mill Effluent | 70 |
| | References | 71 |

CHAPTER 4 – TWIN-WIRE FORMERS

| | | |
|------|------------------------------------|-----|
| 4.1 | Blade Former | 73 |
| | Drainage Process on a Blade Former | 74 |
| 4.2 | Roll Former | 75 |
| | Drainage Process on a Roll Former | 75 |
| 4.3 | Hybrid Former | 77 |
| | Valmet Sym-Former | 77 |
| | Beloit Bel Bond | 79 |
| | Voith DuoFormer D | 80 |
| 4.4 | Roll-blade Former | 81 |
| 4.5 | New Blade Forming Technology | 82 |
| 4.6 | Geometry of the Entering Nip | 82 |
| | Problems of Two-Sidedness | 84 |
| 4.7 | Description of Specific Formers | 84 |
| | Valmet Speed Former | 85 |
| | Valmet Speed Former MB | 86 |
| 4.8 | Speed Former and Paper Quality | 87 |
| 4.9 | Blade-Roll Former | 88 |
| 4.10 | Description of Specific Formers | 88 |
| | Bel Baie III | 88 |
| | Bel Baie IV | 90 |
| | Voith DuoFormer CFD | 91 |
| 4.11 | Horizontal Gap Former | 94 |
| 4.12 | Forming Fabrics | 95 |
| 4.13 | Theory of Two-Sided Drainage | 95 |
| 4.14 | Forming Unit Alternatives | 96 |
| | Membranes in the Slice Area | 96 |
| | Optimization of Roll Drainage | 97 |
| | Blade Section Drainage | 97 |
| 4.15 | Paper Quality Considerations | 98 |
| 4.16 | High-Consistency Forming | 99 |
| 4.17 | Paperboard Machine Formers | 101 |
| 4.18 | Tissue Machine Formers | 103 |
| | Valmet "C-Wrap" | 103 |

"Paper Machine Design and Operation--Descriptions and Explanations"

By Gunnar Gavelin

| | |
|--------------------------|-----|
| Valmet Crescent Former | 104 |
| Valmet Performer Nouveau | 104 |
| References | 105 |

CHAPTER 5 – PRESS SECTION

| | | |
|------|---|-----|
| 5.1 | The Process of Pressing | 106 |
| | Rewetting Problem | 107 |
| 5.2 | Plain Press | 107 |
| 5.3 | Suction Press | 108 |
| | Other Suction Roll Applications | 109 |
| | Suction Roll Shells | 109 |
| | Roll Shell Covers | 110 |
| 5.4 | Grooved Press | 112 |
| | Grooved Steel Roll | 112 |
| | Grooved Press Geometry | 113 |
| 5.5 | Blind-Drilled Press | 114 |
| 5.6 | Fabric Press | 114 |
| 5.7 | Long-Nip Press | 115 |
| 5.8 | Large-Roll Press | 116 |
| 5.9 | Shoe Press | 116 |
| | Design Principle | 116 |
| | Effect of Shoe Pressing on Paper Quality | 118 |
| | Press Sections With Shoe Presses | 119 |
| 5.10 | Double-Felted Press | 122 |
| 5.11 | Types of Rolls | 123 |
| | Antideflexion (Controlled Crown) Rolls | 123 |
| | Granite Rolls | 125 |
| | Composite-Covered Rolls | 126 |
| | Peeler Rolls | 126 |
| 5.12 | Examples of Press Sections | 127 |
| | Two-Nip Press Sections | 127 |
| | Three-Nip Press Sections | 127 |
| | Fourth Nip | 129 |
| 5.13 | Pressing at High Temperature | 130 |
| | Steam Boxes | 130 |
| | Hot Presses | 131 |
| 5.14 | Open-Draw Presses | 134 |
| | Theory and Practice of Open Draws | 135 |
| 5.15 | Closed Transfer – Press Section to Dryers | 137 |
| 5.16 | Economics of Pressing | 137 |
| 5.17 | Press Felts | 138 |
| | Felt Construction | 138 |
| | Performance Requirements | 139 |

"Paper Machine Design and Operation--Descriptions and Explanations"

By Gunnar Gavelin

| | | |
|------|--------------------------------|-----|
| | Seamed Press Felts | 139 |
| | Felt Suction Boxes | 140 |
| | High-Pressure Showering | 140 |
| | Cost of Paper Machine Clothing | 140 |
| 5.18 | Vacuum Pumps | 140 |
| | Water-Ring Vacuum Pump | 140 |
| | Water-Ring Pump Heat Recovery | 141 |
| | Turbo Compressor | 142 |
| 5.19 | Pressing and Paper Quality | 143 |
| | Shadow Marking | 143 |
| 5.20 | Future Development of Pressing | 143 |
| | References | 147 |

CHAPTER 6 – DRYING OF PAPER

| | | |
|------|--|-----|
| 6.1 | Cylinder Drying | 149 |
| | Heat Transfer Considerations | 149 |
| | Process Considerations | 150 |
| 6.2 | Yankee Cylinder and MG Cylinder Drying | 151 |
| | Yankee and MG Hoods | 152 |
| 6.3 | Multicylinder Drying | 153 |
| 6.4 | Steam and Condensate Systems | 155 |
| | Condensate Behavior | 156 |
| | Turbulence Generators | 159 |
| | Condensate Dams | 160 |
| | Condensate Removal | 160 |
| | Blow-Through Steam | 160 |
| | Control of Steam and Condensate Flows | 162 |
| 6.5 | Syphon Designs | 166 |
| | Rotating Syphons | 166 |
| | Stationary Syphons | 167 |
| | Syphon for Yankee Dryer | 168 |
| | Syphon Dimensions | 169 |
| 6.6 | Dryer Fabrics | 170 |
| | Air Permeability | 170 |
| | Cleaning | 171 |
| 6.7 | Multicylinder Drying – Ventilation | 172 |
| 6.8 | Sheet Flutter and Closed Sheet Transfer | 174 |
| 6.9 | New Multicylinder Dryer Designs | 176 |
| | Beloit | 178 |
| | Valmet | 178 |
| | Voith | 180 |
| 6.10 | Effect of Closed Transfer on Sheet Shrinkage | 181 |
| 6.11 | Steam Consumption | 182 |

"Paper Machine Design and Operation--Descriptions and Explanations"

By Gunnar Gavelin

| | | |
|------|--|-----|
| 6.12 | Hood Ventilation | 183 |
| | Heat Recovery | 183 |
| | Hood Air Humidity Control | 184 |
| | Hood Air Humidity Control | 185 |
| | The Dew Point | 186 |
| | Variable Speed Fans | 187 |
| | Scrubber for Exhaust Air | 188 |
| 6.13 | Other Types of Paper Drying Systems | 188 |
| | Air Impingement Drying | 188 |
| | Drying with Hot Air | 190 |
| | Through Drying | 191 |
| | Infrared Drying | 192 |
| | Impulse Drying | 192 |
| | Condebelt Process | 194 |
| 6.14 | Drying and Paper Quality | 195 |
| 6.15 | Control of MD and CD Moisture Profiles | 197 |
| | References | 197 |

CHAPTER 7 – SURFACE TREATMENT OF PAPER

| | | |
|-----|---------------------------------------|-----|
| 7.1 | Smoothing Press | 199 |
| 7.2 | Breaker Stack | 199 |
| | Pre-Calendar | 200 |
| 7.3 | Size Press | 200 |
| | Traditional Size Press | 200 |
| | Film Size Press | 202 |
| 7.4 | Conventional Hard-Nip Calendar | 206 |
| | Cooling and Control | 208 |
| 7.5 | Soft Calendar | 209 |
| | Soft Calendaring Process | 210 |
| | Soft Calendaring or Supercalendering? | 212 |
| 7.6 | Reel | 213 |
| 7.7 | Paper Machine Drives | 214 |
| | References | 215 |

| | |
|----------------|-----|
| CREDITS | 216 |
|----------------|-----|

| | |
|--------------|-----|
| INDEX | 218 |
|--------------|-----|

"Paper Machine Design and Operation--Descriptions and Explanations" By Gunnar Gavelin

INDEX

A

acceleration of headbox flow 20-21
 air cushion headboxes13, 17
 air drying 190-191
 air impingement drying 188-190
 antideflexion roll 123-124
 approach flow 4
 ash content, control of 6
 auxiliary rolls 54

B

basis weight 2, 6
 profile control 19
 basis weight valve6, 22-26
 basis weight variations 6-7
 Beloit,
 Bel Baie III former 88-90
 Bel Baie IV former 90-91
 Bel Bond former 79-80
 Converflo headbox 30-32
 dryer section178
 Extended Nip Press116-117
 TNT Reel212
 Ultra Rock press roll126
 blade former 73
 blade former drainage 74-75
 blade forming technology 82
 blade section drainage 93
 bowed rolls 56-57
 breaker stack199-200
 breast roll 41
 broke system 66-67

C

calender
 hard-nip205-206
 soft208-211
 calendering205-212
 calender rolls,
 cooling and control of207-208
 centricleaners 8
 ceramic press rolls126
 closed transfer
 press to dryers137
 within dryers174-181
 effect on shrinkage 181-182
 wire to press 49
 closing up the paper machine 69
 composite-covered press rolls126
 condensate

behavior 156-159
 dams 160
 removal 160
 systems 160-166
 controlled crown roll 123-124
 cost of papermachine clothing 140
 couch pit 66-67
 couch press 48
 couch roll 47-48
 cylinder drying 149-151

D

dandy roll 45-46
 deaeration 8-10
 deckle ruler 41
 dew point in the hood 186-187
 dilution of stock before headbox 3-5
 dilution control headboxes 22-27
 Beloit system 25-26
 Valmet system 26
 Voith Module Jet 23-25
 disc filter 64-65
 doctor 111
 dominating fiber angle 21-22
 drainage
 blade section 74-75, 97-98
 on fourdrinier 61-62
 on roll formers 76-77, 97
 draws 135-136
 drives, paper machines 213-214
 dry broke handling 67
 dryer designs, new 176-181
 dryer fabric 170-172
 air permeability 170-171
 cleaning 171-172
 dryer hood
 dew point control 185-187
 heat recovery 183-184
 humidity control 185-187
 pressure control 184-185
 ventilation 183-187
 yankee 152
 dryer section
 cascade 160-163
 thermocompressor 163-166
 drying
 air impingement 188-190
 Condebelt 194-195
 cylinder 149-151
 hot air 190-191
 impulse 192-194
 infrared 192
 multicylinder 153-155

"Paper Machine Design and Operation--Descriptions and Explanations"

By Gunnar Gavelin

| | | | |
|--------------------------------|------------------|---|---------------------|
| temperature profile..... | 155 | quality..... | 52-54 |
| through..... | 191 | seaming..... | 51 |
| yankee cylinder..... | 151-152 | speed..... | 54 |
| drying and paper quality..... | 195-197 | stability..... | 53 |
| drying process..... | 150-151 | wear..... | 52 |
| ventilation..... | 172-174 | forming roll..... | 76-77 |
| dry line..... | 44-45 | forming shoe..... | 78-79 |
| dry suction boxes..... | 44-45 | fourdrinier forming section..... | 41-46 |
| | | drainage profile..... | 61-62 |
| | | fresh water consumption..... | 69 |
| E | | | |
| economics of pressing..... | 137-138 | G | |
| effluent from paper mills..... | 70 | granite roll..... | 125-126 |
| efflux ratio..... | 35-37 | guide roll..... | 54-55 |
| F | | | |
| fan pump..... | 7-8 | H | |
| felts (see press felts) | | headbox | |
| fiber angle..... | 21-22, 35 | air cushioned..... | 13, 17 |
| flat boxes..... | 44-45 | automation of operation..... | 37-38 |
| flotation clarification..... | 65-66 | effects on formation..... | 35 |
| foils..... | | 42-43 effects on MD/CD ration..... | 35 |
| formers | | feed pump..... | 7-8 |
| Beloit Bel Baie III..... | 74, 88-90 | flow dilution for | |
| Beloit Bel Baie IV..... | 90-91 | basis weight control..... | 22-27 |
| Beloit Bel Bond..... | 79-80 | flow distributor..... | 14 |
| for paperboard machines..... | 101-103 | flowspreader..... | 14 |
| for tissue machines..... | 103-104 | free jet length..... | 35 |
| gap..... | 72-77, 81-82 | hydraulic..... | 18-31 |
| twin-wire..... | 72-94 | membranes in slice..... | 30, 96 |
| Valmet Crescent Former..... | 104 | multichannel..... | 32-35 |
| Valmet C-Wrap..... | 103 | perforated rolls..... | 15-16 |
| Valmet Periformer Nouveau..... | 104 | slice..... | 19-20 |
| Valmet Speed Former..... | 85-86 | surfaces demands..... | 28 |
| Valmet Speed Former MB..... | 86-87 | surge tank..... | 17 |
| Valmet Sym-Former..... | 77-79 | headbox proper..... | 15 |
| Voith Duoformer CFD..... | 91-94 | heat recovery | |
| Voith Duoformer CV..... | 88 | in drying..... | 183-184 |
| Voith Duoformer D..... | 80-81 | vacuum pump..... | 141-142 |
| formers and paper quality..... | 87-88 | heat transfer equation..... | 149 |
| forming | | high-pressure showers..... | 58-59, 140, 171-172 |
| gap | | horizontal gap formers..... | 94 |
| blade..... | 73-75 | hot pressing..... | 130-133 |
| blade-roll..... | 88 | hybrid former..... | 77-79 |
| horizontal..... | 94 | hydrogen bonding..... | 1 |
| roll..... | 75-77 | | |
| roll-blade..... | 81-82 | I | |
| high-consistency..... | 99-100 | impulse drying..... | 192-194 |
| forming board..... | 41-42 | Isotuner (for fiber angle testing)..... | 21 |
| forming fabric..... | 50-54, 58-61, 95 | | |
| cleaning..... | 58-59 | L | |
| Voith jet cleaner..... | 60-61 | long circulation..... | 5 |
| design..... | 50-51 | lumpbreaker roll..... | 47 |
| drainage capacity..... | 53 | | |
| effect on paper quality..... | 54 | M | |
| fiber penetration..... | 53 | machine chest..... | 3-4 |

"Paper Machine Design and Operation--Descriptions and Explanations"

By Gunnar Gavelin

| | |
|---|---|
| machine screens..... 10-11 | with shoe presses 119-122 |
| MD/CD ratio.....21-22, 35 | with two nips 127 |
| membranes in the slice area30, 96 | with three nips 127-128 |
| MG cylinder 151-152 | with four nips 129 |
| moisture ratio..... 2 | profile control |
| moisture profile control195 | basis weight..... 19 |
| multichannel headboxes 32-35 | moisture 195 |
| multiply paperboard formers 101-103 | pulsation dampening 17 |
| O | |
| open draws 134-136 | |
| P | |
| paperboard machines 101-103 | |
| paper quality considerations | |
| drying..... 195-197 | |
| forming process 54 | |
| pressing 118-119, 143 | |
| peeler rolls.....126 | |
| perforated rolls in headboxes..... 15-16 | |
| pre-calender200 | |
| presses | |
| blind-drilled 114 | |
| double-felted 122-123 | |
| fabric..... 114-115 | |
| grooved..... 112-113 | |
| hot 131-133 | |
| large roll..... 116 | |
| long nip 115 | |
| open-draw 134 | |
| plain 107 | |
| shoe 116-122 | |
| smoothing 199 | |
| suction 108-109 | |
| press felt | |
| construction..... 138-139 | |
| costs of 140 | |
| high-pressure showering..... 140 | |
| performance requirements 139 | |
| seaming 139 | |
| press felt suction boxes 140 | |
| press impulse 115 | |
| pressing | |
| economy of 137 | |
| effect on paper quality..... 118-119, 143 | |
| future developments 143-146 | |
| hot 130-133 | |
| press rolls | |
| antideflexion..... 123-125 | |
| ceramic 126 | |
| composite covered 126 | |
| elastomeric covered 110-111 | |
| granite..... 125 | |
| grooved..... 112 | |
| suction 108-109 | |
| press sections | |
| | reel 212-213 |
| | refiner, machine 5 |
| | rewetting in press nips..... 107 |
| | roll-blade former..... 81-82 |
| | roll former 75-77 |
| | roll former drainage..... 76-77, 97 |
| | S |
| | screen plates..... 11 |
| | screens 10-11 |
| | scrubber for dryer hood exhaust 187-188 |
| | shadow marking 143 |
| | sheet flutter 173-174 |
| | sheet shrinkage 181-182 |
| | sheet transfer (see wet web transfer) |
| | shoe press..... 116-122 |
| | effect on quality 118-119 |
| | principle..... 116-118 |
| | short circulation 3-4 |
| | single-felting for drying 175-181 |
| | size press |
| | film 201-204 |
| | traditional..... 200-201 |
| | slice 19-20 |
| | slice bar 19-20 |
| | soft calender 208-209 |
| | soft calendering process..... 209-212 |
| | steam and condensate |
| | flow control 162-163 |
| | systems 160, 163-165 |
| | steam, blow-through..... 160-161 |
| | steam boxes in pressing..... 130-131 |
| | steam economy in drying 182-183 |
| | step diffusors (in headboxes)..... 14-15 |
| | stock flow control 6 |
| | stretch roll 54-55 |
| | stuff box..... 5 |
| | suction boxes |
| | dry 44-45 |
| | on press felts 140 |
| | wet 44 |
| | suction box seal pit..... 45, 62 |
| | suction press 108-109 |
| | suction rolls..... 108-109 |
| | suction roll shells..... 109-111 |
| | supercalendering..... 211-212 |

"Paper Machine Design and Operation--Descriptions and Explanations" By Gunnar Gavelin

| | |
|---------------------------------|---------|
| surge tank..... | 17 |
| syphon (for condensate removal) | |
| dimensions..... | 169 |
| rotating..... | 166-167 |
| stationary | 167-168 |
| yankee dryer | 168-169 |

T

| | |
|---|----------|
| table rolls..... | 42 |
| take-off angle (from press rolls) | 135-136 |
| thermo compressor dryer section..... | 163-165 |
| thermo roll (in calendering) | 206-207 |
| through drying..... | 191 |
| tissue machine formers..... | 103-104 |
| transfer belt | 120, 137 |
| turbulence generator | |
| in dryers..... | 159-160 |
| in headbox | 18 |
| twin wire formers | 72-94 |
| two sided drainage, theory of..... | 95 |
| two sidedness of paper, | |
| problems of..... | 84 |

V

| | |
|----------------------------------|---------|
| vacuum pumps | |
| turbo compressor | 142-143 |
| water ring..... | 140-141 |
| Valmet | |
| Crescent Former | 104 |
| C-Wrap Former..... | 103 |
| impingement drying module | 189-190 |
| Optireel..... | 212-213 |
| Periformer Nouveau..... | 104 |
| Speed Former | 85-86 |
| Speed Former MB..... | 86-87 |
| Sym-Flo headbox..... | 100 |
| Sym-Former..... | 77-79 |
| Sym-Sizer | 201-202 |
| Vac Roll dryer section | 178-180 |
| Valroc press roll | 126 |
| Ventilation | |
| of dryer hoods | 183-187 |
| of dryer pockets | 172-174 |
| ventilation fans | |
| variable speed control | 187 |
| Voith | |
| DuoCleaner..... | 172 |
| Duoformer CFD..... | 91-93 |
| DuoFormer CV | 88 |
| DuoFormer D | 80-81 |
| DuoStabilizer dryer section..... | 180 |
| GR press roll | 126 |
| Jet cleaner | 60-61 |
| Module Jet | 23-25 |
| Top Duo Run dryer section..... | 180-181 |

W

| | |
|-----------------------------|---------|
| water ring vacuum pump..... | 140-141 |
| heat recovery..... | 141-142 |
| web transfer | |
| closed..... | 137 |
| open | 134-136 |
| wet suction box | 44 |
| wet web strength | 1, 135 |
| white water | |
| cleaning, internal | 64-66 |
| filters | 64-65 |
| flotation | 65-66 |
| system..... | 3-5 |
| system closure..... | 69-70 |
| tanks..... | 63 |
| wire (see forming fabric) | |
| wire pit | 63 |
| wire retention | 68 |
| wire turning roll..... | 49 |

Y

| | |
|-----------------------|-----|
| yankee cylinder | 151 |
| yankee hood | 152 |