

Subject Index

Technical Information Papers

This document was last updated June 1, 2026

A

Abrasion

Selection criteria for wet end ceramics, [0502-15](#)

Abrasion resistance

Selection criteria for wet end ceramics, [0502-15](#)

Absorption

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Accessibility

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Acoustic Emission

See Nondestructive Tests

Acrylic fibers

see Polyacrylics, Synthetic fibers

Additives

Techniques for running “WRA” (water resistant starch adhesive), [0304-46](#)

Adhesives

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Evaluating glue lap adhesive properties, [0304-16](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Starch adhesive trial, [0304-22](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Techniques for bonding modern high-performance liners, [0304-40](#)

Techniques for running “WRA” (water resistant starch adhesive), [0304-46](#)

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

Using washup water as the vehicle in starch-based corrugating adhesive, [0304-44](#)

After dryers

Paper machine drying rate, [0404-07](#)

Agitation

Using washing water as the vehicle in starch based

corrugating adhesive, [0304-44](#)

Agitators

Guidelines for side-entering stock agitators, [0420-13](#)

Air

Paper machine room ventilation guidelines, [0404-50](#)

Air balance

see Air, Materials balance

Air flow

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Sheet handling devices, [0404-44](#)

Air jets

Sheet handling devices, [0404-44](#)

Air permeability

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

Air pollution

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Air staging

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Alignment

Checking the parallel of corrugating rolls with “NCR” paper, [0304-62](#)

Alkali

Specific heat of caustic soda solutions, [0606-07](#)

Alkaline

Chemical cleaning guide for press fabrics, [0404-65](#)

Alkaline Extractables

see Alkaline

Alkaline sulfite pulping

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)
Viscosities of various spent sulfite liquors at 26.7°C,

[0607-22](#)

Alkalinity

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makup water, [0416-14](#)

Alumina

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Ammonia

Solubility of sulfur dioxide, [0607-06](#)

Analysis

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Angle of slide

see Slide angle

Anilox

Cleaning anilox rolls: procedures and options, [0306-18](#)

Anilox coaters

In-line coating at the corrugator, [0304-39](#)

Anilox rolls

see Flexography, Printing cylinders

Ink metering systems for corrugated flexo presses,

[0306-09](#)

Anvil Wear

Troubleshooting the Die Cutting Section, [0305-39](#)

Approach flow systems

Headbox approach piping guidelines, [0404-54](#)

Ash

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Drainage evaluation by mass measurement, [0502-12](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

Atmosphere

Testing atmospheres simulating end use conditions,

[0808-05](#)

Attenuation

Headbox approach piping guidelines, [0404-54](#)

Auditing

Checklist for a properly planned project, [0408-01](#)

Automatic feeders

see Feeders

Automated Felt Scanner

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Automation

Industry 4.0 Lexicon, [1501-01](#)

Availability

Definitions of black liquor recovery furnace availability, [0416-02](#)

B

Backing Blade

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Bacteria

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Bags

Paper machine drying rate, [0404-07](#)

Bar Width Reduction (BWR)

see Product codes

Bar codes

see Product codes

Bases

see Hydroxides

Basis weight

Headbox approach piping guidelines, [0404-54](#)

Caliper Dynamic Correlation - Single Point Method,

[1101-10](#)

Batch-on-the-fly

see Batch Process

Batch digesters

Guidelines for inspecting batch digesters, [0402-22](#)

Batch process

Measurement of dryer condensing rates (vertical separator method), [0404-18](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

Bauxite

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Bearings

Corrugator bearing clearance checks and their impact, [0304-47](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Total indicated runout and its impact on combined board quality, [0304-56](#)

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Bearing failure

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Biocide

Using washing water as the vehicle in starch based corrugating adhesive, [0304-44](#)

Biomass

Performance test procedure for boilers using biomass as fuel, [0416-18](#)

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Biomechanics

see Human factors

Bisulfites

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Black liquor

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

Recovery boiler performance calculation – short form, [0416-01](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Black Oxide

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Blade

Paper machine doctor recommendations, [0404-67](#)

Blade coaters

see also Coaters

In-line coating at the corrugator, [0304-39](#)

Blade holder

Paper machine doctor recommendations, [0404-67](#)

Bleach plants

Bleaching plant washer efficiency guide, [0606-23](#)

Bleached board

Paper machine drying rate, [0404-07](#)

Paper machine performance guidelines, [0404-47](#)

Bleaching

Boiling point rise of spent sulfite liquors, [0607-21](#)

Chlorine gas curve, [0606-02](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of chlorine gas, [0606-03](#)

Density of milk of lime solution, [0607-05](#)

Heat of vaporization of liquid chlorine, [0606-04](#)

Recommended pulp bleaching stage designation method, [0606-21](#)

Relative enthalpy (heat content) of sodium hydroxide solutions, [0606-08](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Viscosity of liquid chlorine [0606-05](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

Energy checklist: pulp mill, [0416-24](#)

Bleaching stages

see Bleaching

Blind-drilled rolls

see Vacuum rolls

Blistering

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, [0304-17](#)

Blow boxes

Sheet handling devices, [0404-44](#)

Blow-through steam

Recommended Dryer Differential Pressures, [0404-31](#)

Blowdown

see also Blowing

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

Blowing

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Board

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Board caliper

see Thickness

Boiler feed water

see Boilers, Feedwater

Boiler tubes

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

Boilers

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Explanation of recovery boiler leak indications, [0416-23](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Performance test procedure for boilers using biomass as fuel, [0416-18](#)

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

Bolts

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Bonding

Techniques for bonding modern high-performance liners, [0304-40](#)

Box compression

see Compression strength

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, [0304-09](#)

Box flaps

see Flaps

Box machines

Troubleshooting a glue lap problem, [0304-10](#)

Box plants

see Converting plants

Boxes

Critical properties to consider when unitizing, [0304-72](#)

High vacuum sheet dewatering, [0404-60](#)

Broke

Broke loss calculations, [0502-10](#)

Bronze

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Weld repairs on new suction roll shells, [0402-17](#)

Bulky

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Burners

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Burst testers

Calibration and maintenance of the burst tester, [0304-24](#)

Butt joints

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Butt welds

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

C

CADCAM

CONEG

see Regulations

Calcination

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Calcium base liquors

Solubility of sulfur dioxide, $\text{Ca}(\text{HSO}_3)_2$ solutions, [0607-07](#)

Calcium bisulfite

Solubility of sulfur dioxide, $\text{Ca}(\text{HSO}_3)_2$ solutions, [0607-07](#)

Calcium carbonate

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Calcium hydroxide

Density of milk of lime solution, [0607-05](#)

Calculations

see Computation

Calibration

Basic guidelines for image analysis measurements, [0804-09](#)

Calibration and maintenance of the manually operated micrometer, [0304-30](#)

Calibration and maintenance of the burst tester, [0304-24](#)

Suggestions for developing a box plant quality manual, [0304-49](#)

Caliper

see Thickness

Caliper Dynamic Correlation - Single Point Method, [1101-10](#)

Canadian standard freeness

Interconversion of freeness, [0809-01](#)

Carbon steel

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Carbonates

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Cartridges

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Cast iron

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Castings

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Caustic soda

see Sodium hydroxide

Causticizing

Material balance equations relating to digester requirements, [0418-02](#)

Energy checklist: pulp mill, [0416-24](#)

Centrifugal Cleaner

Introduction to centrifugal cleaners, [0508-10](#)

Ceramics

Selection criteria for wet end ceramics, [0502-15](#)

Use of ceramics on the forming section: diagnosing and preventing forming fabric wear, [0502-19](#)

Certification

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Chalk

see Calcium carbonate

Chambered Doctor Blade

Ink metering systems for corrugated flexo presses, [0306-09](#)

Charting

Short-run statistical process control: a basic charting method, [0304-70](#)

Statistical process control - procedures for charting warp, [0304-13](#)

Checklist

see Maintenance

Chemical Cleaning

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Chemical preparation

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

Chemical properties

Chlorine dioxide (ClO₂) safe storage and handling, [0606-30](#)

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Magnesia-base pulping solutions, [0607-04](#)

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Chemical pulps

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Chemical Recovery

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

Chemicals

Chemical cleaning guide for press fabrics, [0404-65](#)

Chests

see Stock chests

Chip silos

see Chip bins

Chlorides

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Chlorine

Chlorine gas curve, [0606-02](#)

Density of chlorine gas, [0606-03](#)

Heat of vaporization of liquid chlorine, [0606-04](#)

Viscosity of liquid chlorine, [0606-05](#)

Chlorine dioxide

Chlorine dioxide (ClO₂) safe storage and handling, [0606-30](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

Chrome

Tests for corrugator roll wear, [0304-53](#)

Chromium

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Clad-steel plate

see Plates

Classification

Classification of Paper, Board, Tissue, and Pulp Grades, [0404-36](#)

Clay

Kaolin clay pigment index, [0106-06](#)

Physical data of calcined kaolin-water suspensions, [0106-09](#)

[0106-09](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

[0106-02](#)

Cleaners

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Cleaning

Cleaning anilox rolls: procedures and options, [0306-18](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Dryer fabric cleaning, [0404-38](#)

Housekeeping guidelines, [0305-32](#)

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Paper machine shower recommendations, [0404-61](#)

Post-fabrication cleaning of stainless steel in the pulp and paper industry, [0402-35](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

Cleaning chemicals

see Cleansers

Clogging

Nozzle maintenance and clogging, [0420-15](#)

Clothing

see Felts, Machine clothing

Coating

Kaolin clay pigment index, [0106-06](#)

Coating color

see Color

Coating thickness

Tests for corrugator roll wear, [0304-53](#)

Coatings

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Tests for corrugator roll wear, [0304-53](#)

Coefficient of friction

see Friction factor

Combination Metering System

Ink metering systems for corrugated flexo presses, [0306-09](#)

Combined boards

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

Obtaining off the corrugator for use in statistical process control procedures, [0304-12](#)

Total indicated runout and its impact on combined board quality, [0304-56](#)

How to Minimize Rolling Scores in Diecutting Operations, [0304-64](#)

Compressibility

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Compression

Corrugated caliper: why is it so important?, [0304-04](#)

Compression resistance

see Compression strength

Compression strength

Corrugated caliper: why is it so important?, [0304-04](#)

Obtaining a combined board caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

Computation

Paper machine drying rate, [0404-07](#)

Computer-assisted

see CAD/CAM

Concentration

Best Practices for Consistency Measurement, [1101-07](#)

Concentricity

Total indicated runout and its impact on combined board quality, [0304-56](#)

Condensate

Application of dryer bars, [0404-35](#)

Condensates

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Measurement of dryer condensing rates (continuous method), [0404-03](#)

Measurement of dryer condensing rates (vertical separator method), [0404-18](#)

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

Yankee dryer steam condensing rates, [0404-49](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Condensation

Dryer condensing rates (batch method), [0404-02](#)

Dryer condensing rates (continuous method), [0404-03](#)

Condensing rates

see Condensation

Conditioning

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Testing atmospheres simulating end use conditions, [0808-05](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Conductivity

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for

paper mill boilers operating with softened makeup water, [0416-14](#)

Confined Space

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Improving safety training – a hands on approach, [1502-01](#)

Conical refiners

Conical refining intensity, [0508-07](#)

Conservation

Paper Machine Water Efficiency, [0502-22](#)

Consistency

Drainage evaluation by mass measurement, [0502-12](#)

Guidelines for Retention Measurements, [0502-13](#)

Generalized method for determining the pipe friction loss of flowing pulp suspensions, [0410-14](#)

Optimum consistency for pumping pulp, [0410-15](#)

Best Practices for Consistency Measurement, [1101-07](#)

Construction materials

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Consumption

Paper Machine Water Efficiency, [0502-22](#)

Contact bearings

see Bearings

Contact technique

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Container boards

Friction -- slide angle, [0304-34](#)

Contaminants

see Impurities

Contamination

see Pollution control

Continuous

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Contraction

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a vertical slice, [0410-02](#)

Control charts

see Charting

Control systems

Industry 4.0 Lexicon, [1501-01](#)

Short-run statistical process control: a basic charting method, [0304-70](#)

Conversion factors

Units of measurement and, [0800-01](#)

Converting factors

Moisture content of paper: terminology and conversion, [0808-02](#)

Converting plants

Boxplant quality measurement: why test?, [0304-02](#)

Machinery considerations and selection, [0305-06](#)

Coolers

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Copper

The role of copper in a printing ink, [0304-61](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makup water, [0416-14](#)

Cores

Determination of winder sets per reel, [0502-02](#)

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

Correlation

QCS Dynamic Sensor Correlation Sampling Method, [1101-04](#)

Moisture Dynamic Correlation Method, [1101-05](#)

Caliper Dynamic Correlation - Single Point Method, [1101-10](#)

Corrosion

see also Corrosion inhibitors

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Nozzle maintenance and clogging, [0420-15](#)

Post-fabrication cleaning of stainless steel in the pulp and paper industry, [0402-35](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

Corrosion prevention

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Corrugated boards

The role of copper in a printing ink, [0304-61](#)

Critical properties to consider when unitizing, [0304-72](#)

Important quality parameters of a printing ink, [0304-59](#)

Obtaining caliper off the corrugator for use in statistical

process control procedures, [0304-12](#)

Statistical process control friction-slide angle, [0304-34](#)

Techniques to minimize twist warp, [0304-50](#)

Warp in corrugated board, [0304-07](#)

Corrugated boxes

see Boxes, Corrugated boards

Corrugated containers

see Boxes, Corrugated board, Folder gluers, Die cutters

Corrugated medium

An alternative method for designating flute sizes, [0302-04](#)

Corrugating

An alternative method for designating flute sizes, [0302-04](#)

Corrugating adhesives

see Adhesives

Corrugating machines

Checking the flute depth of corrugating rolls, [0304-75](#)

Checking the parallel of corrugating rolls with "NCR" paper, [0304-62](#)

Conducting a corrugator temperature audit, [0304-65](#)

Corrugator bearing clearance checks and their impact, [0304-47](#)

Impact of doublebacker hot plate level on board quality and how to measure it, [0304-66](#)

Improved techniques to measure corrugator glue machine meter gaps, [0304-68](#)

Prevention of score cracking in a box plant, [0304-37](#)

Starch viscosity in corrugating adhesives, [0304-15](#)

Tests for corrugator roll wear, [0304-53](#)

Corrugating medium

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, [0304-09](#)

Paper machine performance guidelines, [0404-47](#)

Paper machine drying rate, [0404-07](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Splicer defects and cures, [0304-31](#)

Corrugating plants

see Operations

Corrugating rolls

see Rolls

Corrugator-double backer

see Corrugating machines

Corrugators

see also Corrugating machines

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Costs

Press section economic evaluation, [0404-22](#)

Couch rolls

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Cover

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Rotary die cutter urethane anvil cover maintenance, [0305-35](#)

Cracks

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Cracking

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

Creasing

Troubleshooting the Die Cutting Section, [0305-39](#)

Creping

Yankee Doctor Operational Guidelines, [0425-11](#)

Crescent formers

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Cross direction

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Statistical process control -- procedures for charting warp, [0304-13](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Warp in corrugated board, [0304-07](#)

Crown

see Roll crown

Crush

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

Cubical contents

see Volumetry

Curing

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Curtain coating

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

Cutters

see Die cutters

Cutting

Troubleshooting the Die Cutting Section, [0305-39](#)

Cutting dies

see Die cutters, Rotary machines

Cylinder Machines

Paper Machine Vacuum System Selection Factors, [0502-01](#)

D

Damage

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

Damage Mechanisms

see Damage

Dancer Rolls

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Dandy rolls

Dandy roll applications, [0404-53](#)

Data storage

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Data tables

Moisture content of paper: terminology and conversion, [0808-02](#)

Deaerators

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

Deaeration

Headbox approach piping guidelines, [0404-54](#)

Debris Removal

Introduction to centrifugal cleaners, [0508-10](#)

Defects

Addendum to *Corrugating Defect Terminology Manual* -- defects related to the use of fingerless singlefacers, [0304-17](#)

Corrugator bearing clearance checks and their impact, [0304-47](#)

Definitions

see Nomenclature

A glossary of terms used in refining, [0508-02](#)

Deformation

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Degradation

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Densified liners

see Liners

Density

Density of aqueous sodium bicarbonate solution, [0607-13](#)

Density of aqueous sodium carbonate solution, [0607-14](#)

Density of chlorine gas, [0606-03](#)

Milk of lime solution, [0607-05](#)

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

Sodium sulfite solution, [0607-18](#)

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

The Impact of Pressing on Web Densification, [0404-68](#)

Density Gradient

The Impact of Pressing on Web Densification, [0404-68](#)

Deposits

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Design

Guidelines for side-entering stock agitators, [0420-13](#)

Deterioration

see Degradation

Dewatering

see Drainage, Water removal

Diameter

Roll diameter for various reel spool and roll core sizes, [0502-03](#)

Dictionaries

see Nomenclature

A glossary of terms used in refining, [0508-02](#)

Die cutters

see also Rotary machines

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Checklist: preparing die cuts for shipment, [0305-49](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Introduction to flexo folder gluer/rotary diecutter TIPS, [0305-04](#)

How to Minimize Rolling Scores in Diecutting Operations, [0304-64](#)

Ordering steel rule cutting dies, [0305-21](#)

Proper use of pull bands, [0305-18](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Rotary cutting die maintenance, [0305-23](#)

Rotary die cutter urethane anvil cover maintenance, [0305-](#)

[35](#)

Die Cutting

Troubleshooting the Die Cutting Section, [0305-39](#)

Die mounting

Ordering steel rule cutting dies, [0305-21](#)

Dieboard

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

Diecut

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

Differential pressure

Recommended Dryer Differential Pressures, [0404-31](#)

Differential steam pressures

see Pressure gradient

Digester balance equation

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

Digester

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Energy checklist: pulp mill, [0416-24](#)

Digital control

Industry 4.0 Lexicon, [1501-01](#)

Dilution

Best Practices for Consistency Measurement, [1101-07](#)

Dirt

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Dirt Count

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Discharge

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Dispersions

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

Dissolved oxygen

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

Dissolving pulps

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Doctor

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Doctors

Paper machine doctor recommendations, [0404-67](#)

Doctor Blade Holder

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Doctor blades

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

Documentation

Press fabric record book, [0404-21](#)

Suggestions for developing a box plant quality manual, [0304-49](#)

Doublefacers

Impact of doublebacker hot plate level on board quality and how to measure it, [0304-66](#)

Splicer defects and cures, [0304-31](#)

Doublewall corrugated boards

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Downtime

Definitions of black liquor recovery furnace availability, [0416-02](#)

Drainage

Drainage evaluation by mass measurement, [0502-12](#)

Fourdrinier drainage performance evaluation – blow test method, [0410-07](#)

High vacuum sheet dewatering, [0404-60](#)

Interconversion of freeness, [0809-01](#)

Drainage factor

Interconversion of freeness, [0809-01](#)

Drapability

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Dry bulb temperature

Relative humidity tables, [0808-06](#)

Dry ends

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Dry felts

Recommended tensions in dryer fabrics, [0404-04](#)

Dryer bars

Application of dryer bars, [0404-35](#)

Dryer Can

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Dryer condensing rates

see Dryers

Dryer fabric

Dryer fabric cleaning, [0404-38](#)

Recommended tensions in dryer fabrics, [0404-04](#)

Dryer felts

see also Felts

Methods to minimize sheet rewet in the press section, [0404-59](#)

Dryer hoods

see Exhaust hoods

Dryer pockets

Recommended minimum dryer pocket air requirements, [0404-17](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Dryer sections

Performance of, [0404-33](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Sheet handling devices, [0404-44](#)

Dryers

Application of dryer bars, [0404-35](#)

Dryer condensing rates (batch method), [0404-02](#)

Dryer condensing rates (continuous method), [0404-03](#)

Dryer condensing rates (vertical separator method), [0404-18](#)

Dryer fabric cleaning, [0404-38](#)

Dryer section performance monitoring, [0404-33](#)

Dryer surface temperature measurement, [0404-39](#)

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Methods for Evaluating High-velocity dryers, [0404-05](#)

Design, Operation, Performance Evaluation and

Inspection guidelines for Yankee hood systems, [0425-02](#)

Paper machine drying rate, [0404-07](#)

Papermaker's formulas, [0502-17](#)

Press fabric record book, [0404-21](#)

Recommended Dryer Differential Pressures, [0404-31](#)

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Steam shower applications in the forming and press section, [0404-58](#)

Thermocompressor Applications for Paper Drying, [0404-66](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Yankee dryer steam condensing rates, [0404-49](#)

Drying

Dryer condensing rates (continuous method), [0404-03](#)

Dryer condensing rates (vertical separator method), [0404-18](#)

Dryer section performance monitoring, [0404-33](#)

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Paper machine drying rate, [0404-07](#)

Through drying, [0404-25](#)

Drying rate

see Drying

Duplex stainless steel

see Stainless steel

Durometer

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Dust

Paper machine room ventilation guidelines, [0404-50](#)

E

Economics

Press section economic evaluation, [0404-22](#)

Economizers

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makup water, [0416-14](#)

Guideline specification for procurement of an economizer for a recovery boiler, [0416-21](#)

Guidelines for operating and maintenance practices

impacting an economizer on a recovery boiler, [0416-22](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Edge crush tests (ECT)

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, [0304-09](#)

Edge Fingers

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Efficiency

Paper machine performance guidelines, [0404-47](#)

Press section monitoring, [0404-19](#)

Recovery boiler energy efficiency improvements, [0416-](#)

[16](#)

Paper Machine Water Efficiency, [0502-22](#)

Elastomers

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Electrical

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Electromagnetic flow meters

See Flow meters

Elliptical technique

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Emissions

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Employee injuries

see Human factors

Enclosure

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Energy

Paper machine energy conservation, [0404-63](#)

Energy checklist: pulp mill, [0416-24](#)

Recovery boiler energy efficiency improvements, [0416-](#)

[16](#)

Paper Machine Water Efficiency, [0502-22](#)

Energy conservation

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Paper machine room ventilation guidelines, [0404-50](#)

Enthalpy

Relative enthalpy (heat content) of sodium hydroxide solutions, [0606-08](#)

Environmental factors

see Environments

Environments

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Chlorine dioxide (ClO₂) safe storage and handling,

[0606-30](#)

Gaseous ozone (O₃) safe handling, [0606-28](#)

Hydrogen peroxide (H₂O₂) safe storage and handling, [0606-24](#)

Methanol (CH₃OH) safe storage and handling, [0606-25](#)

Bulk Oxygen (O₂) Safe Storage and Handling, [0606-29](#)

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Sulfuric acid (H₂SO₄) safe storage and handling, [0606-26](#)

Unloading concentrated sulfuric acid (H₂SO₄) with compressed air, [0420-16](#)

Equations

Papermaker's formulas, [0502-17](#)

Equilibrium

Relative humidities over saturated salt solutions, [0808-03](#)

Equipment

Starch adhesive trial, [0304-22](#)

Quality techniques using existing equipment, [0306-11](#)

Ergonomics

see Human factors

Erosion

Nozzle maintenance and clogging, [0420-15](#)

Evaluation

see also Performance

Drainage evaluation by mass measurement, [0502-12](#)

Evaporation

see also Drying

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Evaporators

Recommended test procedure for black liquor evaporators, [0416-11](#)

Energy checklist: pulp mill, [0416-24](#)

Exhaust gas

Paper machine room ventilation guidelines, [0404-50](#)

Collection and burning of pulp noncondensable gases: regulations, design and operation, [0416-09](#)

Exhaust hoods

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Extrusion coating

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

F

Fabric

See also Forming fabrics, Dryer felts

Fabric Analysis

Chemical cleaning guide for press fabrics, [0404-65](#)

Fabrics

Dryer fabric cleaning, [0404-38](#)

FAC

Guidelines for Detection, Monitoring and Prevention of Flow Accelerated Corrosion (FAC) in the Pulp and Paper Mill, [0402-36](#)

Fall

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Fall Protection

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Fan pumps

Headbox approach piping guidelines, [0404-54](#)

Fatigue

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Feed section

see Feeding

Feedback control

see Control systems

Feeders

Material handling considerations for flexo folder gluers, [0305-54](#)

Feedwater

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makup water, [0416-14](#)

Felts

see also Press felts

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Methods to minimize sheet rewet in the press section, [0404-59](#)

Press fabric record book, [0404-21](#)

The Impact of Pressing on Web Densification, [0404-68](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Water permeability of press fabrics, [0404-43](#)

Fiberboards

see Boxes, Corrugated boards

Fiberglass-reinforced plastic

see Plastic

Fibrillation

Refiner systems: their inspection and maintenance, [0508-06](#)

Field tests

see Test methods

Filler

Kaolin clay pigment index, [0106-06](#)

Film

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Quality techniques using existing equipment, [0306-11](#)

Filters

Paper machine room ventilation guidelines, [0404-50](#)

Fine papers

Paper machine drying rate, [0404-07](#)

Fines Retention

see Retention

Fingerless singlefacers

see Singlefacers

Fingerprints

Quality techniques using existing equipment, [0306-11](#)

Fire Brick

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

First Pass Ash Retention

see Retention

First Pass Retention

see Retention

Flaps

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

Flat boxes

see Vacuum boxes

Flaw Detectors

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Flexibility

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Flexible packaging

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Flexo folder-gluers

see Folder gluers, Die cutters, Rotary machines

Flexo ink

Proofing of a flexo printing ink, [0304-60](#)

Flexo printing

Proofing of a flexo printing ink, [0304-60](#)

Flexography

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Cleaning anilox rolls: procedures and options, [0306-18](#)

Identifying anilox roll volume measuring equipment, [0306-15](#)

Quality techniques using existing equipment, [0306-11](#)

Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

Viscosity reading procedure for flexographic corrugated inks, [0304-18](#)

Flow

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Guidelines for Detection, Monitoring and Prevention of Flow Accelerated Corrosion (FAC) in the Pulp and Paper Mill, [0402-36](#)

Paper machine shower recommendations, [0404-61](#)

Horizontal end suction centrifugal stock pumps, [0420-10](#)

Flow measurement

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Flow determination by chemical method, [0410-09](#)

Weirs and flumes, [0410-10](#)

Flow meters

Best Practices for Magnetic Flow Meters, [1101-06](#)

Flow rates

see Flow measurement

Flow transmitters

Best Practices for Magnetic Flow Meters, [1101-06](#)

Flow tube

Best Practices for Magnetic Flow Meters, [1101-06](#)

Fluff pulp

Paper machine performance guidelines, [0404-47](#)

Flumes

Weirs and flumes, [0410-10](#)

Fluoropolymers

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Flutes

An alternative method for designating flute sizes, [0302-04](#)

Fogging

Steam shower applications in the forming and press section, [0404-58](#)

Folder gluers

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Extruded glue mechanism supplement, [0305-43](#)

Folding section, [0305-42](#)

Introduction to flexo folder gluer/rotary diecutter TIPS, [0305-04](#)

Material handling considerations for flexo folder gluers, [0305-54](#)

Proper use of pull bands, [0305-18](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Folding

Folding section, [0305-42](#)

Formaldehyde

Formation

Dandy roll applications, [0404-53](#)

Forming

Forming section monitoring, [0502-14](#)

Paper machine doctor recommendations, [0404-67](#)

Paper machine shower recommendations, [0404-61](#)

Steam shower applications in the forming and press section, [0404-58](#)

Forming fabrics

Drainage evaluation by mass measurement, [0502-12](#)

Forming section monitoring, [0502-14](#)

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Use of ceramics on the forming section: diagnosing and preventing forming fabric wear, [0502-19](#)

Water permeability of press fabrics, [0404-43](#)

Forming sections

Fourdrinier drainage performance evaluation – blow test method, [0410-07](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Fossil fuels

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Fourdrinier machines

Control of stock activity on a fourdrinier table, [0410-08](#)

Drainage performance evaluation – blow test method, [0410-07](#)

Papermaker's formulas, [0502-17](#)

Free sheet

Paper machine drying rate, [0404-07](#)

Freeness

Interconversion of, [0809-01](#)

Friction

Generalized method for determining the 1502 pipe friction loss of lowing pulp suspensions, [0410-14](#)

Friction factor

Statistical process control friction - slide angle, [0304-34](#)

Fuel oil

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Furnaces

see Recovery furnaces

G

Gas

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Gauges

see Measuring instruments

Gel temperature

see Gels

Gelatinization temperature

see Gels

Gels

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Gin notes

see Cotton

Ginning

see Cotton

Glass fibers

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Glossaries

see Nomenclature

A glossary of terms used in refining, [0508-02](#)

Glue

Evaluating glue lap adhesive properties, [0304-16](#)

Extruded glue mechanism supplement, [0305-43](#)

Folding section, [0305-42](#)

Glue lap

see Glued joints

Glue machine

see Gluers

Glue pattern

see Gluing

Glued joints

Troubleshooting a glue lap problem, [0304-10](#)

Gluers

Causes and corrections of common corrugator bonding problems, [0304-32](#)

How to prevent score cracking in a box plant, [0304-37](#)

Improved techniques to measure corrugator glue machine meter gaps, [0304-68](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Troubleshooting a glue lap problem, [0304-10](#)

Gluing

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, [0304-17](#)

Gluing machines

see Gluers

Grab truck

see Lift trucks

Granite

Roll material and surface requirements, [0404-41](#)

Gray cast iron

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Green liquors

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

Grinders

Grinder pulpstones – cubical contents, [0605-01](#)

Pulpstone speed chart, [0605-02](#)

Grinding

Granite roll material and surface requirements, [0404-41](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Yankee dryer thermal spray coating, [0425-09](#)

Ground calcium carbonate (GCC)

see Calcium carbonate

Guards

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Guarding

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Guidelines

Recovery boiler sootblowers: practical guidelines, [0416-20](#)

Guides

Press fabric guiding, [0404-64](#)

Guide rolls

Press fabric guiding, [0404-64](#)

H

Halogens

see specific term, e.g., Chlorine

Hand feel

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Hardness

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makup water, [0416-14](#)

Measuring the Pusey and Jones indentation of elastomeric roll cover materials, [0420-09](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Hazards

Pre-Task Risk Analysis:

Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work

Hazardous materials, [1502-02](#)

Hazard Assessment

See Hazards

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

Understanding hazardous materials warning labels, [0304-41](#)

Headboxes

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a vertical slice, [0410-02](#)

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Papermaker's formulas, [0502-17](#)

Headbox approach piping guidelines, [0404-54](#)

Heat

Paper machine room ventilation guidelines, [0404-50](#)

Paper Machine Water Efficiency, [0502-22](#)

Heat content

see Enthalpy

Heat of vaporization

Liquid chlorine, [0606-04](#)

Heat recovery

Paper machine room ventilation guidelines, [0404-50](#)

Heat transfer

Application of dryer bars, [0404-35](#)

Heat transfer coefficient

Recommended test procedure for black liquor evaporators, [0416-11](#)

Heating

Conducting a corrugator temperature audit, [0304-65](#)

Heating equipment

Steam shower applications in the forming and press section, [0404-58](#)

Heavy metals

see Metals

Hematite

Guidelines for properly sampling steam & condensate in

Yankee dryer steam systems, [0425-04](#)

High density liners

see Liners

High intensity presses

Terminology for high temperature pressing, [0404-48](#)

High performance liners

see Liners

High temperature

Terminology for high temperature pressing, [0404-48](#)

High vacuum

High vacuum sheet dewatering, [0404-60](#)

Hoods

Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Hot melts

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

Hot pressing

Terminology for high temperature pressing, [0404-48](#)

Housekeeping

see Maintenance, Cleaning

Humidity

Dryer section performance monitoring, [0404-33](#)

Equilibrium relative humidities over saturated salt solutions, [0808-03](#)

Psychrometric charts, [0404-45](#)

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Relative humidity tables, [0808-06](#)

Testing atmospheres simulating end use conditions, [0808-05](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Humidity measurement

Relative humidity tables, [0808-06](#)

Humidity rooms

Paper test rooms: design considerations, [0808-04](#)

Hydraulics

Horizontal end suction centrifugal stock pumps, [0420-10](#)

Hydrocyclones

Introduction to centrifugal cleaners, [0508-10](#)

Hydrogen peroxide

Hydrogen peroxide (H₂O₂) safe storage and handling, [0606-24](#)

Hydroxides

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Hypochlorite bleaching

see Hypochlorites, Bleaching

Illumination

Basic guidelines for image analysis measurements, [0804-09](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Image analysis

Basic guidelines for image analysis measurements, [0804-09](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Image quality

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Impregnation

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Impulse drying

see Drying

Impurities

Dryer fabric cleaning, [0404-38](#)

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

In-plane stiffness

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

In-process checklist

see Production

Infiltration

Paper machine room ventilation guidelines, [0404-50](#)

Information systems

Industry 4.0 Lexicon, [1501-01](#)

Infrared detectors

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Infrared dryers

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Ink

The role of copper in a printing ink, [0304-61](#)

Quality parameters of a printing ink, [0304-59](#)

Quality techniques using existing equipment, [0306-11](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Viscosity reading procedure for flexographic corrugated inks, [0304-18](#)

Ink printing proofs

Proofing of a flexo printing ink, [0304-60](#)

Inorganic salts

Equilibrium relative humidities over saturated salt solutions, [0808-03](#)

Inspection

Guidelines for inspecting batch digesters, [0402-22](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

Inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Recovery boiler sootblowers: practical guidelines, [0416-20](#)

Installation

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Instrumentation

Press section monitoring, [0404-19](#)

Instruments

Forming section monitoring, [0502-14](#)

Insulating

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Insulation

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Intensity

Conical refining intensity, [0508-07](#)

Interlock

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Internal bond strength

Troubleshooting a glue lap problem, [0304-10](#)

IR

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Iron

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makup water, [0416-14](#)

J

Jet dryers

Methods of evaluating high velocity dryers, [0404-05](#)

Jet velocity

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Jets

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a vertical slice, [0410-02](#)

Joints

Troubleshooting a glue lap problem, [0304-10](#)

Jordans

see Conical refiners

Journals (Documents)

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Jumbo rolls

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

K

Kaolin

Kaolin clay pigment index, [0106-06](#)

Kraft papers

Paper machine drying rate, [0404-07](#)

Paper machine performance guidelines, [0404-47](#)

Kraft pulping

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

L

Labels

Understanding hazardous materials warning labels, [0304-41](#)

Laboratories

Paper test rooms: design considerations, [0808-04](#)

Laminates

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Languages

Common or local names for a nonwood fiber raw material, [0609-01](#)

Leakage

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Explanation of recovery boiler leak indications, [0416-23](#)

LED UV

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Lignosulfonates

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Lime

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Energy checklist: pulp mill, [0416-24](#)

Lime Kiln

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Lime mud

see White liquor mud

Lime-base solutions

see Calcium base liquors

Lime reburning

see Lime

Linerboards

Paper machine drying rate, [0404-07](#)

Liners

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, [0304-09](#)

Paper machine performance guidelines, [0404-47](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Splicer defects and cures, [0304-31](#)

Techniques for bonding modern high-performance liners, [0304-40](#)

Line Break

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Lining

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Load Cells

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Locking

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Lockout Tagout

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Lubrication

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

M

Machine clothing

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Paper machine clothing performance analysis, [0404-26](#)

Machine direction

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Machine operation

see also Maintenance

Machine rooms

Paper machine room ventilation guidelines, [0404-50](#)

Machine speed

Pulpstone speed chart, [0605-02](#)

Machine vision

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Machinery

Machinery considerations and selection, [0305-06](#)

Macro-surface variations

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Mag meters

Best Practices for Magnetic Flow Meters, [1101-06](#)

Magnetometers

Best Practices for Magnetic Flow Meters, [1101-06](#)

Magnesia

see Magnesium oxide

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Magnesium bisulfite

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Magnesium bisulfite liquor

see Magnesium base liquors

Magnesium oxide

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Magnetic

Best Practices for Magnetic Flow Meters, [1101-06](#)

Magnetic flow meters

See Flow meters

Magnetic flow tube

See Flow tube

Magnetite

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Maintenance

Calibration and maintenance of the burst tester, [0304-24](#)

Calibration and maintenance of the manually operated micrometer, [0304-30](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Checking the parallel of corrugating rolls with “NCR” paper, [0304-62](#)
Cleaning anilox rolls: procedures and options, [0306-18](#)
Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)
Extruded glue mechanism supplement, [0305-43](#)
Field welding of pin studs in black liquor recovery boilers, [0402-15](#)
Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)
Housekeeping guidelines, [0305-32](#)
Maintenance considerations in new construction and rebuilds, [0408-02](#)
Nozzle maintenance and clogging, [0420-15](#)
Rotary cutting die maintenance, [0305-23](#)
Rotary die cutter urethane anvil cover maintenance, [0305-35](#)
Tests for corrugator roll wear, [0304-53](#)
Troubleshooting a glue lap problem, [0304-10](#)
Weld repairs on new suction roll shells, [0402-17](#)
Improving safety training – a hands on approach, [1502-01](#)
Recovery boiler sootblowers: practical guidelines, [0416-20](#)
Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Management
Yankee Dryer Thermal Spray Coating, [0425-09](#)

Manuals
Suggestions for developing a box plant quality manual, [0304-49](#)

Manufacturers joints
Evaluating glue lap adhesive properties, [0304-16](#)
Folding section, [0305-42](#)

MAP
Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Market pulps
Paper machine performance guidelines, [0404-47](#)

Mass
Drainage evaluation by mass measurement, [0502-12](#)

Material safety data sheets
see Safety

Materials
Bulk Oxygen (O₂) Safe Storage and Handling, [0606-29](#)

Materials balance
Paper machine room ventilation guidelines, [0404-50](#)

Materials handling
Caustic soda (NaOH) safe storage and handling, [0606-27](#)
Gaseous ozone (O₃) safe handling, [0606-28](#)
Hydrogen peroxide (H₂O₂) safe storage and handling, [0606-24](#)
Methanol (CH₃OH) safe storage and handling, [0606-25](#)
Bulk Oxygen (O₂) Safe Storage and Handling, [0606-29](#)

MAWP Alteration
Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Maximum Stable Vacuum

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

McKee equation

see Edge crush tests

Measurement

Conducting a corrugator temperature audit, [0304-65](#)
Drainage evaluation by mass measurement, [0502-12](#)
Dryer condensing rates (batch method), [0404-02](#)
Dryer condensing rates (continuous method), [0404-03](#)
Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)
Units of and conversion factors, [0800-01](#)
Utilizing statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

Best Practices for Consistency Measurement , [1101-07](#)

Measuring instruments

Gauge repeatability and reproducibility study, [0304-71](#)

Mechanical papers

Paper machine drying rate, [0404-07](#)

Mechanical Stop

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Medium

see Corrugating medium

Melting point

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Metallization

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Metals

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Methanol

Methanol (CH₃OH) safe storage and handling, [0606-25](#)
Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)
Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

Micro-surface variation

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Micro-compressibility

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Microbes

see Bacteria

Micrometers

Calibration and maintenance of the manually operated micrometer, [0304-30](#)

Milk of lime solution

see Calcium hydroxide

Moisture

Determination of water removal by wet presses, [0404-01](#)
Moisture content of paper: terminology and conversion, [0808-02](#)

Steam shower applications in the forming and press section, [0404-58](#)

Moisture Dynamic Correlation Method, [1101-05](#)
Caliper Dynamic Correlation - Single Point Method,

[1101-10](#)

Moisture content

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)
Determination of water removal by wet presses, [0404-01](#)
Psychrometric charts, [0404-45](#)
Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Moisture control

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Warp in corrugated board, [0304-07](#)

Moisture regain

see Moisture content, Sorption

Monitoring

Press section monitoring, [0404-19](#)

Monitors

Forming section monitoring, [0502-14](#)
Paper test rooms: design considerations, [0808-04](#)

Monoammonium Phosphate

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Monosulfite

see Neutral sulfite pulping

Motors

Paper machine room ventilation guidelines, [0404-50](#)

Mullen

see Burst strength

Multistage process

see Bleaching

N

National Fire Protection Association

Improving safety training – a hands on approach, [1502-01](#)

Natural gas

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Needle punched

see Needling

Neutral sulfite liquors

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

Neutral sulfite pulping

Boiling point rise of spent sulfite liquors, [0607-21](#)
Definitions of terms in the sulfite pulping process, [0607-25](#)
Density of aqueous sodium sulfite solution, [0607-18](#)
Density of milk of lime solution, [0607-05](#)
Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)
Solubility of sulfur dioxide, [0607-06](#)
Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)
Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)
Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Newsprint

Paper machine drying rate, [0404-07](#)
Paper machine performance guidelines, [0404-47](#)
Weight of newsprint rolls, [0502-11](#)

Nip

Methods to minimize sheet rewet in the press section, [0404-59](#)
Techniques for nip impressions, [0404-46](#)
The Impact of Pressing on Web Densification, [0404-68](#)
Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)
Paper machine doctor recommendations, [0404-67](#)

Nip pressure

see Nip

Nip-dewatering

see Nip

Nitrogen oxides

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Nomenclature

Common or local names for a nonwood fiber raw material, [0609-01](#)
Recommended pulp bleaching stage designation method, [0606-21](#)
Retention definitions, [0402-13](#)
Moisture content of paper: terminology and conversion, [0808-02](#)

Sulfite pulping process, [0607-25](#)

Terminology for high temperature pressing, [0404-48](#)

Noncondensibles

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Nondestructive tests

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)
Guide to the use of stainless steel pipe specifications, [0402-24](#)
Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)
Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)
Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)
Drainage evaluation by mass measurement, [0502-12](#)
Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)
Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)
Inspection of continuous digesters and impregnation vessels, [0402-27](#)
Liquid penetrant testing of new suction roll shells, [0402-11](#)
Guidelines for nondestructive examination of suction roll shells, [0402-19](#)
Paper machine reel-spool journals: guidelines for crack

testing and repair or replacement, [0402-34](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Nonwood fibers

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Common or local names for a nonwood fiber raw material, [0609-01](#)

Nonwood plants

Common or local names for a nonwood fiber raw material, [0609-01](#)

Nonwovens

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Nonwovens machines

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Nozzles

Nozzle maintenance and clogging, [0420-15](#)

Paper machine shower recommendations, [0404-61](#)

NSSC pulping

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

O

OEM Tolerances

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Opacifiers

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Open time

Troubleshooting a glue lap problem, [0304-10](#)

Operations

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Machinery considerations and selection, [0305-06](#)

Sootblower Safety and Upgrade Guidelines, [0416-28](#)

Optical measurement

Basic guidelines for image analysis, [0804-09](#)

Optimization

Press section optimization, [0404-52](#)

Orifices

see Openings

Overfire air

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Overlays

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Oxidation

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Oxygen

Bulk Oxygen (O₂) Safe Storage and Handling, [0606-29](#)

Ozone

Gaseous ozone (O₃) safe handling, [0606-28](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

P

Packaging

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

Palletization

Checklist: preparing die cuts for shipment, [0305-49](#)

Material handling considerations for flexo folder gluers, [0305-54](#)

Panel

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Paper

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Kaolin clay pigment index, [0106-06](#)

Moisture content of paper: terminology and conversion, [0808-02](#)

Classification of Paper, Board, Tissue, and Pulp Grades, [0404-36](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Through drying, [0404-25](#)

Paper grades

Classification of Paper, Board, Tissue, and Pulp Grades, [0404-36](#)

Paper machines

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Paper machine clothing performance analysis, [0404-26](#)

Paper machine energy conservation, 0404-63

Paper machine performance guidelines, [0404-47](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Papermaker's formulas, [0502-17](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Press section monitoring, [0404-19](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Water permeability of press fabrics, [0404-43](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Paper mills

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Paper rolls

see Rolls, Wound rolls

Paper stock

Guidelines for side-entering stock agitators, [0420-13](#)

Paperboard

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Papermakers alum

see Aluminum sulfate

Paraffin wax

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

Papermaking

Papermaker's formulas, [0502-17](#)

Parallelism

see Alignment

Parameters

Paper machine performance guidelines, [0404-47](#)

Penetrants

Liquid penetrant testing of new suction roll shells, [0402-11](#)

Performance

Dryer section performance monitoring, [0404-33](#)

Paper machine clothing performance analysis, [0404-26](#)

Paper machine room ventilation guidelines, [0404-50](#)

Press fabric record book, [0404-21](#)

Press section economic evaluation, [0404-22](#)

Press section optimization, [0404-52](#)

Recovery boiler performance calculation – short form,

[0416-01](#)

Performance evaluation

Methods of evaluating high velocity dryers, [0404-05](#)

Paper machine performance guidelines, [0404-47](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

Performance tests

Performance test procedure for boilers using biomass as fuel, [0416-18](#)

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Permeability

Water permeability of press fabrics, [0404-43](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

Personnel Training

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Petroleum wax

see Paraffin wax

pH

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makup water, [0416-14](#)

Phosphates

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makup water, [0416-14](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Physical properties

Chlorine dioxide (ClO₂) safe storage and handling, [0606-30](#)

Chlorine gas curve, [0606-02](#)

Density of chlorine gas, [0606-03](#)

Heat of vaporization of liquid chlorine, [0606-04](#)

Magnesia-base pulping solutions, [0607-04](#)

Relative enthalpy (heat content) of sodium hydroxide solutions, [0606-08](#)

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

Viscosity of liquid chlorine, [0606-05](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

Pigment

Kaolin clay pigment index, [0106-06](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Pilot paper machines

see Paper machines

Pilot plants

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Pin register

see Register

Pin register mounting

see Register, Mounting

Pin studs

see Welding

Piping

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Headbox approach piping guidelines, [0404-54](#)

Pipeline

Optimum consistency for pumping pulp, [0410-15](#)

Planning

- Checklist for a properly planned project, [0408-01](#)
- Maintenance considerations in new construction and rebuilds, [0408-02](#)
- Safe Entry into a Yankee Dryer, [0425-10](#)

Plastics

- Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Plastometers

- Measuring the Pusey and Jones indentation of elastomeric roll cover materials [0420-09](#)

Plates

- see also* Printing plates, Refiner disks
- Conducting a corrugator temperature audit, [0304-65](#)
- Impact of doublebacker hot plate level on board quality and how to measure it, [0304-66](#)

Plugging

- Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Pocket humidity

see Humidity

Polishing

- Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Polymers

- Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Polyvinyl Acetate

- Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Porosity

Water permeability of press fabrics, [0404-43](#)

Potassium

- Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

- Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Precipitated calcium carbonate (PCC)

see Calcium carbonate

Precipitators

- Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

- Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Prefeeder

see Feeders

Preheating

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Preservatives

- Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Press

- Methods to minimize sheet rewet in the press section, [0404-59](#)

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

Press drying

see also Drying

Terminology for high temperature pressing, [0404-48](#)

Press fabric

- Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements, [0404-27](#)

Press fabric guiding, [0404-64](#)

Press fabrics

Press fabric record book, [0404-21](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

Press section optimization, [0404-52](#)

Press felts

see also Felts

- Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

Press fabric guiding, [0404-64](#)

Thickness of wet press fabrics, [0404-28](#)

Water permeability of press fabrics, [0404-43](#)

Press rolls

Granite roll material and surface requirements, [0404-41](#)

Weld repairs on new suction roll shells, [0402-17](#)

Press sections

Determination of water removal by wet presses, [0404-01](#)

Press section economic evaluation, [0404-22](#)

Press section monitoring, [0404-19](#)

Press section optimization, [0404-52](#)

Sheet handling devices, [0404-44](#)

- Steam shower applications in the forming and press section, [0404-58](#)

Water permeability of press fabrics, [0404-43](#)

Presses

Papermaker's formulas, [0502-17](#)

Pressing

- Methods to minimize sheet rewet in the press section, [0404-59](#)

Paper machine doctor recommendations, [0404-67](#)

Paper machine shower recommendations, [0404-61](#)

- Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

The Impact of Pressing on Web Densification, [0404-68](#)

Pressure

- Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

- Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Techniques for nip impressions, [0404-46](#)

Pressure gradient

- Thermocompressor Applications for Paper Drying, [0404-66](#)

Pressure roll

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Preventative maintenance

see Maintenance

Printing

- A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

The role of copper in a printing ink, [0304-61](#)

Important quality parameters of a printing ink, [0304-59](#)

Proper use of pull bands, [0305-18](#)

Quality techniques using existing equipment, [0306-11](#)
Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)
Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

Printing cylinders
Cleaning anilox rolls: procedures and options, [0306-18](#)
Identifying anilox roll volume measuring equipment, [0306-15](#)
Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

Printing ink
see Ink

Printing papers
Paper machine drying rate, [0404-07](#)

Printing plates
Quality techniques using existing equipment, [0306-11](#)

Procedures
Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Processes
Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Process control
Obtaining combined board caliper off the corrugator for use in statistical procedures, [0304-12](#)
Short-run statistical process control: a basic charting method, [0304-70](#)
Starch viscosity in corrugating adhesives, [0304-15](#)
Statistical of starch gelatinization temperature, [0304-14](#)
Statistical process control friction-slide angle, [0304-34](#)
Statistical process control -- procedures for charting warp, [0304-13](#)

Process Water
Flow determination by chemical method, [0410-09](#)

Production
Papermaker's formulas, [0502-17](#)

Profile
Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Profiles
Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)
Steam shower applications in the forming and press section, [0404-58](#)

Profiling Screws
Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Project planning
see Planning

Projects
Yankee Dryer Thermal Spray Coating, [0425-09](#)

Protective coatings
Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Psychrometric charts
see also Humidity
Psychrometric charts, [0404-45](#)

Pull rolls

Pulp mill equipment

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)
Horizontal end suction centrifugal stock pumps, [0420-10](#)

Pulp mills

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Energy checklist: pulp mill, [0416-24](#)

Pulpers

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Pulping

Density of chlorine gas, [0606-03](#)

Pulpstones

Grinder pulpstones: cubical contents, [0605-01](#)

Pulpstone speed chart, [0605-02](#)

Pulp

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Optimum consistency for pumping pulp, [0410-15](#)

Paper machine drying rate, [0404-07](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Pulps

Best Practices for Consistency Measurement, [1101-07](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Pulp Cleaning

Introduction to centrifugal cleaners, [0508-10](#)

Pumping

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Optimum consistency for pumping pulp, [0410-15](#)

Pumps

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Horizontal end suction centrifugal stock pumps, [0420-10](#)

Purchase

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

PVA

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Pyrometry

Dryer surface temperature measurement, [0404-39](#)

Q

Qualification

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Quality

Box plant quality measurement: why test?, [0304-02](#)

Important quality parameters of a printing ink, [0304-59](#)

Quality techniques using existing equipment, [0306-11](#)

Starch adhesive trial, [0304-22](#)

Suggestions for developing a box plant quality manual, [0304-49](#)

Quality control

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

Liquid penetrant testing of new suction roll shells, [0402-11](#)

Quality manual

see Quality

R

Radiography

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Raw materials

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Raw Yankee

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Recausticizing

see Causticizing

Reclaimed fibers

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Record books

see Documentation

Recovery

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

Energy checklist: pulp mill, [0416-24](#)

Recovery boilers

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Explanation of recovery boiler leak indications, [0416-23](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Guideline specification for procurement of an economizer for a recovery boiler, [0416-21](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Recovery boiler energy efficiency improvements, [0416-16](#)

Recovery boiler performance calculation – short form, [0416-01](#)

Recovery boiler sootblowers: practical guidelines, [0416-20](#)

Recovery boiler sootblowers: the basics, [0416-19](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Definitions of black liquor recovery furnace availability, [0416-02](#)

Sootblower Safety and Upgrade Guidelines, [0416-28](#)

Recovery furnaces

Chloride and potassium measurement and control in the

pulping and chemical recovery cycle, [0416-15](#)

Explanation of recovery boiler leak indications, [0416-23](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Recovery boiler performance calculation – short form, [0416-01](#)

Recycled fibers

see Reclaimed fibers

Recycled paperboard

Paper machine performance guidelines, [0404-47](#)

Recycled papers

Paper machine performance guidelines, [0404-47](#)

Red Oxide

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Reels

Determination of winder sets per reel, [0502-02](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

TAPPI Roll number for inventory/tracking systems and bar codes, [1004-01](#)

Refiner plates

see Refiner disks

Refiners

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Conical refining intensity, [0508-07](#)

Refiner systems, their inspection and maintenance, [0508-06](#)

Refining

Refining

A glossary of terms used in refining, [0508-02](#)

Conical refining intensity, [0508-07](#)

Refiner systems, their inspection and maintenance, [0508-06](#)

Refractory

Refractory

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Regulating systems

see Control systems

Relative enthalpy

see Enthalpy

Relative humidity

see Humidity

Relief

Water quality and monitoring requirements for paper mill boilers, operating with high purity feedwater, [0416-03](#)

Removal

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Repair

see Maintenance

Repeatability

How to perform a gauge repeatability and reproducibility study, [0304-71](#)

Reporting

Press fabric record book, [0404-21](#)

Replacement

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Reproducibility

How to perform a gauge repeatability and reproducibility study, [0304-71](#)

Resolution

Basic guidelines for image analysis measurements, [0804-09](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Retention

Guidelines for Retention Measurements, [0502-13](#)

Fourdrinier drainage performance evaluation – blow test method, [0410-07](#)

Reverse Angle Doctor Blade

Ink metering systems for corrugated flexo presses, [0306-09](#)

Reverse warp

see Warpage

Rewetting

Methods to minimize sheet rewet in the press section, [0404-59](#)

Rider rolls

Total indicated runout and its impact on combined board quality, [0304-56](#)

Ring crush/SCT resistance

Techniques for bonding modern high-performance liners, [0304-40](#)

Ring crush/SCT tests

Techniques for bonding modern high-performance liners, [0304-40](#)

Risk

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Risk Analysis

See Risk

Rod coaters

see also Coaters

In-line coating at the corrugator, [0304-39](#)

Rollers

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Roll cleaning

Paper machine doctor recommendations, [0404-67](#)

Roll coaters

see also Coaters

In-line coating at the corrugator, [0304-39](#)

Roll core

see Cores

Roll Cover Selection

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Roll crown

Techniques for nip impressions, [0404-46](#)

Roll density

see Rolls

Roll handling

see Materials handling, Jumbo rolls

Roll identification

see Rolls

Roll length

see Rolls

Roll number

see Rolls

Roll stands

Splicer defects and cures, [0304-31](#)

Roll tracking

see Rolls

Roll weight

see Rolls

Rolling contact bearings

see Bearings

Rolling scores

see Scores

Roller bearings

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Rolls

An alternative method for designating flute sizes, [0302-04](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Corrugator temperature audit, [0304-65](#)

Granite roll material and surface requirements, [0404-41](#)

Parallel of corrugating rolls with “NCR” paper, [0304-62](#)

TAPPI Roll number for inventory/tracking systems and bar codes, [1004-01](#)

Techniques for nip impressions, [0404-46](#)

Tests for corrugator roll wear, [0304-53](#)

Total indicated runout and its impact on combined board quality, [0304-56](#)

Weight of newsprint rolls, [0502-11](#)

Rotary

Troubleshooting the Die Cutting Section, [0305-39](#)

Rotary diecutter

see Rotary machines, Die cutters; *see also* Folder gluers

Rotary filters

Bleaching plant washer efficiency guide, [0606-23](#)

Rotary machines

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Introduction to flexo folder gluer/rotary diecutter TIPS, [0305-04](#)

Ordering steel rule cutting dies, [0305-21](#)

Proper use of pull bands, [0305-18](#)

Rotary cutting die maintenance, [0305-23](#)

Rotary die cutter urethane anvil cover maintenance, [0305-](#)

Rotation

Pulpstone speed chart, [0605-02](#)

Roundness

see Shape

Roughness

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Rubbing

see also Abrasion resistance

Runnability

Sheet handling devices, [0404-44](#)

S

Safety

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Chlorine dioxide (ClO₂) safe storage and handling, [0606-30](#)

Gaseous ozone (O₃) safe handling, [0606-28](#)

Housekeeping guidelines, [0305-32](#)

Hydrogen peroxide (H₂O₂) safe storage and handling, [0606-24](#)

Methanol (CH₃OH) safe storage and handling, [0606-25](#)

Bulk Oxygen (O₂) Safe Storage and Handling, [0606-29](#)

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Safe Entry into a Yankee Dryer, [0425-10](#)

Sulfuric acid (H₂SO₄) safe storage and handling, [0606-26](#)

Sootblower Safety and Upgrade Guidelines, 0416-08

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Unloading concentrated sulfuric acid (H₂SO₄) with compressed air, [0420-16](#)

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Safety Devices

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Safety Engineering

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Safety Equipment

Chlorine dioxide (ClO₂) safe storage and handling, [0606-30](#)

Safety Measures

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Salt

see Sodium chloride

Sampling

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

QCS Dynamic Sensor Correlation Sampling Method, [1101-04](#)

Moisture Dynamic Correlation Method, [1101-05](#)

Best Practices for Consistency Measurement, [1101-07](#)

Caliper Dynamic Correlation - Single Point Method, [1101-10](#)

Saturated solutions

see Solutions

Scanners

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Scheduling

Checklist for a properly planned project, [0408-01](#)

Housekeeping guidelines, [0305-32](#)

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Schopper Riegler freeness

Interconversion of freeness, [0809-01](#)

Score breaks

How to prevent score cracking in a box plant, [0304-37](#)

Score cracks

see Score breaks

Scores

How to Minimize Rolling Scores in Diecutting Operations, [0304-64](#)

Preventing score cracking in a box plant, [0304-37](#)

Screens

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Seal water

see Sealants, Water

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Seals

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Seamless materials

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Selection

Machinery considerations and selection, [0305-06](#)

Selective catalytic reduction

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Selective noncatalytic reduction

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Semichemical pulps

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C and other temperatures, [0607-22](#)

Sensitivity

Basic guidelines for image analysis measurements, [0804-09](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Sensors

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

QCS Dynamic Sensor Correlation Sampling Method, [1101-04](#)

Caliper Dynamic Correlation - Single Point Method, [1101-10](#)

Moisture Dynamic Correlation Method, [1101-05](#)

Sensory Evaluation

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Servicing

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Setting time

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

Shafts

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Shape

Total indicated runout and its impact on combined board quality, [0304-56](#)

Sheets

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Sheet water content

see Moisture content

Shells

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Weld repairs on new suction roll shells, [0402-17](#)

Shock drying

Terminology for high temperature pressing, [0404-48](#)

Showers

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Paper machine shower recommendations, [0404-61](#)

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements [0404-27](#)

Steam shower applications in the forming and press section, [0404-58](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

Silica

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill

boilers operating with high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

Paper Machine Water Efficiency, [0502-22](#)

Silky

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Silos

Headbox approach piping guidelines, [0404-54](#)

Simulator

Improving safety training – a hands on approach, [1502-01](#)

Single Facers

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Singlefacers

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, [0304-17](#)

Alternative method for designating flute sizes, [0302-04](#)

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Parallel of corrugating rolls with “NCR” paper, [0304-62](#)

Preventing score cracking in a box plant, [0304-37](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Splicer defects and cures, [0304-31](#)

Siphons

Recommended Dryer Differential Pressures, [0404-31](#)

Thermocompressor Applications for Paper Drying, [0404-66](#)

Skid

Material handling considerations for flexo folder gluers, [0305-54](#)

Slabbing

Broke loss calculations, [0502-10](#)

Slices

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Flow from a vertical slice, [0410-02](#)

Slide angle

Statistical process control, friction, [0304-34](#)

Slip

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, **Analyzing** Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Slurry

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

Slushed paper stock

see Paper stock

Smearing

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Smog

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Smoothness

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Sodium

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

Sodium bicarbonate

Density of aqueous sodium bicarbonate solution, [0607-13](#)

Sodium bisulfite

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Sodium borate

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Sodium carbonate

Density of aqueous sodium carbonate solution, [0607-14](#)

Specific heat of sodium carbonate solution, [0607-15](#)

Vapor pressure of sodium carbonate solution, [0607-16](#)

Viscosity of sodium carbonate solution, [0607-17](#)

Sodium chlorate

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Sodium chloride

Specific gravity of sodium chloride solutions, [0606-10](#)

Sodium hydroxide

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Relative enthalpy of solution, [0606-08](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific heat of caustic soda solutions, [0606-07](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

Sodium sulfite

Density of aqueous sodium sulfite solution, [0607-18](#)

Softness

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Solids content

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

Solubility

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Solutions

Equilibrium relative humidities over saturated salt solutions, [0808-03](#)

Specific heat of caustic soda solutions, [0606-07](#)

Solvent

Chemical cleaning guide for press fabrics, [0404-65](#)

Solvent Extractables

see solvent

Soot blowers

Recovery boiler sootblowers: practical guidelines, [0416-20](#)

Recovery boiler sootblowers: the basics, [0416-19](#)

Sootblower Safety and Upgrade Guidelines, [0416-28](#)

SPC techniques

see Statistical methods

Specialty coating pigment

see Pigment

Specialty papers

Paper machine performance guidelines, [0404-47](#)

Specific gravity

see Density

Specific heat

Specific heat of caustic soda solutions, [0606-07](#)

Specific heat of sodium carbonate solution, [0607-15](#)

Specifications

Guideline specification for procurement of an economizer for a recovery boiler, [0416-21](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Speed

see Velocity

Spent sulfite liquors

Density of aqueous sodium sulfite solution, [0607-18](#)

Splicers

Splicer defects and cures, [0304-31](#)

Spools

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

Spray coaters

see also Coaters

In-line coating at the corrugator, [0304-39](#)

Squaring

see Squared papers, Trimming

Stackers

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

Stacking

Corrugated caliper: why is it so important?, [0304-04](#)

Stacking strength

see Compression strength

Stainless steel

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Post-fabrication cleaning of stainless steel in the pulp and paper industry, [0402-35](#)

Weld repairs on new suction roll shells, [0402-17](#)

Standard conditions

Testing atmospheres simulating end use conditions, [0808-05](#)

Starch

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Starch adhesive trial, [0304-22](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Techniques for running "WRA" (water resistant starch adhesive), [0304-46](#)

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

Using washup water as the vehicle in starch-based corrugating adhesive, [0304-44](#)

Starch conversion

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical analysis

How to perform a gauge repeatability and reproducibility study, [0304-71](#)

Obtaining combined board caliper off the corrugator for use statistical process control procedures, [0304-12](#)

Starch viscosity in corrugating adhesives, [0304-15](#)

Statistical distribution

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Statistical methods

Boxplant quality measurement: why test?, [0304-02](#)

Obtaining combined board caliper off the corrugator, [0304-12](#)

Procedures for charting warp, [0304-13](#)

Procedures for utilizing statistical control techniques to monitor the tare weight of a run of boxes, [0304-35](#)

Short-run statistical process control: a basic charting method, [0304-70](#)

Statistical process control: friction - slide angle, [0304-34](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

Statistical process control

see Statistical methods

Statistical quality control

see Statistical methods

Statistics

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Obtaining combined board caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Starch viscosity in corrugating adhesives, [0304-15](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Status reports

see Reporting

Steam

Application of dryer bars, [0404-35](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Steam shower applications in the forming and press section, [0404-58](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Yankee dryer steam condensing rates, [0404-49](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Steam chests

Terminology for high temperature pressing, [0404-48](#)

Steam pressure

see Pressure gradient

Step-Up Strip

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Sterilization

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Stiffness

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Stock (pulp)

Control of stock activity on a fourdrinier table, [0410-08](#)

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Stock flow

Control of stock activity on a fourdrinier table, [0410-08](#)

Optimum consistency for pumping pulp, [0410-15](#)

Stock preparation

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Stones

see Pulpstones

Storage

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Chlorine dioxide (ClO₂) safe storage and handling, [0606-30](#)

Hydrogen peroxide (H₂O₂) safe storage and handling, [0606-24](#)

Methanol (CH₃OH) safe storage and handling, [0606-25](#)

Bulk Oxygen (O₂) Safe Storage and Handling, [0606-29](#)

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Sulfuric acid (H₂SO₄) safe storage and handling, [0606-26](#)

Unloading concentrated sulfuric acid (H₂SO₄) with compressed air, [0420-16](#)

Strapping

Critical properties to consider when unitizing, [0304-72](#)

Material handling considerations for flexo folder gluers, [0305-54](#)

Stress

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Stress assisted corrosion

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Stress corrosion

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Strippers

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

Stripping

Troubleshooting the Die Cutting Section, [0305-39](#)

Stuff boxes

Headbox approach piping guidelines, [0404-54](#)

Suction

see Vacuum

Suction press rolls

see Press rolls, Vacuum rolls

Suction presses

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Suction rolls

see Vacuum rolls

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Sulfite liquors

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C and other temperatures, [0607-22](#)

Horizontal end suction centrifugal stock pumps, [0420-10](#)

Sulfite pulping

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Sulfur burner gas strength volume, [0607-01](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Sulfite waste liquor

see Spent sulfite liquors

Sulfur burners

Sulfur burner gas strength volume, [0607-01](#)

Sulfur dioxide

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Sulfur burner gas strength volume, [0607-01](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Sulfuric acid

Sulfuric acid (H₂SO₄) safe storage and handling, [0606-26](#)

Unloading concentrated sulfuric acid (H₂SO₄) with compressed air, [0420-16](#)

Surface properties

Granite roll material and surface requirements, [0404-41](#)
projeYankee Dryer Thermal Spray Coating, [0425-09](#)

Surface softness

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Surface speed

see Retention, Machine speed

Suspended solids

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Systems

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

T

Tare weight

Statistical control techniques to monitor the tare weight of a run of boxes, [0304-35](#)

Task time

see Time

Technical nomenclature

see Nomenclature

Temperature

Conducting a corrugator temperature audit, [0304-65](#)

Density of aqueous sodium bicarbonate solution, [0607-13](#)

Density of aqueous sodium carbonate solution, [0607-14](#)

Dryer section performance monitoring, [0404-33](#)

Dryer surface temperature measurement, [0404-39](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Specific heat of sodium carbonate solution, [0607-15](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Testing atmospheres simulating end use conditions, [0808-05](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Vapor pressure of sodium carbonate solution, [0607-16](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

Viscosity of sodium carbonate solution, [0607-17](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Tension

Recommended tensions in dryer fabrics, [0404-04](#)

Terminology

see Nomenclature

Test conditions

Testing atmospheres simulating end use conditions, [0808-05](#)

Test equipment

Paper test rooms: design considerations, [0808-04](#)

Test facilities

Paper test rooms: design considerations, [0808-04](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Test Instruments

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Test Machines

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Test methods

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Test Orifices

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Improving safety training – a hands on approach, [1502-01](#)

Testing

Basic guidelines for image analysis measurements, [0804-09](#)

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Drainage evaluation by mass measurement, [0502-12](#)

Forming section monitoring, [0502-14](#)

Paper test rooms: design considerations, [0808-04](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

Water removal by wet presses, [0404-01](#)

Thermal measurement

Recovery boiler performance calculation – short form, [0416-01](#)

Thermal spray

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Thermocompressors

Thermocompressor Applications for Paper Drying, [0404-66](#)

Thermography

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Thermoplastics

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Thick stock

see High consistency

Thick stock

Flow determination by chemical method, [0410-09](#)

Thickness

Corrugated caliper: why is it so important?, [0304-04](#)

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Method for evaluating thickness of wet press fabrics, [0404-28](#)

Obtaining combined board caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the

paper and paperboard industries, [0304-11](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Through drying

Paper machine performance guidelines, [0404-47](#)

Through drying, [0404-25](#)

Tissue

Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)

Paper machine performance guidelines, [0404-47](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Tissue Paper Machine

see Paper Machine

Tolerance

Corrugator bearing clearance checks and their impact, [0304-47](#)

Total indicated runout

see also Combined boards

Total indicated runout and its impact on combined board quality, [0304-56](#)

Total reduced sulfur

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Touch

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Training

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Training Devices

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Training Equipment

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Training Manuals

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Transmission

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Transport

Checklist: preparing die cuts for shipment, [0305-49](#)

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Sulfuric acid (H₂SO₄) safe storage and handling, [0606-26](#)

Trim

Broke loss calculations, [0502-10](#)

Paper machine room ventilation guidelines, [0404-50](#)

Trimming

Forming section monitoring, [0502-14](#)

Glue lap problem, [0304-10](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

Steam shower applications in the forming and press section, [0404-58](#)

Trip

Improving safety training – a hands on approach, [1502-01](#)

Pre-Task Risk Analysis: Identifying Hazards, Analyzing Risks and Means of Protecting Ourselves Before Performing Work Hazardous materials, [1502-02](#)

Troubleshooting

Press section monitoring, [0404-19](#)

Tubes

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Tungsten carbide

Tests for corrugator roll wear, [0304-53](#)

Tuning

see Control

Turbulence

Application of dryer bars, [0404-35](#)

Turpentine

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Twisting

Techniques to minimize twist warp, [0304-50](#)

U

Uhle box

See also Vacuum boxes

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements, [0404-27](#)

Ultrafine ground limestone

see Limestone

Ultrasonic

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Ultrasonic tests

Guidelines for evaluating quality of boiler tube butt welds

with ultrasonic testing, [0402-31](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Uncoated free sheet

Paper machine performance guidelines, [0404-47](#)

Unitized handling

Critical properties to consider when unitizing, [0304-72](#)

Units of measurement

Units of measurement and conversion factors, [0800-01](#)

Unloading

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Sulfuric acid (H₂SO₄) safe storage and handling, [0606-26](#)

Unloading concentrated sulfuric acid (H₂SO₄) with compressed air, [0420-16](#)

U.P.C.vent

see Product codes

UV

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

V

Vacuum

High vacuum sheet dewatering, [0404-60](#)

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Papermaker's formulas, [0502-17](#)

Steam shower applications in the forming and press section, [0404-58](#)

Vacuum air flow

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Vacuum boxes

High vacuum sheet dewatering, [0404-60](#)

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

Vacuum equipment

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements [0404-27](#)

Vacuum factors

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Vacuum filters

Bleaching plant washer efficiency guide, [0606-23](#)

Vacuum pumps

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements. [0404-27](#)

Vacuum rolls

Liquid penetrant testing of new suction roll shells, [0402-11](#)

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Techniques for nip impressions, [0404-46](#)

Weld repairs on new suction roll shells, [0402-17](#)

Vacuum washers

Bleaching plant washer efficiency guide, [0606-23](#)

Valves

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Headbox approach piping guidelines, [0404-54](#)

Vapor pressure

Chlorine gas curve, [0606-02](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Vapor pressure of sodium carbonate solution, [0607-16](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Variance

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Varnish

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Velocity

see also Machine speed

Pulpstone speed chart, [0605-02](#)

Headbox approach piping guidelines, [0404-54](#)

Vent

Unloading concentrated sulfuric acid (H₂SO₄) with compressed air, [0420-16](#)

Ventilation

Paper machine room ventilation guidelines, [0404-50](#)

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Viscosity

Density of aqueous sodium sulfite solution, [0607-18](#)

Liquid chlorine, [0606-05](#)

Quality techniques using existing equipment, [0306-11](#)

Statistical process control of starch viscosity, [0304-15](#)

Viscosities of spent sulfite liquors at 26.7° C (Oswalt capillary viscometer), [0607-22](#)

Viscosity of a neutral sulfite spent liquor (Oswald capillary viscometer), [0607-23](#)

Viscosity of sodium carbonate solution, [0607-17](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

Viscosity reading procedure for flexographic corrugated inks, [0304-18](#)

Vision

Basic guidelines for image analysis measurements, [0804-09](#)

Void Volume

Chemical cleaning guide for press fabrics, [0404-65](#)

Volume

Grinder pulpstones – cubical contents, [0605-01](#)

Identifying anilox volume measuring equipment, [0306-15](#)

W

Warning labels

see Hazardous materials

Warpage

Statistical process control -- procedures for charting warp, [0304-13](#)

Techniques to minimize twist warp, [0304-50](#)

Warp in corrugated board, [0304-07](#)

Wash waters

Using washing water as the vehicle in starch based corrugating adhesive, [0304-44](#)

Washers

Bleaching plant washer efficiency guide, [0606-23](#)

Energy checklist: pulp mill, [0416-24](#)

Washing

Bleaching plant washer efficiency guide, [0606-23](#)

Recommended pulp bleaching stage designation method,

[0606-21](#)

Wastewater treatment equipment

see Effluent treatment

Water

see also Solubility

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Paper Machine Water Efficiency, [0502-22](#)

Water content

see Moisture content

Water hardness

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water permeability

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Water removal

Determination of water removal by wet presses, [0404-01](#)

High vacuum sheet dewatering, [0404-60](#)

Methods to minimize sheet rewet in the press section,

[0404-59](#)

Paper machine drying rate, [0404-07](#)

The Impact of Pressing on Web Densification, [0404-68](#)

Water resistance

Techniques for running "WRA" (water resistant starch adhesive), [0304-46](#)

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

Water vapor

Paper machine room ventilation guidelines, [0404-50](#)

Waterside cracking

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Wax

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

Wear resistance

see Abrasion resistance

Web breaks

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Web tension

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Webs

see also Paper webs

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Weight

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

Procedure for utilizing statistical control techniques to monitor the tare weight of a run of boxes, [0304-35](#)

Weight of newsprint rolls, [0502-11](#)

Weirs

Weirs and flumes, [0410-10](#)

Welding

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Weld repairs on new suction roll shells, [0402-17](#)

Wet bulb temperature

Relative humidity tables, [0808-06](#)

Wet ends

Drainage evaluation by mass measurement, [0502-12](#)

Forming section monitoring, [0502-14](#)

How to prevent score cracking in a box plant, [0304-37](#)

Selection criteria for wet end ceramics, [0502-15](#)

Headbox approach piping guidelines, [0404-54](#)

Wet felts

see also Felts

Wet presses

Determination of water removal by, [0404-01](#)

Wet pressing

Terminology for high temperature pressing, [0404-48](#)

Wet strength

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

Wet-laid nonwovens

Pilot paper and wet laid nonwoven machines, [0502-16](#)

White liquors

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

White liquor mud

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

White water

Drainage evaluation by mass measurement, [0502-12](#)

Guidelines for Retention Measurements, [0502-13](#)

Flow determination by chemical method, [0410-09](#)

Weirs and flumes, [0410-10](#)

Width

Weight of newsprint rolls, [0502-11](#)

Winding

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Wire

Use of ceramics on the forming section: diagnosing and preventing forming fabric wear, [0502-19](#)

Wire Pits

Headbox approach piping guidelines, [0404-54](#)

Williams freeness

Interconversion of freeness, [0809-01](#)

Winders

Determination of winder sets per reel, [0502-02](#)

Wiper Roll

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Ink metering systems for corrugated flexo presses,

[0306-09](#)

Wiperroll

see Flexography

Wood chips

see Chips

Wood containing papers

see Mechanical papers

Wood free papers

Paper machine drying rate, [0404-07](#)

Work place

see Human factors

Working conditions

see Environments

Wound rolls

Reel diameter for various reel spool and roll core sizes,

[0502-03](#)

TAPPI Roll number for inventory/tracking systems and bar codes, [1004-01](#)

Wrinkles

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Writing papers

Paper machine drying rate, [0404-07](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Techniques for nip impressions, [0404-46](#)

Yankee dryer steam condensing rates, [0404-49](#)

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Safe Entry into a Yankee Dryer, [0425-10](#)

Yankee Grinding

See Grinding

X-Y-Z

Yankee cylinders

see Yankee dryers

Yankee driers

Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)

Yankee dryers

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)