

# Subject Index

## Technical Information Papers

This document was last updated February 28, 2025

### A

#### **Abrasion**

Selection criteria for wet end ceramics, [0502-15](#)

#### **Abrasion resistance**

Selection criteria for wet end ceramics, [0502-15](#)

#### **Absorption**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### **Accessibility**

Maintenance considerations in new construction and rebuilds, [0408-02](#)

#### **Acoustic Emission**

See Nondestructive Tests

#### **Acrylic fibers**

see Polyacrylics, Synthetic fibers

#### **Additives**

Techniques for running “WRA” (water resistant starch adhesive), [0304-46](#)

#### **Adhesives**

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Evaluating glue lap adhesive properties, [0304-16](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Starch adhesive trial, [0304-22](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Techniques for bonding modern high-performance liners, [0304-40](#)

Techniques for running “WRA” (water resistant starch adhesive), [0304-46](#)

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

Using washup water as the vehicle in starch-based corrugating adhesive, [0304-44](#)

#### **After dryers**

Paper machine drying rate, [0404-07](#)

#### **Agitation**

Using washing water as the vehicle in starch based corrugating adhesive, [0304-44](#)

#### **Agitators**

Guidelines for side-entering stock agitators, [0420-13](#)

#### **Air**

Paper machine room ventilation guidelines, [0404-50](#)

#### **Air balance**

see Air, Materials balance

#### **Air flow**

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Sheet handling devices, [0404-44](#)

#### **Air jets**

Sheet handling devices, [0404-44](#)

#### **Air permeability**

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

#### **Air pollution**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### **Air staging**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### **Alignment**

Checking the parallel of corrugating rolls with “NCR” paper, [0304-62](#)

#### **Alkali**

Specific heat of caustic soda solutions, [0606-07](#)

#### **Alkaline sulfite pulping**

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

#### **Alkalinity**

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

#### **Alumina**

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

#### **Ammonia**

Solubility of sulfur dioxide, [0607-06](#)

## **Analysis**

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

## **Angle of slide**

*see* Slide angle

## **Anilox**

Cleaning anilox rolls: procedures and options, [0306-18](#)

## **Anilox coaters**

In-line coating at the corrugator, [0304-39](#)

## **Anilox rolls**

*see* Flexography, Printing cylinders

Ink metering systems for corrugated flexo presses,

[0306-09](#)

## **Anvil Wear**

Troubleshooting the Die Cutting Section, [0305-39](#)

## **Approach flow systems**

Headbox approach piping guidelines, [0404-54](#)

## **Ash**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Drainage evaluation by mass measurement, [0502-12](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

## **Atmosphere**

Testing atmospheres simulating end use conditions,

[0808-05](#)

## **Attenuation**

Headbox approach piping guidelines, [0404-54](#)

## **Auditing**

Checklist for a properly planned project, [0408-01](#)

## **Automatic feeders**

*see* Feeders

## **Automated Felt Scanner**

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

## **Automation**

Industry 4.0 Lexicon, [1501-01](#)

## **Availability**

Definitions of black liquor recovery furnace availability,

[0416-02](#)

---

## **B**

---

## **Backing Blade**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

## **Bacteria**

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

## **Bags**

Paper machine drying rate, [0404-07](#)

## **Bar Width Reduction (BWR)**

*see* Product codes

## **Bar codes**

*see* Product codes

## **Bases**

*see* Hydroxides

## **Basis weight**

Headbox approach piping guidelines, [0404-54](#)

## **Batch digesters**

Guidelines for inspecting batch digesters, [0402-22](#)

## **Batch process**

Measurement of dryer condensing rates (vertical separator method), [0404-18](#)

## **Bauxite**

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

## **Bearings**

Corrugator bearing clearance checks and their impact, [0304-47](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Total indicated runout and its impact on combined board quality, [0304-56](#)

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

## **Bearing failure**

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

## **Biocide**

Using washing water as the vehicle in starch based corrugating adhesive, [0304-44](#)

## **Biomass**

Performance test procedure for boilers using biomass as fuel, [0416-18](#)

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

## **Biomechanics**

*see* Human factors

## **Bisulfites**

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

## **Black liquor**

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

Recovery boiler performance calculation – short form, [0416-01](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

## **Black Oxide**

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

## **Blade**

Paper machine doctor recommendations, [0404-67](#)

## **Blade coaters**

*see also* Coaters

In-line coating at the corrugator, [0304-39](#)

## **Blade holder**

Paper machine doctor recommendations, [0404-67](#)

**Bleach plants**

Bleaching plant washer efficiency guide, [0606-23](#)

**Bleached board**

Paper machine drying rate, [0404-07](#)

Paper machine performance guidelines, [0404-47](#)

**Bleaching**

Boiling point rise of spent sulfite liquors, [0607-21](#)

Chlorine gas curve, [0606-02](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of chlorine gas, [0606-03](#)

Density of milk of lime solution, [0607-05](#)

Heat of vaporization of liquid chlorine, [0606-04](#)

Recommended pulp bleaching stage designation method, [0606-21](#)

Relative enthalpy (heat content) of sodium hydroxide solutions, [0606-08](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Viscosity of liquid chlorine [0606-05](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

**Bleaching stages**

*see* Bleaching

**Blind-drilled rolls**

*see* Vacuum rolls

**Blistering**

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, [0304-17](#)

**Blow boxes**

Sheet handling devices, [0404-44](#)

**Blow-through steam**

Recommended Dryer Differential Pressures, [0404-31](#)

**Blowdown**

*see also* Blowing

**Blowing**

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

**Board**

Pilot paper and wet laid nonwoven machines, [0502-16](#)

**Board caliper**

*see* Thickness

**Boiler feed water**

*see* Boilers, Feedwater

**Boiler tubes**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

**Boilers**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Explanation of recovery boiler leak indications, [0416-23](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Performance test procedure for boilers using biomass as fuel, [0416-18](#)

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

**Bonding**

Techniques for bonding modern high-performance liners, [0304-40](#)

**Box compression**

*see* Compression strength

**Box flaps**

*see* Flaps

**Box machines**

Troubleshooting a glue lap problem, [0304-10](#)

**Box plants**

*see* Converting plants

**Boxes**

Corrugated boxplant-list of potential hazards, [0301-01](#)

Critical properties to consider when unitizing, [0304-72](#)

High vacuum sheet dewatering, [0404-60](#)

**Broke**

Broke loss calculations, [0502-10](#)

**Bronze**

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Weld repairs on new suction roll shells, [0402-17](#)

**Bulky**

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

**Burners**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

**Burst testers**

Calibration and maintenance of the burst tester, [0304-24](#)

**Butt joints**

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Guidelines for specification and inspection of electric

## Butt welds

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

## C

## CADCAM

## CONEG

*see* Regulations

## Cadmium

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

## Calcination

Physical data of calcined kaolin-water suspensions, [0106-09](#)

## Calcium base liquors

Solubility of sulfur dioxide,  $\text{Ca}(\text{HSO}_3)_2$  solutions, [0607-07](#)

## Calcium bisulfite

Solubility of sulfur dioxide,  $\text{Ca}(\text{HSO}_3)_2$  solutions, [0607-07](#)

## Calcium carbonate

Physical data of calcium carbonate-water suspensions, [0106-01](#)

## Calcium hydroxide

Density of milk of lime solution, [0607-05](#)

## Calculations

*see* Computation

## Calibration

Basic guidelines for image analysis measurements, [0804-09](#)

Calibration and maintenance of the manually operated micrometer, [0304-30](#)

Calibration and maintenance of the burst tester, [0304-24](#)

Suggestions for developing a box plant quality manual, [0304-49](#)

## Caliper

*see* Thickness

## Canadian standard freeness

Interconversion of freeness, [0809-01](#)

## Carbon steel

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

## Carbonates

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

## Cartridges

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

## Cast iron

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

## Castings

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

## Caustic soda

*see* Sodium hydroxide

## Causticizing

Material balance equations relating to digester requirements, [0418-02](#)

## Centrifugal Cleaner

Introduction to centrifugal cleaners, [0508-10](#)

## Ceramics

Selection criteria for wet end ceramics, [0502-15](#)

Use of ceramics on the forming section: diagnosing and preventing forming fabric wear, [0502-19](#)

## Certification

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

## Chalk

*see* Calcium carbonate

## Chambered Doctor Blade

Ink metering systems for corrugated flexo presses, [0306-09](#)

## Charting

Short-run statistical process control: a basic charting method, [0304-70](#)

Statistical process control - procedures for charting warp, [0304-13](#)

## Checklist

*see* Maintenance

## Chemical Cleaning

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

## Chemical preparation

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

## Chemical properties

Chlorine dioxide ( $\text{ClO}_2$ ) safe storage and handling, [0606-30](#)

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Magnesia-base pulping solutions, [0607-04](#)

Sodium chlorate ( $\text{NaClO}_3$ ) safe handling and storage, [0606-31](#)

## Chemical pulps

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide,  $\text{Ca}(\text{HSO}_3)_2$  solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

## Chemical Recovery

Recausticizing material balance equations relating to

digester requirements, [0418-02](#)

## **Chemicals**

Material safety data sheets, what to look for - how to understand them, [0304-38](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

## **Chests**

*see* Stock chests

## **Chip silos**

*see* Chip bins

## **Chlorides**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

## **Chlorine**

Chlorine gas curve, [0606-02](#)

Density of chlorine gas, [0606-03](#)

Heat of vaporization of liquid chlorine, [0606-04](#)

Viscosity of liquid chlorine, [0606-05](#)

## **Chlorine dioxide**

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling, [0606-30](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

## **Chrome**

Tests for corrugator roll wear, [0304-53](#)

## **Chromium**

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

Yankee Dryer Thermal Spray Coating, [0425-09](#)

## **Clad-steel plate**

*see* Plates

## **Classification**

Classification of Paper, Board, Tissue, and Pulp Grades, [0404-36](#)

## **Clay**

Kaolin clay pigment index, [0106-06](#)

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

## **Cleaners**

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

## **Cleaning**

Cleaning anilox rolls: procedures and options, [0306-18](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Daily, weekly, and monthly maintenance checklists, [0305-34](#)

Dryer fabric cleaning, [0404-38](#)

Housekeeping guidelines, [0305-32](#)

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Paper machine shower recommendations, [0404-61](#)

Post-fabrication cleaning of stainless steel in the pulp and paper industry, [0402-35](#)

## **Cleaning chemicals**

*see* Cleansers

## **Clogging**

Nozzle maintenance and clogging, [0420-15](#)

## **Clothing**

*see* Felts, Machine clothing

## **Coating**

Kaolin clay pigment index, [0106-06](#)

## **Coating color**

*see* Color

## **Coating thickness**

Tests for corrugator roll wear, [0304-53](#)

## **Coatings**

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Tests for corrugator roll wear, [0304-53](#)

## **Coefficient of friction**

*see* Friction factor

## **Combination Metering System**

Ink metering systems for corrugated flexo presses, [0306-09](#)

## **Combined boards**

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

Obtaining off the corrugator for use in statistical process control procedures, [0304-12](#)

Total indicated runout and its impact on combined board quality, [0304-56](#)

How to Minimize Rolling Scores in Diecutting Operations, [0304-64](#)

## **Compressibility**

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

## **Compression**

Corrugated caliper: why is it so important?, [0304-04](#)

## **Compression resistance**

*see* Compression strength

## **Compression strength**

Corrugated caliper: why is it so important?, [0304-04](#)

Obtaining a combined board caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

## **Computation**

Paper machine drying rate, [0404-07](#)

## **Computer-assisted**

*see* CAD/CAM

## **Concentration**

Best Practices for Consistency Measurement, [1101-07](#)

## **Concentricity**

Total indicated runout and its impact on combined board quality, [0304-56](#)

## **Condensate**

Application of dryer bars, [0404-35](#)

## **Condensates**

Guidelines for detection, monitoring and prevention of

flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Measurement of dryer condensing rates (continuous method), [0404-03](#)

Measurement of dryer condensing rates (vertical separator method), [0404-18](#)

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Yankee dryer steam condensing rates, [0404-49](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

### **Condensation**

Dryer condensing rates (batch method), [0404-02](#)

Dryer condensing rates (continuous method), [0404-03](#)

### **Condensing rates**

*see* Condensation

### **Conditioning**

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Testing atmospheres simulating end use conditions, [0808-05](#)

### **Conductivity**

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

### **Confined Space**

Improving safety training – a hands on approach, [1502-01](#)

### **Conical refiners**

Conical refining intensity, [0508-07](#)

### **Conservation**

Paper Machine Water Efficiency, [0502-22](#)

### **Consistency**

Drainage evaluation by mass measurement, [0502-12](#)

Guidelines for Retention Measurements, [0502-13](#)

Generalized method for determining the pipe friction loss of flowing pulp suspensions, [0410-14](#)

Optimum consistency for pumping pulp, [0410-15](#)

Best Practices for Consistency Measurement, [1101-07](#)

### **Construction materials**

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage, [0606-31](#)

### **Consumption**

Paper Machine Water Efficiency, [0502-22](#)

### **Contact bearings**

*see* Bearings

### **Contact technique**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

### **Container boards**

Friction -- slide angle, [0304-34](#)

### **Contaminants**

*see* Impurities

### **Contamination**

*see* Pollution control

### **Continuous**

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

### **Contraction**

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a vertical slice, [0410-02](#)

### **Control charts**

*see* Charting

### **Control systems**

Industry 4.0 Lexicon, [1501-01](#)

Short-run statistical process control: a basic charting method, [0304-70](#)

### **Conversion factors**

Units of measurement and, [0800-01](#)

### **Converting factors**

Moisture content of paper: terminology and conversion, [0808-02](#)

### **Converting plants**

Boxplant quality measurement: why test?, [0304-02](#)

Corrugated boxplant - list of potential hazards, [0301-01](#)

Machinery considerations and selection, [0305-06](#)

### **Coolors**

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

### **Copper**

The role of copper in a printing ink, [0304-61](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

### **Cores**

Determination of winder sets per reel, [0502-02](#)

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

### **Correlation**

QCS Dynamic Sensor Correlation Sampling Method, [1101-04](#)

Moisture Dynamic Correlation Method, [1101-05](#)

### **Corrosion**

*see also* Corrosion inhibitors

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Nozzle maintenance and clogging, [0420-15](#)

Post-fabrication cleaning of stainless steel in the pulp and

paper industry, [0402-35](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

### **Corrosion prevention**

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

### **Corrugated boards**

The role of copper in a printing ink, [0304-61](#)

Critical properties to consider when unitizing, [0304-72](#)

Important quality parameters of a printing ink, [0304-59](#)

Obtaining caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Statistical process control friction-slide angle, [0304-34](#)

Techniques to minimize twist warp, [0304-50](#)

Warp in corrugated board, [0304-07](#)

### **Corrugated boxes**

*see* Boxes, Corrugated boards

### **Corrugated containers**

*see* Boxes, Corrugated board, Folder gluers, Die cutters

### **Corrugated medium**

An alternative method for designating flute sizes, [0302-04](#)

### **Corrugating**

An alternative method for designating flute sizes, [0302-04](#)

### **Corrugating adhesives**

*see* Adhesives

### **Corrugating machines**

Checking the flute depth of corrugating rolls, [0304-75](#)

Checking the parallel of corrugating rolls with "NCR" paper, [0304-62](#)

Conducting a corrugator temperature audit, [0304-65](#)

Corrugator bearing clearance checks and their impact, [0304-47](#)

Impact of doublebacker hot plate level on board quality and how to measure it, [0304-66](#)

Improved techniques to measure corrugator glue machine meter gaps, [0304-68](#)

Prevention of score cracking in a box plant, [0304-37](#)

Starch viscosity in corrugating adhesives,

[0304-15](#)

Tests for corrugator roll wear, [0304-53](#)

### **Corrugating medium**

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, [0304-09](#)

Paper machine performance guidelines, [0404-47](#)

Paper machine drying rate, [0404-07](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Splicer defects and cures, [0304-31](#)

### **Corrugating plants**

*see* Operations

### **Corrugating rolls**

*see* Rolls

### **Corrugator-double backer**

*see* Corrugating machines

### **Corrugators**

*see also* Corrugating machines

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

### **Costs**

Press section economic evaluation, [0404-22](#)

### **Couch rolls**

Paper Machine Vacuum System Selection Factors, [0502-01](#)

### **Cover**

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Rotary die cutter urethane anvil cover maintenance, [0305-35](#)

### **Cracks**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

### **Creasing**

Troubleshooting the Die Cutting Section, [0305-39](#)

### **Creping**

Yankee Doctor Operational Guidelines, [0425-11](#)

### **Crescent formers**

Paper Machine Vacuum System Selection Factors, [0502-01](#)

### **Cross direction**

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Statistical process control -- procedures for charting warp, [0304-13](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Warp in corrugated board, [0304-07](#)

### **Crown**

*see* Roll crown

### **Crush**

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

### **Cubical contents**

*see* Volumetry

### **Curing**

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

### **Curtain coating**

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

### **Cutters**

*see* Die cutters

## Cutting

Troubleshooting the Die Cutting Section, [0305-39](#)

## Cutting dies

see Die cutters, Rotary machines

## Cylinder Machines

Paper Machine Vacuum System Selection Factors, [0502-01](#)

---

## D

---

## Damage

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

## Dancer Rolls

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

## Dandy rolls

Dandy roll applications, [0404-53](#)

## Data storage

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

## Data tables

Moisture content of paper: terminology and conversion, [0808-02](#)

## Deaerators

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

## Deaeration

Headbox approach piping guidelines, [0404-54](#)

## Debris Removal

Introduction to centrifugal cleaners, [0508-10](#)

## Defects

Addendum to *Corrugating Defect Terminology Manual* -- defects related to the use of fingerless singlefacers, [0304-17](#)

Corrugator bearing clearance checks and their impact, [0304-47](#)

## Definitions

see Nomenclature

A glossary of terms used in refining, [0508-02](#)

## Deformation

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

## Degradation

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

## Densified liners

see Liners

## Density

Density of aqueous sodium bicarbonate solution, [0607-13](#)

Density of aqueous sodium carbonate solution, [0607-14](#)

Density of chlorine gas, [0606-03](#)

Milk of lime solution, [0607-05](#)

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

Sodium sulfite solution, [0607-18](#)

Specific gravity and density of caustic soda solutions, [0506-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

The Impact of Pressing on Web Densification, [0404-68](#)

## Density Gradient

The Impact of Pressing on Web Densification, [0404-68](#)

## Deposits

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

## Deterioration

see Degradation

## Dewatering

see Drainage, Water removal

## Diameter

Roll diameter for various reel spool and roll core sizes, [0502-03](#)

## Dictionaries

see Nomenclature

A glossary of terms used in refining, [0508-02](#)

## Die cutters

see also Rotary machines

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Checklist: preparing die cuts for shipment, [0305-49](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Introduction to flexo folder gluer/rotary diecutter TIPS, [0305-04](#)

How to Minimize Rolling Scores in Diecutting Operations, [0304-64](#)

Ordering steel rule cutting dies, [0305-21](#)

Proper use of pull bands, [0305-18](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Rotary cutting die maintenance, [0305-23](#)

Rotary die cutter urethane anvil cover maintenance, [0305-35](#)

## Die Cutting

Troubleshooting the Die Cutting Section, [0305-39](#)

## Die mounting

Ordering steel rule cutting dies, [0305-21](#)

## Dieboard

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

## Diecut

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

## Differential pressure

Recommended Dryer Differential Pressures, [0404-31](#)

## Differential steam pressures

see Pressure gradient



## **Digester balance equation**

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

## **Digester**

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

## **Digital control**

Industry 4.0 Lexicon, [1501-01](#)

## **Dilution**

Best Practices for Consistency Measurement , [1101-07](#)

## **Dirt**

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

## **Dirt Count**

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

## **Discharge**

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

## **Dispersions**

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

## **Dissolved oxygen**

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

## **Dissolving pulps**

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

## **Doctor**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

## **Doctors**

Paper machine doctor recommendations, [0404-67](#)

## **Doctor Blade Holder**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

## **Doctor blades**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)  
Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

## **Documentation**

Press fabric record book, [0404-21](#)

Suggestions for developing a box plant quality manual, [0304-49](#)

## **Doublefacers**

Impact of doublebacker hot plate level on board quality and how to measure it, [0304-66](#)

Splicer defects and cures, [0304-31](#)

## **Doublewall corrugated boards**

Causes and corrections of common corrugator bonding problems, [0304-32](#)

## **Downtime**

Definitions of black liquor recovery furnace availability, [0416-02](#)

## **Drainage**

Drainage evaluation by mass measurement, [0502-12](#)

Fourdrinier drainage performance evaluation – blow test method, [0410-07](#)

High vacuum sheet dewatering, [0404-60](#)

Interconversion of freeness, [0809-01](#)

## **Drainage factor**

Interconversion of freeness, [0809-01](#)

## **Drapability**

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

## **Dry bulb temperature**

Relative humidity tables, [0808-06](#)

## **Dry ends**

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

## **Dry felts**

Recommended tensions in dryer fabrics, [0404-04](#)

## **Dryer bars**

Application of dryer bars, [0404-35](#)

## **Dryer condensing rates**

*see* Dryers

## **Dryer fabric**

Dryer fabric cleaning, [0404-38](#)

Recommended tensions in dryer fabrics, [0404-04](#)

## **Dryer felts**

*see also* Felts

Methods to minimize sheet rewet in the press section, [0404-59](#)

## **Dryer hoods**

*see* Exhaust hoods

## **Dryer pockets**

Recommended minimum dryer pocket air requirements, [0404-17](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

## **Dryer sections**

Performance of, [0404-33](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Sheet handling devices, [0404-44](#)

## **Dryers**

Application of dryer bars, [0404-35](#)

Dryer condensing rates (batch method), [0404-02](#)

Dryer condensing rates (continuous method), [0404-03](#)

Dryer condensing rates (vertical separator method), [0404-18](#)

Dryer fabric cleaning, [0404-38](#)

Dryer section performance monitoring, [0404-33](#)

Dryer surface temperature measurement, [0404-39](#)  
Drying and curing techniques for in-line flexographic printing, [0306-06](#)  
Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)  
Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)  
High-velocity dryers, [0404-05](#)  
Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)  
Paper machine drying rate, [0404-07](#)  
Papermaker's formulas, [0502-17](#)  
Press fabric record book, [0404-21](#)  
Recommended Dryer Differential Pressures, [0404-31](#)  
Recommended minimum dryer pocket air requirements, [0404-17](#)  
Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)  
Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)  
Steam shower applications in the forming and press section, [0404-58](#)  
Thermocompressor Applications for Paper Drying, [0404-66](#)  
Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)  
Yankee dryer steam condensing rates, [0404-49](#)

**Drying**  
Dryer condensing rates (continuous method), [0404-03](#)  
Dryer condensing rates (vertical separator method), [0404-18](#)  
Dryer section performance monitoring, [0404-33](#)  
Drying and curing techniques for in-line flexographic printing, [0306-06](#)  
Paper machine drying rate, [0404-07](#)  
Through drying, [0404-25](#)

**Drying rate**  
*see* Drying

**Duplex stainless steel**  
*see* Stainless steel

**Durometer**  
A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

**Dust**  
Paper machine room ventilation guidelines, [0404-50](#)

---

## E

### **Economics**

Press section economic evaluation, [0404-22](#)

### **Economizers**

Guideline specification for procurement of an economizer for a recovery boiler, [0416-21](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

### **Edge crush tests (ECT)**

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, [0304-09](#)

### **Edge Fingers**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

### **Efficiency**

Paper machine performance guidelines, [0404-47](#)

Press section monitoring, [0404-19](#)

Recovery boiler energy efficiency improvements, [0416-16](#)

Paper Machine Water Efficiency, [0502-22](#)

### **Elastomers**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

### **Electrical**

Improving safety training – a hands on approach, [1502-01](#)

### **Electromagnetic flow meters**

*See* Flow meters

### **Elliptical technique**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

### **Emissions**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

### **Employee injuries**

*see* Human factors

### **Enclosure**

Improving safety training – a hands on approach, [1502-01](#)

### **Energy**

Paper machine energy conservation, [0404-63](#)

Recovery boiler energy efficiency improvements, [0416-16](#)

Paper Machine Water Efficiency, [0502-22](#)

### **Energy conservation**

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Paper machine room ventilation guidelines, [0404-50](#)

### **Enthalpy**

Relative enthalpy (heat content) of sodium hydroxide solutions, [0606-08](#)

### **Environmental factors**

*see* Environments

### **Environments**

Caustic soda (NaOH) safe storage and handling, [0606-27](#)  
Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling, [0606-30](#)

Gaseous ozone (O<sub>3</sub>) safe handling, [0606-28](#)

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling, [0606-24](#)

Methanol (CH<sub>3</sub>OH) safe storage and handling, [0606-25](#)

Bulk Oxygen (O<sub>2</sub>) Safe Storage and Handling, [0606-29](#)

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage, [0606-31](#)

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, [0606-26](#)

Unloading concentrated sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) with compressed air, [0420-16](#)

## Equations

Papermaker's formulas, [0502-17](#)

## Equilibrium

Relative humidities over saturated salt solutions, [0808-03](#)

## Equipment

Starch adhesive trial, [0304-22](#)

Quality techniques using existing equipment, [0306-11](#)

## Ergonomics

*see* Human factors

## Erosion

Nozzle maintenance and clogging, [0420-15](#)

## Evaluation

*see also* Performance

Drainage evaluation by mass measurement, [0502-12](#)

## Evaporation

*see also* Drying

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

## Evaporators

Recommended test procedure for black liquor evaporators, [0416-11](#)

## Exhaust gas

Paper machine room ventilation guidelines, [0404-50](#)

Collection and burning of pulpd noncondensable gases: regulations, design and operation, [0416-09](#)

## Exhaust hoods

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

## Extrusion coating

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

---

## F

---

### Fabric

*See also* Forming fabrics, Dryer felts

### Fabrics

Dryer fabric cleaning, [0404-38](#)

### FAC

Guidelines for Detection, Monitoring and Prevention of Flow Accelerated Corrosion (FAC) in the Pulp and

Paper Mill, [0402-36](#)

### Fall

Improving safety training – a hands on approach, [1502-01](#)

### Fall Protection

Improving safety training – a hands on approach, [1502-01](#)

### Fan pumps

Headbox approach piping guidelines, [0404-54](#)

### Fatigue

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

### Feed section

*see* Feeding

### Feedback control

*see* Control systems

### Feeders

Material handling considerations for flexo folder gluers, [0305-54](#)

### Feedwater

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

### Felts

*see also* Press felts

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Methods to minimize sheet rewet in the press section, [0404-59](#)

Press fabric record book, [0404-21](#)

The Impact of Pressing on Web Densification, [0404-68](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Water permeability of press fabrics, [0404-43](#)

### Fiberboards

*see* Boxes, Corrugated boards

### Fiberglass-reinforced plastic

*see* Plastic

### Fibrillation

Refiner systems: their inspection and maintenance, [0508-06](#)

### Field tests

*see* Test methods

### Filler

Kaolin clay pigment index, [0106-06](#)

### Film

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Quality techniques using existing equipment, [0306-11](#)

### Filters

Paper machine room ventilation guidelines, [0404-50](#)

### Fine papers

Paper machine drying rate, [0404-07](#)

### Fines Retention

*see* Retention

### Fingerless singlefacers

*see* Singlefacers

### Fingerprints

Quality techniques using existing equipment, [0306-11](#)

### Fire Brick

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

### First Pass Ash Retention

*see* Retention

### First Pass Retention

*see* Retention

### Flaps

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

### Flat boxes

*see* Vacuum boxes

### Flaw Detectors

Guidelines for the In-Service Detection of Acoustic

Emission Indications in Yankee Dryers, [0425-08](#)

### **Flexibility**

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

### **Flexible packaging**

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

### **Flexo folder-gluers**

*see* Folder gluers, Die cutters, Rotary machines

### **Flexo ink**

Proofing of a flexo printing ink, [0304-60](#)

### **Flexo printing**

Proofing of a flexo printing ink, [0304-60](#)

### **Flexography**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Cleaning anilox rolls: procedures and options, [0306-18](#)

Identifying anilox roll volume measuring equipment, [0306-15](#)

Quality techniques using existing equipment, [0306-11](#)

Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

Viscosity reading procedure for flexographic corrugated inks, [0304-18](#)

### **Flow**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Guidelines for Detection, Monitoring and Prevention of Flow Accelerated Corrosion (FAC) in the Pulp and Paper Mill, [0402-36](#)

Paper machine shower recommendations, [0404-61](#)

Horizontal end suction centrifugal stock pumps, [0420-10](#)

### **Flow measurement**

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Flow determination by chemical method, [0410-09](#)

Weirs and flumes, [0410-10](#)

### **Flow meters**

Best Practices for Magnetic Flow Meters, [1101-06](#)

### **Flow rates**

*see* Flow measurement

### **Flow transmitters**

Best Practices for Magnetic Flow Meters, [1101-06](#)

### **Flow tube**

Best Practices for Magnetic Flow Meters, [1101-06](#)

### **Fluff pulp**

Paper machine performance guidelines, [0404-47](#)

### **Flumes**

Weirs and flumes, [0410-10](#)

### **Fluoropolymers**

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

### **Flutes**

An alternative method for designating flute sizes, [0302-04](#)

### **Fogging**

Steam shower applications in the forming and press section, [0404-58](#)

### **Folder gluers**

Buying, Storing, and Handling P.V.A. Adhesives Used on

Folder Gluers and on Sheet Laminators, [0305-25](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Extruded glue mechanism supplement, [0305-43](#)

Folding section, [0305-42](#)

Introduction to flexo folder gluer/rotary diecutter TIPS, [0305-04](#)

Material handling considerations for flexo folder gluers, [0305-54](#)

Proper use of pull bands, [0305-18](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

### **Folding**

Folding section, [0305-42](#)

### **Formaldehyde**

#### **Formation**

Dandy roll applications, [0404-53](#)

#### **Forming**

Forming section monitoring, [0502-14](#)

Paper machine doctor recommendations, [0404-67](#)

Paper machine shower recommendations, [0404-61](#)

Steam shower applications in the forming and press section, [0404-58](#)

#### **Forming fabrics**

Drainage evaluation by mass measurement, [0502-12](#)

Forming section monitoring, [0502-14](#)

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Use of ceramics on the forming section: diagnosing and preventing forming fabric wear, [0502-19](#)

Water permeability of press fabrics, [0404-43](#)

#### **Forming sections**

Fourdrinier drainage performance evaluation – blow test method, [0410-07](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

#### **Fossil fuels**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### **Fourdrinier machines**

Control of stock activity on a fourdrinier table, [0410-08](#)

Drainage performance evaluation – blow test method, [0410-07](#)

Papermaker's formulas, [0502-17](#)

#### **Free sheet**

Paper machine drying rate, [0404-07](#)

#### **Freeness**

Interconversion of, [0809-01](#)

#### **Friction**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

#### **Friction factor**

Statistical process control friction - slide angle, [0304-34](#)

## **Fuel oil**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

## **Furnaces**

*see* Recovery furnaces

---

## **G**

---

## **Gas**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

## **Gauges**

*see* Measuring instruments

## **Gel temperature**

*see* Gels

## **Gelatinization temperature**

*see* Gels

## **Gels**

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

## **Gin notes**

*see* Cotton

## **Ginning**

*see* Cotton

## **Glass fibers**

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

## **Glossaries**

*see* Nomenclature

A glossary of terms used in refining, [0508-02](#)

## **Glue**

Evaluating glue lap adhesive properties, [0304-16](#)

Extruded glue mechanism supplement, [0305-43](#)

Folding section, [0305-42](#)

## **Glue lap**

*see* Glued joints

## **Glue machine**

*see* Gluers

## **Glue pattern**

*see* Gluing

## **Glued joints**

Troubleshooting a glue lap problem, [0304-10](#)

## **Gluers**

Causes and corrections of common corrugator bonding problems, [0304-32](#)

How to prevent score cracking in a box plant, [0304-37](#)

Improved techniques to measure corrugator glue machine meter gaps, [0304-68](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Troubleshooting a glue lap problem, [0304-10](#)

## **Gluing**

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, [0304-17](#)

## **Gluing machines**

*see* Gluers

## **Grab truck**

*see* Lift trucks

## **Granite**

Roll material and surface requirements, [0404-41](#)

## **Green liquors**

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

## **Grinders**

Grinder pulpstones – cubical contents, [0605-01](#)

Pulpstone speed chart, [0605-02](#)

## **Grinding**

Granite roll material and surface requirements, [0404-41](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Yankee dryer thermal spray coating, [0425-09](#)

## **Ground calcium carbonate (GCC)**

*see* Calcium carbonate

## **Guards**

Maintenance considerations in new construction and rebuilds, [0408-02](#)

## **Guarding**

Improving safety training – a hands on approach, [1502-01](#)

## **Guidelines**

Recovery boiler sootblowers: practical guidelines, [0416-20](#)

## **Guides**

Press fabric guiding, [0404-64](#)

## **Guide rolls**

Press fabric guiding, [0404-64](#)

---

## **H**

---

## **Halogens**

*see specific term, e.g., Chlorine*

## **Hand feel**

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

## **Hardness**

Measuring the Pusey and Jones indentation of elastomeric roll cover materials [0420-09](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

## **Hazards**

Corrugated boxplant-list of potential hazards, [0301-01](#)

Material safety data sheets, what to look for - how to understand them, [0304-38](#)

## **Hazardous materials**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Material safety data sheets – what to look for, how to understand them, [0304-38](#)

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

Understanding hazardous materials warning labels, [0304-41](#)

## Headboxes

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a vertical slice, [0410-02](#)

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Papermaker's formulas, [0502-17](#)

Headbox approach piping guidelines, [0404-54](#)

## Heat

Paper machine room ventilation guidelines, [0404-50](#)

Paper Machine Water Efficiency, [0502-22](#)

## Heat content

*see* Enthalpy

## Heat of vaporization

Liquid chlorine, [0606-04](#)

## Heat recovery

Paper machine room ventilation guidelines, [0404-50](#)

## Heat transfer

Application of dryer bars, [0404-35](#)

## Heat transfer coefficient

Recommended test procedure for black liquor evaporators, [0416-11](#)

## Heating

Conducting a corrugator temperature audit, [0304-65](#)

## Heating equipment

Steam shower applications in the forming and press section, [0404-58](#)

## Heavy metals

*see* Metals

## Hematite

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

## High density liners

*see* Liners

## High intensity presses

Terminology for high temperature pressing, [0404-48](#)

## High performance liners

*see* Liners

## High temperature

Terminology for high temperature pressing, [0404-48](#)

## High vacuum

High vacuum sheet dewatering, [0404-60](#)

## Hoods

Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

## Hot melts

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

## Hot pressing

Terminology for high temperature pressing, [0404-48](#)

## Housekeeping

*see* Maintenance, Cleaning

## Humidity

Dryer section performance monitoring, [0404-33](#)

Equilibrium relative humidities over saturated salt solutions, [0808-03](#)

Psychrometric charts, [0404-45](#)

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Relative humidity tables, [0808-06](#)

Testing atmospheres simulating end use conditions, [0808-05](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

## Humidity measurement

Relative humidity tables, [0808-06](#)

## Humidity rooms

Paper test rooms: design considerations, [0808-04](#)

## Hydraulics

Horizontal end suction centrifugal stock pumps, [0420-10](#)

## Hydrocyclones

Introduction to centrifugal cleaners, [0508-10](#)

## Hydrogen peroxide

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling, [0606-24](#)

## Hydroxides

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

## Hypochlorite bleaching

*see* Hypochlorites, Bleaching

---

## Illumination

Basic guidelines for image analysis measurements, [0804-09](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

## Image analysis

Basic guidelines for image analysis measurements, [0804-09](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

## Image quality

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

## Impregnation

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

## Impulse drying

*see* Drying

## Impurities

Dryer fabric cleaning, [0404-38](#)

Paper Machine Clothing Cleaning and Conditioning for

Recycled Fiber Use, [0404-51](#)

### **In-plane stiffness**

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

### **In-process checklist**

*see* Production

### **Infiltration**

Paper machine room ventilation guidelines, [0404-50](#)

### **Information systems**

Industry 4.0 Lexicon, [1501-01](#)

### **Infrared detectors**

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

### **Infrared dryers**

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

### **Ink**

The role of copper in a printing ink, [0304-61](#)

Quality parameters of a printing ink, [0304-59](#)

Quality techniques using existing equipment, [0306-11](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Viscosity reading procedure for flexographic corrugated inks, [0304-18](#)

### **Ink printing proofs**

Proofing of a flexo printing ink, [0304-60](#)

### **Inorganic salts**

Equilibrium relative humidities over saturated salt solutions, [0808-03](#)

### **Inspection**

Guidelines for inspecting batch digesters, [0402-22](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

Inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Recovery boiler sootblowers: practical guidelines, [0416-20](#)

### **Installation**

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

### **Instrumentation**

Press section monitoring, [0404-19](#)

### **Instruments**

Forming section monitoring, [0502-14](#)

### **Insulating**

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

### **Insulation**

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

### **Intensity**

Conical refining intensity, [0508-07](#)

### **Interlock**

Improving safety training – a hands on approach, [1502-01](#)

### **Internal bond strength**

Troubleshooting a glue lap problem, [0304-10](#)

### **IR**

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

### **Iron**

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

---

## **J**

### **Jet dryers**

Methods of evaluating high velocity dryers, [0404-05](#)

### **Jet velocity**

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

### **Jets**

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a vertical slice, [0410-02](#)

### **Joints**

Troubleshooting a glue lap problem, [0304-10](#)

### **Jordans**

*see* Conical refiners

### **Journals (Documents)**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

### **Jumbo rolls**

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

---

## **K**

## **Kaolin**

Kaolin clay pigment index, [0106-06](#)

## **Kraft papers**

Paper machine drying rate, [0404-07](#)

Paper machine performance guidelines, [0404-47](#)

## **Kraft pulping**

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

---

## **L**

---

### **Labels**

Understanding hazardous materials warning labels, [0304-41](#)

### **Laboratories**

Paper test rooms: design considerations, [0808-04](#)

### **Laminates**

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

### **Languages**

Common or local names for a nonwood fiber raw material, [0609-01](#)

### **Lead**

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

### **Leakage**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Explanation of recovery boiler leak indications, [0416-23](#)

### **LED UV**

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

### **Lignosulfonates**

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

[0607-22](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

### **Lime**

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

### **Lime Kiln**

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

### **Lime mud**

*see* White liquor mud

### **Lime-base solutions**

*see* Calcium base liquors

### **Linerboards**

Paper machine drying rate, [0404-07](#)

### **Liners**

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge

stiffness, [0304-09](#)

Paper machine performance guidelines, [0404-47](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Splicer defects and cures, [0304-31](#)

Techniques for bonding modern high-performance liners, [0304-40](#)

### **Line Break**

Improving safety training – a hands on approach, [1502-01](#)

### **Lining**

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

### **Load Cells**

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

### **Locking**

Improving safety training – a hands on approach, [1502-01](#)

### **Lockout Tagout**

Improving safety training – a hands on approach, [1502-01](#)

### **Lubrication**

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

---

## **M**

---

### **Machine clothing**

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Paper machine clothing performance analysis, [0404-26](#)

### **Machine direction**

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

### **Machine operation**

*see also* Maintenance

### **Machine rooms**

Paper machine room ventilation guidelines, [0404-50](#)

### **Machine speed**

Pulpstone speed chart, [0605-02](#)

### **Machine vision**

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

### **Machinery**

Machinery considerations and selection, [0305-06](#)

### **Macro-surface variations**

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

### **Mag meters**

Best Practices for Magnetic Flow Meters, [1101-06](#)

### **Magmeters**

Best Practices for Magnetic Flow Meters, [1101-06](#)

### **Magnesia**

*see* Magnesium oxide

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

### **Magnesium bisulfite**

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

### **Magnesium bisulfite liquor**

*see* Magnesium base liquors



## **Magnesium oxide**

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

## **Magnetic**

Best Practices for Magnetic Flow Meters, [1101-06](#)

## **Magnetic flow meters**

See Flow meters

## **Magnetic flow tube**

See Flow tube

## **Magnetite**

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

## **Maintenance**

Calibration and maintenance of the burst tester, [0304-24](#)

Calibration and maintenance of the manually operated micrometer, [0304-30](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Checking the parallel of corrugating rolls with “NCR” paper, [0304-62](#)

Cleaning anilox rolls: procedures and options, [0306-18](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Daily, weekly, and monthly maintenance checklists, [0305-34](#)

Extruded glue mechanism supplement, [0305-43](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Housekeeping guidelines, [0305-32](#)

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Nozzle maintenance and clogging, [0420-15](#)

Rotary cutting die maintenance, [0305-23](#)

Rotary die cutter urethane anvil cover maintenance, [0305-35](#)

Tests for corrugator roll wear, [0304-53](#)

Troubleshooting a glue lap problem, [0304-10](#)

Weld repairs on new suction roll shells, [0402-17](#)

Improving safety training – a hands on approach, [1502-01](#)

Recovery boiler sootblowers: practical guidelines, [0416-20](#)

## **20**

## **Management**

Yankee Dryer Thermal Spray Coating, [0425-09](#)

## **Manuals**

Suggestions for developing a box plant quality manual, [0304-49](#)

## **Manufacturers joints**

Evaluating glue lap adhesive properties, [0304-16](#)

Folding section, [0305-42](#)

## **MAP**

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

## **Market pulps**

Paper machine performance guidelines, [0404-47](#)

## **Mass**

Drainage evaluation by mass measurement, [0502-12](#)

## **Material safety data sheets**

see Safety

## **Materials**

Bulk Oxygen (O<sub>2</sub>) Safe Storage and Handling, [0606-29](#)

## **Materials balance**

Paper machine room ventilation guidelines, [0404-50](#)

## **Materials handling**

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Gaseous ozone (O<sub>3</sub>) safe handling, [0606-28](#)

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling, [0606-24](#)

Material safety data sheets – what to look for, how to understand them, [0304-38](#)

Methanol (CH<sub>3</sub>OH) safe storage and handling, [0606-25](#)

Bulk Oxygen (O<sub>2</sub>) Safe Storage and Handling, [0606-29](#)

## **MAWP Alteration**

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

## **Maximum Stable Vacuum**

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

## **McKee equation**

see Edge crush tests

## **Measurement**

Conducting a corrugator temperature audit, [0304-65](#)

Drainage evaluation by mass measurement, [0502-12](#)

Dryer condensing rates (batch method), [0404-02](#)

Dryer condensing rates (continuous method), [0404-03](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Units of and conversion factors, [0800-01](#)

Utilizing statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

Best Practices for Consistency Measurement, [1101-07](#)

## **Measuring instruments**

Gauge repeatability and reproducibility study, [0304-71](#)

## **Mechanical papers**

Paper machine drying rate, [0404-07](#)

## **Mechanical Stop**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

## **Medium**

see Corrugating medium

## **Melting point**

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

## **Mercury**

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

## **Metallization**

Yankee Dryer Thermal Spray Coating, [0425-09](#)

## **Metals**

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

## **Methanol**

Methanol (CH<sub>3</sub>OH) safe storage and handling, [0606-25](#)  
Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

#### **Micro-surface variation**

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

#### **Micro-compressibility**

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

#### **Microbes**

*see* Bacteria

#### **Micrometers**

Calibration and maintenance of the manually operated micrometer, [0304-30](#)

#### **Milk of lime solution**

*see* Calcium hydroxide

#### **Moisture**

Determination of water removal by wet presses, [0404-01](#)

Moisture content of paper: terminology and conversion, [0808-02](#)

Steam shower applications in the forming and press section, [0404-58](#)

Moisture Dynamic Correlation Method, [1101-05](#)

#### **Moisture content**

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Determination of water removal by wet presses, [0404-01](#)

Psychrometric charts, [0404-45](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

#### **Moisture control**

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Warp in corrugated board, [0304-07](#)

#### **Moisture regain**

*see* Moisture content, Sorption

#### **Monitoring**

Press section monitoring, [0404-19](#)

#### **Monitors**

Forming section monitoring, [0502-14](#)

Paper test rooms: design considerations, [0808-04](#)

#### **Monoammonium Phosphate**

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

#### **Monosulfite**

*see* Neutral sulfite pulping

#### **Motors**

Paper machine room ventilation guidelines, [0404-50](#)

#### **Mullen**

*see* Burst strength

#### **Multistage process**

*see* Bleaching

---

## **N**

#### **National Fire Protection Association**

Improving safety training – a hands on approach, [1502-01](#)

#### **Natural gas**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### **Needle punched**

*see* Needling

#### **Neutral sulfite liquors**

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

#### **Neutral sulfite pulping**

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

#### **Newsprint**

Paper machine drying rate, [0404-07](#)

Paper machine performance guidelines, [0404-47](#)

Weight of newsprint rolls, [0502-11](#)

#### **Nip**

Methods to minimize sheet rewet in the press section, [0404-59](#)

Techniques for nip impressions, [0404-46](#)

The Impact of Pressing on Web Densification, [0404-68](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

#### **Nip pressure**

*see* Nip

#### **Nitrogen oxides**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### **Nomenclature**

Common or local names for a nonwood fiber raw material, [0609-01](#)

Recommended pulp bleaching stage designation method, [0606-21](#)

Retention definitions, [0402-13](#)

Moisture content of paper: terminology and conversion, [0808-02](#)

Sulfite pulping process, [0607-25](#)

Terminology for high temperature pressing, [0404-48](#)

#### **Noncondensibles**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

#### **Nondestructive tests**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

Drainage evaluation by mass measurement, [0502-12](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Inspection of continuous digesters and impregnation vessels, [0402-27](#)

Liquid penetrant testing of new suction roll shells, [0402-11](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

#### **Nonwood fibers**

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Common or local names for a nonwood fiber raw material, [0609-01](#)

#### **Nonwood plants**

Common or local names for a nonwood fiber raw material, [0609-01](#)

#### **Nonwovens**

Pilot paper and wet laid nonwoven machines, [0502-16](#)

#### **Nonwovens machines**

Pilot paper and wet laid nonwoven machines, [0502-16](#)

#### **Nozzles**

Nozzle maintenance and clogging, [0420-15](#)

Paper machine shower recommendations, [0404-61](#)

#### **NSSC pulping**

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

---

## **O**

#### **OEM Tolerances**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

#### **Opacifiers**

Physical data of calcium carbonate-water suspensions, [0106-01](#)

#### **Open time**

Troubleshooting a glue lap problem, [0304-10](#)

#### **Operations**

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Machinery considerations and selection, [0305-06](#)

Sootblower Safety and Upgrade Guidelines, [0416-28](#)

#### **Optical measurement**

Basic guidelines for image analysis d, [0804-09](#)

#### **Optimization**

Press section optimization, [0404-52](#)

#### **Orifices**

*see* Openings

#### **Overfire air**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### **Overlays**

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for inspecting batch digesters, [0402-22](#)

#### **Oxidation**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### **Oxygen**

Bulk Oxygen (O<sub>2</sub>) Safe Storage and Handling, [0606-29](#)

#### **Ozone**

Gaseous ozone (O<sub>3</sub>) safe handling, [0606-28](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

---

## **P**

#### **Packaging**

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

#### **Palletization**

Checklist: preparing die cuts for shipment, [0305-49](#)

Material handling considerations for flexo folder gluers, [0305-54](#)

#### **Panel**

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

#### **Paper**

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Kaolin clay pigment index, [0106-06](#)

Moisture content of paper: terminology and conversion, [0808-02](#)

Classification of Paper, Board, Tissue, and Pulp Grades, [0404-36](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Through drying, [0404-25](#)

#### **Paper grades**

Classification of Paper, Board, Tissue, and Pulp Grades, [0404-36](#)

#### **Paper machines**

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Guidelines for inspection and nondestructive testing of

paper machine dryers, [0402-16](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Paper machine clothing performance analysis, [0404-26](#)

Paper machine energy conservation, [0404-63](#)

Paper machine performance guidelines, [0404-47](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Papermaker's formulas, [0502-17](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Press section monitoring, [0404-19](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Water permeability of press fabrics, [0404-43](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

#### **Paper mills**

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

#### **Paper rolls**

*see* Rolls, Wound rolls

#### **Paper stock**

Guidelines for side-entering stock agitators, [0420-13](#)

#### **Paperboard**

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

#### **Papermakers alum**

*see* Aluminum sulfate

#### **Paraffin wax**

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

#### **Papermaking**

Papermaker's formulas, [0502-17](#)

#### **Parallelism**

*see* Alignment

#### **Parameters**

Paper machine performance guidelines, [0404-47](#)

#### **Penetrants**

Liquid penetrant testing of new suction roll shells, [0402-11](#)

#### **Performance**

Dryer section performance monitoring, [0404-33](#)

Paper machine clothing performance analysis, [0404-26](#)

Paper machine room ventilation guidelines, [0404-50](#)

Press fabric record book, [0404-21](#)

Press section economic evaluation, [0404-22](#)

Press section optimization, [0404-52](#)

Recovery boiler performance calculation – short form, [0416-01](#)

#### **Performance evaluation**

Methods of evaluating high velocity dryers, [0404-05](#)

Paper machine performance guidelines, [0404-47](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

#### **Performance tests**

Performance test procedure for boilers using biomass as fuel, [0416-18](#)

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

#### **Permeability**

Water permeability of press fabrics, [0404-43](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

#### **Personnel Training**

Improving safety training – a hands on approach, [1502-01](#)

#### **Petroleum wax**

*see* Paraffin wax

#### **pH**

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

#### **Phosphates**

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

#### **Physical properties**

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling, [0606-30](#)

Chlorine gas curve, [0606-02](#)

Density of chlorine gas, [0606-03](#)

Heat of vaporization of liquid chlorine, [0606-04](#)

Magnesia-base pulping solutions, [0607-04](#)

Relative enthalpy (heat content) of sodium hydroxide solutions, [0606-08](#)

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage, [0606-31](#)

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

Viscosity of liquid chlorine, [0606-05](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

#### **Pigment**

Kaolin clay pigment index, [0106-06](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

#### **Pilot paper machines**

*see* Paper machines

#### **Pilot plants**

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

#### **Pin register**

*see* Register

#### **Pin register mounting**

*see* Register, Mounting

#### **Pin studs**

*see* Welding

#### **Piping**

Guidelines for detection, monitoring and prevention of

flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Headbox approach piping guidelines, [0404-54](#)

### **Pipeline**

Optimum consistency for pumping pulp, [0410-15](#)

### **Planning**

Checklist for a properly planned project, [0408-01](#)

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Safe Entry into a Yankee Dryer, [0425-10](#)

### **Plastics**

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

### **Plastometers**

Measuring the Pusey and Jones indentation of elastomeric roll cover materials [0420-09](#)

### **Plates**

*see also* Printing plates, Refiner disks

Conducting a corrugator temperature audit, [0304-65](#)

Impact of doublebacker hot plate level on board quality and how to measure it, [0304-66](#)

### **Plugging**

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

### **Pocket humidity**

*see* Humidity

### **Polishing**

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

### **Polymers**

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

### **Polyvinyl Acetate**

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

### **Porosity**

Water permeability of press fabrics, [0404-43](#)

### **Potassium**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

### **Precipitated calcium carbonate (PCC)**

*see* Calcium carbonate

### **Precipitators**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

### **Prefeeder**

*see* Feeders

### **Preheating**

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

### **Preservatives**

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

### **Press**

Methods to minimize sheet rewet in the press section, [0404-59](#)

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

### **Press drying**

*see also* Drying

Terminology for high temperature pressing, [0404-48](#)

### **Press fabric**

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements, [0404-27](#)

Press fabric guiding, [0404-64](#)

### **Press fabrics**

Press fabric record book, [0404-21](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

Press section optimization, [0404-52](#)

### **Press felts**

*see also* Felts

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

Press fabric guiding, [0404-64](#)

Thickness of wet press fabrics, [0404-28](#)

Water permeability of press fabrics, [0404-43](#)

### **Press rolls**

Granite roll material and surface requirements, [0404-41](#)

Weld repairs on new suction roll shells, [0402-17](#)

### **Press sections**

Determination of water removal by wet presses, [0404-01](#)

Press section economic evaluation, [0404-22](#)

Press section monitoring, [0404-19](#)

Press section optimization, [0404-52](#)

Sheet handling devices, [0404-44](#)

Steam shower applications in the forming and press section, [0404-58](#)

Water permeability of press fabrics, [0404-43](#)

### **Presses**

Papermaker's formulas, [0502-17](#)

### **Pressing**

Methods to minimize sheet rewet in the press section, [0404-59](#)

Paper machine doctor recommendations, [0404-67](#)

Paper machine shower recommendations, [0404-61](#)

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

The Impact of Pressing on Web Densification, [0404-68](#)

### **Pressure**

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Techniques for nip impressions, [0404-46](#)

**Pressure gradient**

Thermocompressor Applications for Paper Drying, [0404-66](#)

**Pressure roll**

Paper Machine Vacuum System Selection Factors, [0502-01](#)

**Preventative maintenance**

*see* Maintenance

**Printing**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

The role of copper in a printing ink, [0304-61](#)

Important quality parameters of a printing ink, [0304-59](#)

Proper use of pull bands, [0305-18](#)

Quality techniques using existing equipment, [0306-11](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

**Printing cylinders**

Cleaning anilox rolls: procedures and options, [0306-18](#)

Identifying anilox roll volume measuring equipment, [0306-15](#)

Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

**Printing ink**

*see* Ink

**Printing papers**

Paper machine drying rate, [0404-07](#)

**Printing plates**

Quality techniques using existing equipment, [0306-11](#)

**Procedures**

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

**Processes**

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

**Process control**

Obtaining combined board caliper off the corrugator for use in statistical procedures, [0304-12](#)

Short-run statistical process control: a basic charting method, [0304-70](#)

Starch viscosity in corrugating adhesives, [0304-15](#)

Statistical of starch gelatinization temperature, [0304-14](#)

Statistical process control friction-slide angle, [0304-34](#)

Statistical process control -- procedures for charting warp, [0304-13](#)

**Process Water**

Flow determination by chemical method, [0410-09](#)

**Production**

Papermaker's formulas, [0502-17](#)

**Profile**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

**Profiles**

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Steam shower applications in the forming and press section, [0404-58](#)

**Profiling Screws**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

**Project planning**

*see* Planning

**Projects**

Yankee Dryer Thermal Spray Coating, [0425-09](#)

**Protective coatings**

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

**Psychrometric charts**

*see also* Humidity

Psychrometric charts, [0404-45](#)

**Pull rolls****Pulp mill equipment**

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Horizontal end suction centrifugal stock pumps, [0420-10](#)

**Pulp mills**

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

**Pulpers**

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

**Pulping**

Density of chlorine gas, [0606-03](#)

**Pulpstones**

Grinder pulpstones: cubical contents, [0605-01](#)

Pulpstone speed chart, [0605-02](#)

**Pulp**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Optimum consistency for pumping pulp, [0410-15](#)

Paper machine drying rate, [0404-07](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

**Pumps**

Best Practices for Consistency Measurement, [1101-07](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

**Pulp Cleaning**

Introduction to centrifugal cleaners, [0508-10](#)

**Pumping**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Optimum consistency for pumping pulp, [0410-15](#)

**Pumps**

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Horizontal end suction centrifugal stock pumps, [0420-10](#)

**Purchase**

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

**PVA**

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

**Pyrometry**

Dryer surface temperature measurement, [0404-39](#)

## Qualification

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

## Quality

Box plant quality measurement: why test?, [0304-02](#)

Important quality parameters of a printing ink, [0304-59](#)

Quality techniques using existing equipment, [0306-11](#)

Starch adhesive trial, [0304-22](#)

Suggestions for developing a box plant quality manual, [0304-49](#)

## Quality control

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

Liquid penetrant testing of new suction roll shells, [0402-11](#)

## Quality manual

*see* Quality

---

## R

---

## Radiography

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

## Raw materials

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

## Raw Yankee

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

## Recausticizing

*see* Causticizing

## Reclaimed fibers

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

## Record books

*see* Documentation

## Recovery

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

## Recovery boilers

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Explanation of recovery boiler leak indications, [0416-23](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Guideline specification for procurement of an economizer for a recovery boiler, [0416-21](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Recovery boiler energy efficiency improvements, [0416-16](#)

Recovery boiler performance calculation – short form, [0416-01](#)

Recovery boiler sootblowers: practical guidelines, [0416-20](#)

Recovery boiler sootblowers: the basics, [0416-19](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Definitions of black liquor recovery furnace availability, [0416-02](#)

Sootblower Safety and Upgrade Guidelines, [0416-28](#)

## Recovery furnaces

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Explanation of recovery boiler leak indications, [0416-23](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Recovery boiler performance calculation – short form, [0416-01](#)

## Recycled fibers

*see* Reclaimed fibers

## Recycled paperboard

Paper machine performance guidelines, [0404-47](#)

## Recycled papers

Paper machine performance guidelines, [0404-47](#)

## Red Oxide

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

## Reels

Determination of winder sets per reel, [0502-02](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

TAPPI Roll number for inventory/tracking systems and bar codes, [1004-01](#)

## Refiner plates

*see* Refiner disks

## Refiners

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Conical refining intensity, [0508-07](#)

Refiner systems, their inspection and maintenance, [0508-06](#)

## Refining

A glossary of terms used in refining, [0508-02](#)

Conical refining intensity, [0508-07](#)

Refiner systems, their inspection and maintenance, [0508-06](#)

## Refractory

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

## Regulating systems

*see* Control systems

## Regulations

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

**Relative enthalpy**

*see* Enthalpy

**Relative humidity**

*see* Humidity

**Relief**

Water quality and monitoring requirements for paper mill boilers, operating with high purity feedwater, [0416-03](#)

**Removal**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

**Repair**

*see* Maintenance

**Repeatability**

How to perform a gauge repeatability and reproducibility study, [0304-71](#)

**Reporting**

Press fabric record book, [0404-21](#)

**Replacement**

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

**Reproducibility**

How to perform a gauge repeatability and reproducibility study, [0304-71](#)

**Resolution**

Basic guidelines for image analysis measurements, [0804-09](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

**Retention**

Guidelines for Retention Measurements, [0502-13](#)

Fourdrinier drainage performance evaluation – blow test method, [0410-07](#)

**Reverse Angle Doctor Blade**

Ink metering systems for corrugated flexo presses, [0306-09](#)

**Reverse warp**

*see* Warpage

**Rewetting**

Methods to minimize sheet rewet in the press section, [0404-59](#)

**Rider rolls**

Total indicated runout and its impact on combined board quality, [0304-56](#)

**Ring crush/SCT resistance**

Techniques for bonding modern high-performance liners, [0304-40](#)

**Ring crush/SCT tests**

Techniques for bonding modern high-performance liners, [0304-40](#)

**Rod coaters**

*see also* Coaters

In-line coating at the corrugator, [0304-39](#)

**Rollers**

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

**Roll cleaning**

Paper machine doctor recommendations, [0404-67](#)

**Roll coaters**

*see also* Coaters

In-line coating at the corrugator, [0304-39](#)

**Roll core**

*see* Cores

**Roll Cover Selection**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

**Roll crown**

Techniques for nip impressions, [0404-46](#)

**Roll density**

*see* Rolls

**Roll handling**

*see* Materials handling, Jumbo rolls

**Roll identification**

*see* Rolls

**Roll length**

*see* Rolls

**Roll number**

*see* Rolls

**Roll stands**

Splicer defects and cures, [0304-31](#)

**Roll tracking**

*see* Rolls

**Roll weight**

*see* Rolls

**Rolling contact bearings**

*see* Bearings

**Rolling scores**

*see* Scores

**Roller bearings**

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

**Rolls**

An alternative method for designating flute sizes, [0302-04](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Corrugator temperature audit, [0304-65](#)

Granite roll material and surface requirements, [0404-41](#)

Parallel of corrugating rolls with “NCR” paper, [0304-62](#)

TAPPI Roll number for inventory/tracking systems and bar codes, [1004-01](#)

Techniques for nip impressions, [0404-46](#)

Tests for corrugator roll wear, [0304-53](#)

Total indicated runout and its impact on combined board quality, [0304-56](#)

Weight of newsprint rolls, [0502-11](#)

**Rotary**

Troubleshooting the Die Cutting Section, [0305-39](#)

**Rotary diecutter**

*see* Rotary machines, Die cutters; *see also* Folder gluers

**Rotary filters**

Bleaching plant washer efficiency guide, [0606-23](#)

**Rotary machines**

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Cleanup procedures for flexo folder gluer/rotary



diecutters, [0305-33](#)

Introduction to flexo folder gluer/rotary diecutter TIPS, [0305-04](#)

Ordering steel rule cutting dies, [0305-21](#)

Proper use of pull bands, [0305-18](#)

Rotary cutting die maintenance, [0305-23](#)

Rotary die cutter urethane anvil cover maintenance, [0305-](#)

[35](#)

### **Rotation**

Pulpstone speed chart, [0605-02](#)

### **Roundness**

*see* Shape

### **Roughness**

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods,

[0808-08](#)

### **Rubbing**

*see also* Abrasion resistance

### **Runnability**

Sheet handling devices, [0404-44](#)

---

## **S**

---

### **Safety**

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling,

[0606-30](#)

Corrugated boxplant-list of potential hazards, [0301-01](#)

Gaseous ozone (O<sub>3</sub>) safe handling, [0606-28](#)

Housekeeping guidelines, [0305-32](#)

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling,

[0606-24](#)

Material safety data sheets, [0304-38](#)

Methanol (CH<sub>3</sub>OH) safe storage and handling, [0606-25](#)

Bulk Oxygen (O<sub>2</sub>) Safe Storage and Handling, [0606-29](#)

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage,

[0606-31](#)

Safe Entry into a Yankee Dryer, [0425-10](#)

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, [0606-26](#)

Sootblower Safety and Upgrade Guidelines, 0416-08

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Unloading concentrated sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) with compressed air, [0420-16](#)

Improving safety training – a hands on approach, [1502-01](#)

### **Safety Devices**

Improving safety training – a hands on approach, [1502-01](#)

### **Safety Engineering**

Improving safety training – a hands on approach, [1502-01](#)

### **Safety Equipment**

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling,

[0606-30](#)

### **Safety Measures**

Improving safety training – a hands on approach, [1502-01](#)

### **Salt**

*see* Sodium chloride

### **Sampling**

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

QCS Dynamic Sensor Correlation Sampling Method, [1101-04](#)

Moisture Dynamic Correlation Method, [1101-05](#)

Best Practices for Consistency Measurement, [1101-07](#)

### **Saturated solutions**

*see* Solutions

### **Scanners**

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

### **Scheduling**

Checklist for a properly planned project, [0408-01](#)

Housekeeping guidelines, [0305-32](#)

Maintenance considerations in new construction and rebuilds, [0408-02](#)

### **Schopper Riegler freeness**

Interconversion of freeness, [0809-01](#)

### **Score breaks**

How to prevent score cracking in a box plant, [0304-37](#)

### **Score cracks**

*see* Score breaks

### **Scores**

How to Minimize Rolling Scores in Diecutting Operations, [0304-64](#)

Preventing score cracking in a box plant, [0304-37](#)

### **Screens**

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

### **Seal water**

*see* Sealants, Water

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

### **Seals**

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

### **Seamless materials**

Guide to the use of stainless steel pipe specifications, [0402-24](#)

### **Selection**

Machinery considerations and selection, [0305-06](#)

### **Selective catalytic reduction**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

### **Selective noncatalytic reduction**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

### **Semichemical pulps**

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process,

[0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions,

[0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C and other temperatures, [0607-22](#)

## **Sensitivity**

Basic guidelines for image analysis measurements, [0804-09](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

## **Sensors**

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

QCS Dynamic Sensor Correlation Sampling Method, [1101-04](#)

Moisture Dynamic Correlation Method, [1101-05](#)

## **Sensory Evaluation**

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

## **Servicing**

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Improving safety training – a hands on approach, [1502-01](#)

## **Setting time**

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

## **Shafts**

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

## **Shape**

Total indicated runout and its impact on combined board quality, [0304-56](#)

## **Sheets**

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

## **Sheet water content**

see Moisture content

## **Shells**

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Weld repairs on new suction roll shells, [0402-17](#)

## **Shock drying**

Terminology for high temperature pressing, [0404-48](#)

## **Showers**

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Paper machine shower recommendations, [0404-61](#)

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements [0404-27](#)

Steam shower applications in the forming and press section, [0404-58](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

## **Silica**

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Paper Machine Water Efficiency, [0502-22](#)

## **Silky**

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

## **Silos**

Headbox approach piping guidelines, [0404-54](#)

## **Simulator**

Improving safety training – a hands on approach, [1502-01](#)

## **Single Facers**

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

## **Singlefacers**

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, [0304-17](#)

Alternative method for designating flute sizes, [0302-04](#)

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Parallel of corrugating rolls with “NCR” paper, [0304-62](#)

Preventing score cracking in a box plant, [0304-37](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Splicer defects and cures, [0304-31](#)

## **Siphons**

Thermocompressor Applications for Paper Drying,

[0404-66](#)

## **Skid**

Material handling considerations for flexo folder gluers, [0305-54](#)

Recommended Dryer Differential Pressures, [0404-31](#)

## **Slabbing**

Broke loss calculations, [0502-10](#)

## **Slices**

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Flow from a vertical slice, [0410-02](#)

## **Slide angle**

Statistical process control, friction, [0304-34](#)

## **Slip**

Improving safety training – a hands on approach, [1502-01](#)

## **Slurry**

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

## **Slushed paper stock**

see Paper stock

## **Smearing**

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

## **Smog**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

## **Smoothness**

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

## **Sodium**

Water quality and monitoring requirements for paper mill

boilers operating with high purity feedwater, [0416-03](#)

### **Sodium bicarbonate**

Density of aqueous sodium bicarbonate solution, [0607-13](#)

### **Sodium bisulfite**

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

### **Sodium borate**

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

### **Sodium carbonate**

Density of aqueous sodium carbonate solution, [0607-14](#)

Specific heat of sodium carbonate solution, [0607-15](#)

Vapor pressure of sodium carbonate solution, [0607-16](#)

Viscosity of sodium carbonate solution, [0607-17](#)

### **Sodium chlorate**

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage, [0606-31](#)

### **Sodium chloride**

Specific gravity of sodium chloride solutions, [0606-10](#)

### **Sodium hydroxide**

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Relative enthalpy of solution, [0606-08](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific heat of caustic soda solutions, [0606-07](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

### **Sodium sulfite**

Density of aqueous sodium sulfite solution, [0607-18](#)

### **Softness**

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

### **Solids content**

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

### **Solubility**

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

### **Solutions**

Equilibrium relative humidities over saturated salt solutions, [0808-03](#)

Specific heat of caustic soda solutions, [0606-07](#)

### **Soot blowers**

Recovery boiler sootblowers: practical guidelines, [0416-20](#)

Recovery boiler sootblowers: the basics, [0416-19](#)

Sootblower Safety and Upgrade Guidelines, [0416-28](#)

### **SPC techniques**

*see* Statistical methods

### **Specialty coating pigment**

*see* Pigment

### **Specialty papers**

Paper machine performance guidelines, [0404-47](#)

### **Specific gravity**

*see* Density

### **Specific heat**

Specific heat of caustic soda solutions, [0606-07](#)

Specific heat of sodium carbonate solution, [0607-15](#)

### **Specifications**

Guideline specification for procurement of an economizer for a recovery boiler, [0416-21](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

### **Speed**

*see* Velocity

### **Spent sulfite liquors**

Density of aqueous sodium sulfite solution, [0607-18](#)

### **Splicers**

Splicer defects and cures, [0304-31](#)

### **Spools**

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

### **Spray coaters**

*see also* Coaters

In-line coating at the corrugator, [0304-39](#)

### **Squaring**

*see* Squared papers, Trimming

### **Stackers**

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

### **Stacking**

Corrugated caliper: why is it so important?, [0304-04](#)

### **Stacking strength**

*see* Compression strength

### **Stainless steel**

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Post-fabrication cleaning of stainless steel in the pulp and paper industry, [0402-35](#)

Weld repairs on new suction roll shells, [0402-17](#)

### **Standard conditions**

Testing atmospheres simulating end use conditions, [0808-05](#)

### **Starch**

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Starch adhesive trial, [0304-22](#)  
Statistical process control of starch gelatinization temperature, [0304-14](#)  
Statistical process control of starch viscosity, [0304-15](#)  
Techniques for running “WRA” (water resistant starch adhesive), [0304-46](#)  
Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)  
Using washup water as the vehicle in starch-based corrugating adhesive, [0304-44](#)

#### **Starch conversion**

Statistical process control of starch gelatinization temperature, [0304-14](#)

#### **Statistical analysis**

How to perform a gauge repeatability and reproducibility study, [0304-71](#)

Obtaining combined board caliper off the corrugator for use statistical process control procedures, [0304-12](#)

Starch viscosity in corrugating adhesives, [0304-15](#)

#### **Statistical distribution**

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

#### **Statistical methods**

Boxplant quality measurement: why test?, [0304-02](#)

Obtaining combined board caliper off the corrugator, [0304-12](#)

Procedures for charting warp, [0304-13](#)

Procedures for utilizing statistical control techniques to monitor the tare weight of a run of boxes, [0304-35](#)

Short-run statistical process control: a basic charting method, [0304-70](#)

Statistical process control: friction - slide angle, [0304-34](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

#### **Statistical process control**

*see* Statistical methods

#### **Statistical quality control**

*see* Statistical methods

#### **Statistics**

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Obtaining combined board caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Starch viscosity in corrugating adhesives, [0304-15](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

#### **Status reports**

*see* Reporting

#### **Steam**

Application of dryer bars, [0404-35](#)

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill,

#### [0402-36](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Steam shower applications in the forming and press section, [0404-58](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Yankee dryer steam condensing rates, [0404-49](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

#### **Steam chests**

Terminology for high temperature pressing, [0404-48](#)

#### **Steam pressure**

*see* Pressure gradient

#### **Step-Up Strip**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

#### **Sterilization**

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

#### **Stiffness**

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

#### **Stock (pulp)**

Control of stock activity on a fourdrinier table, [0410-08](#)

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

#### **Stock flow**

Control of stock activity on a fourdrinier table, [0410-08](#)

Optimum consistency for pumping pulp, [0410-15](#)

#### **Stock preparation**

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

#### **Stones**

*see* Pulpstones

#### **Storage**

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling,

[0606-30](#)

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling,

[0606-24](#)

Methanol (CH<sub>3</sub>OH) safe storage and handling, [0606-25](#)

Bulk Oxygen (O<sub>2</sub>) Safe Storage and Handling, [0606-29](#)

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage,

[0606-31](#)

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, [0606-26](#)

Unloading concentrated sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) with compressed air, [0420-16](#)

#### **Strapping**

Critical properties to consider when unitizing, [0304-72](#)

Material handling considerations for flexo folder gluers, [0305-54](#)

#### **Stress**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

## **Stress assisted corrosion**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

## **Stress corrosion**

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

## **Strippers**

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

## **Stripping**

Troubleshooting the Die Cutting Section, [0305-39](#)

## **Stuff boxes**

Headbox approach piping guidelines, [0404-54](#)

## **Suction**

*see* Vacuum

## **Suction press rolls**

*see* Press rolls, Vacuum rolls

## **Suction presses**

Paper Machine Vacuum System Selection Factors, [0502-01](#)

## **Suction rolls**

*see* Vacuum rolls

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

## **Sulfite liquors**

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C and other temperatures, [0607-22](#)

Horizontal end suction centrifugal stock pumps, [0420-10](#)

## **Sulfite pulping**

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Sulfur burner gas strength volume, [0607-01](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

## **Sulfite waste liquor**

*see* Spent sulfite liquors

## **Sulfur burners**

Sulfur burner gas strength volume, [0607-01](#)

## **Sulfur dioxide**

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Sulfur burner gas strength volume, [0607-01](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

## **Sulfuric acid**

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, [0606-26](#)

Unloading concentrated sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) with compressed air, [0420-16](#)

## **Surface properties**

Granite roll material and surface requirements, [0404-41](#)

projeYankee Dryer Thermal Spray Coating, [0425-09](#)

## **Surface softness**

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

## **Surface speed**

*see* Retention, Machine speed

## **Suspended solids**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

## **Systems**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

---

## **T**

---

## **Tare weight**

Statistical control techniques to monitor the tare weight of a run of boxes, [0304-35](#)

## **Task time**

*see* Time

## **Technical nomenclature**

*see* Nomenclature

## **Temperature**

Conducting a corrugator temperature audit, [0304-65](#)

Density of aqueous sodium bicarbonate solution, [0607-13](#)

Density of aqueous sodium carbonate solution, [0607-14](#)

Dryer section performance monitoring, [0404-33](#)

Dryer surface temperature measurement, [0404-39](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and

air systems, [0404-24](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Specific heat of sodium carbonate solution, [0607-15](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Testing atmospheres simulating end use conditions, [0808-05](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Vapor pressure of sodium carbonate solution, [0607-16](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

Viscosity of sodium carbonate solution, [0607-17](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

### **Tension**

Recommended tensions in dryer fabrics, [0404-04](#)

### **Terminology**

*see* Nomenclature

### **Test conditions**

Testing atmospheres simulating end use conditions, [0808-05](#)

### **Test equipment**

Paper test rooms: design considerations, [0808-04](#)

### **Test facilities**

Paper test rooms: design considerations, [0808-04](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

### **Test Instruments**

Improving safety training – a hands on approach, [1502-01](#)

### **Test Machines**

Improving safety training – a hands on approach, [1502-01](#)

### **Test methods**

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

### **Test Orifices**

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Improving safety training – a hands on approach, [1502-01](#)

### **Testing**

Basic guidelines for image analysis measurements, [0804-09](#)

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Drainage evaluation by mass measurement, [0502-12](#)

Forming section monitoring, [0502-14](#)

Paper test rooms: design considerations, [0808-04](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

Water removal by wet presses, [0404-01](#)

### **Thermal measurement**

Recovery boiler performance calculation – short form, [0416-01](#)

### **Thermal spray**

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Yankee Dryer Thermal Spray Coating, [0425-09](#)

### **Thermocompressors**

Thermocompressor Applications for Paper Drying, [0404-66](#)

### **Thermography**

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

### **Thermoplastics**

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

### **Thick stock**

*see* High consistency

### **Thick stock**

Flow determination by chemical method, [0410-09](#)

### **Thickness**

Corrugated caliper: why is it so important?, [0304-04](#)

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Method for evaluating thickness of wet press fabrics, [0404-28](#)

Obtaining combined board caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

### **Through drying**

Paper machine performance guidelines, [0404-47](#)

Through drying, [0404-25](#)

### **Tissue**

Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)

Paper machine performance guidelines, [0404-47](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

### **Tissue Paper Machine**

*see* Paper Machine

### **Tolerance**

Corrugator bearing clearance checks and their impact, [0304-47](#)

### **Total indicated runout**

*see also* Combined boards

Total indicated runout and its impact on combined board quality, [0304-56](#)

### **Total reduced sulfur**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

### **Touch**

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods,

## 0808-08

### **Training**

Improving safety training – a hands on approach, [1502-01](#)

### **Training Devices**

Improving safety training – a hands on approach, [1502-01](#)

### **Training Equipment**

Improving safety training – a hands on approach, [1502-01](#)

### **Training Manuals**

Improving safety training – a hands on approach, [1502-01](#)

### **Transmission**

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

### **Transport**

Checklist: preparing die cuts for shipment, [0305-49](#)

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage,

## 0606-31

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, [0606-26](#)

### **Trim**

Broke loss calculations, [0502-10](#)

Paper machine room ventilation guidelines, [0404-50](#)

### **Trimming**

Forming section monitoring, [0502-14](#)

Glue lap problem, [0304-10](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

Steam shower applications in the forming and press section, [0404-58](#)

### **Trip**

Improving safety training – a hands on approach, [1502-01](#)

### **Troubleshooting**

Press section monitoring, [0404-19](#)

### **Tubes**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

### **Tungsten carbide**

Tests for corrugator roll wear, [0304-53](#)

### **Tuning**

*see* Control

### **Turbulence**

Application of dryer bars, [0404-35](#)

### **Turpentine**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

### **Twisting**

Techniques to minimize twist warp, [0304-50](#)

---

## **U**

---

### **Uhle box**

*See also* Vacuum boxes

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements. [0404-27](#)

### **Ultrafine ground limestone**

*see* Limestone

### **Ultrasonic**

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

### **Ultrasonic tests**

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

### **Uncoated free sheet**

Paper machine performance guidelines, [0404-47](#)

### **Unitized handling**

Critical properties to consider when unitizing, [0304-72](#)

### **Units of measurement**

Units of measurement and conversion factors, [0800-01](#)

### **Unloading**

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage, [0606-31](#)

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, [0606-26](#)

Unloading concentrated sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) with compressed air, [0420-16](#)

### **U.P.C.vent**

*see* Product codes

### **UV**

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

---

## **V**

---

### **Vacuum**

High vacuum sheet dewatering, [0404-60](#)

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Papermaker's formulas, [0502-17](#)

Steam shower applications in the forming and press section, [0404-58](#)

### **Vacuum air flow**

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

### **Vacuum boxes**

High vacuum sheet dewatering, [0404-60](#)

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

### **Vacuum equipment**

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements [0404-27](#)

### **Vacuum factors**

Paper Machine Vacuum System Selection Factors, [0502-01](#)

### **Vacuum filters**

Bleaching plant washer efficiency guide, [0606-23](#)

## **Vacuum pumps**

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements. [0404-27](#)

## **Vacuum rolls**

Liquid penetrant testing of new suction roll shells, [0402-11](#)

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Techniques for nip impressions, [0404-46](#)

Weld repairs on new suction roll shells, [0402-17](#)

## **Vacuum washers**

Bleaching plant washer efficiency guide, [0606-23](#)

## **Valves**

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Headbox approach piping guidelines, [0404-54](#)

## **Vapor pressure**

Chlorine gas curve, [0606-02](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Vapor pressure of sodium carbonate solution, [0607-16](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

## **Variance**

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

## **Varnish**

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

## **Velocity**

*see also* Machine speed

Pulpstone speed chart, [0605-02](#)

Headbox approach piping guidelines, [0404-54](#)

## **Vent**

Unloading concentrated sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) with compressed air, [0420-16](#)

## **Ventilation**

Paper machine room ventilation guidelines, [0404-50](#)

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

## **Viscosity**

Density of aqueous sodium sulfite solution, [0607-18](#)

Liquid chlorine, [0606-05](#)

Quality techniques using existing equipment, [0306-11](#)

Statistical process control of starch viscosity, [0304-15](#)

Viscosities of spent sulfite liquors at 26.7° C (Oswald capillary viscometer), [0607-22](#)

Viscosity of a neutral sulfite spent liquor (Oswald capillary viscometer), [0607-23](#)

Viscosity of sodium carbonate solution, [0607-17](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

Viscosity reading procedure for flexographic corrugated inks, [0304-18](#)

## **Vision**

Basic guidelines for image analysis measurements, [0804-09](#)

## **Volume**

Grinder pulpstones – cubical contents, [0605-01](#)

Identifying anilox volume measuring equipment, [0306-15](#)

---

## **W**

---

## **Warning labels**

*see* Hazardous materials

## **Warpage**

Statistical process control -- procedures for charting warp, [0304-13](#)

Techniques to minimize twist warp, [0304-50](#)

Warp in corrugated board, [0304-07](#)

## **Wash waters**

Using washing water as the vehicle in starch based corrugating adhesive, [0304-44](#)

## **Washers**

Bleaching plant washer efficiency guide, [0606-23](#)

## **Washing**

Bleaching plant washer efficiency guide, [0606-23](#)

Recommended pulp bleaching stage designation method, [0606-21](#)

## **Wastewater treatment equipment**

*see* Effluent treatment

## **Water**

*see also* Solubility

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Paper Machine Water Efficiency, [0502-22](#)

## **Water content**

*see* Moisture content

## **Water hardness**

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

## **Water permeability**

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

## **Water removal**

Determination of water removal by wet presses, [0404-01](#)

High vacuum sheet dewatering, [0404-60](#)

Methods to minimize sheet rewet in the press section, [0404-59](#)

Paper machine drying rate, [0404-07](#)

The Impact of Pressing on Web Densification, [0404-68](#)

## **Water resistance**

Techniques for running “WRA” (water resistant starch adhesive), [0304-46](#)

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

## **Water vapor**

Paper machine room ventilation guidelines, [0404-50](#)

## **Waterside cracking**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)



**Wax**

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

**Wear resistance**

*see* Abrasion resistance

**Web breaks**

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

**Web tension**

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

**Webs**

*see also* Paper webs

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

**Weight**

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

Procedure for utilizing statistical control techniques to monitor the tare weight of a run of boxes, [0304-35](#)

Weight of newsprint rolls, [0502-11](#)

**Weirs**

Weirs and flumes, [0410-10](#)

**Welding**

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Weld repairs on new suction roll shells, [0402-17](#)

**Wet bulb temperature**

Relative humidity tables, [0808-06](#)

**Wet ends**

Drainage evaluation by mass measurement, [0502-12](#)

Forming section monitoring, [0502-14](#)

How to prevent score cracking in a box plant, [0304-37](#)

Selection criteria for wet end ceramics, [0502-15](#)

Headbox approach piping guidelines, [0404-54](#)

**Wet felts**

*see also* Felts

**Wet presses**

Determination of water removal by, [0404-01](#)

**Wet pressing**

Terminology for high temperature pressing, [0404-48](#)

**Wet strength**

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

**Wet-laid nonwovens**

Pilot paper and wet laid nonwoven machines, [0502-16](#)

**White liquors**

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

**White liquor mud**

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

**White water**

Drainage evaluation by mass measurement, [0502-12](#)

Guidelines for Retention Measurements, [0502-13](#)

Flow determination by chemical method, [0410-09](#)

Weirs and flumes, [0410-10](#)

**Width**

Weight of newsprint rolls, [0502-11](#)

**Winding**

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

**Wire**

Use of ceramics on the forming section: diagnosing and preventing forming fabric wear, [0502-19](#)

**Wire Pits**

Headbox approach piping guidelines, [0404-54](#)

**Williams freeness**

Interconversion of freeness, [0809-01](#)

**Winders**

Determination of winder sets per reel, [0502-02](#)

**Wiper Roll**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Ink metering systems for corrugated flexo presses, [0306-09](#)

**Wiperoll**

*see* Flexography

**Wood chips**

*see* Chips

**Wood containing papers**

*see* Mechanical papers

**Wood free papers**

Paper machine drying rate, [0404-07](#)

**Work place**

*see* Human factors

**Working conditions**

*see* Environments

**Wound rolls**

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

TAPPI Roll number for inventory/tracking systems and bar codes, [1004-01](#)

**Wrinkles**

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

**Writing papers**

Paper machine drying rate, [0404-07](#)

---

**X-Y-Z**

---

**Yankee cylinders**

*see* Yankee dryers

**Yankee driers**

Design, Operation, Performance Evaluation and Inspection

guidelines for Yankee hood systems, [0425-02](#)

### **Yankee dryers**

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Techniques for nip impressions, [0404-46](#)

Yankee dryer steam condensing rates, [0404-49](#)

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Safe Entry into a Yankee Dryer, [0425-10](#)

### **Yankee Grinding**

*See Grinding*