

# Standards Subject Index

NOTE: This list was updated June 18, 2019

## A

### ABC test

*see* Sulfide-free reducing compounds, Total reducing compounds

### Abrasion

Loss of paper and paperboard, [T 476](#)

### Abrasion resistance

Paper and paperboard, [T 476](#)

### Absorbance/absorbency

*see* Absorptivity

### Absorbent papers

*see also* Absorptivity

Water absorbency of bibulous papers, [T 432](#)

### Absorption

Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

Interrelation of reflectance,  $R_0$ ; reflectivity,  $R_\infty$ ; TAPPI opacity,  $C_{0.89}$ ; scattering,  $s$ ; and absorption,  $k$ , [T 1214](#)

Opacity of paper (15/d geometry, illuminant A/2°, 89% reflectance backing and paper backing), [T 425](#)

Surface wettability of sheeted materials using an automated contact angle tester, [T 558](#)

### Absorptiveness

*see* Absorptivity

### Absorptivity

Bibulous papers, to water, [T 432](#)

Blotting paper, to ink, [T 431](#)

Castor-oil penetration test for paper, [T 462](#)

Corrugating medium (water drop absorption test), [T 835](#)

Sized paper, paperboard, and corrugated fiberboard to water (Cobb test), [T 441](#)

Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)

Water, corrugating medium, [T 831](#), [T 832](#)

### Accelerated aging

*see* Aging

### Accelerated tests

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)

Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

Aging of paper and board with moist heat, [T 544](#)

Effect of dry heat on properties of paper and board, [T 453](#)

### Acceptability

Sampling and accepting a single lot of paper, paperboard, containerboard, or related product, [T 400](#)

### Acetate

Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

### Acetone

Solvent extractives of wood and pulp, [T 204](#)

### Acid groups

Hexeneuronic acid content of chemical pulp, [T 282](#)

### Acid insolubles

Ash in wood, pulp, paper, and paperboard, [T 244](#)

Wood and pulp, [T 222](#)

### Acid number

*see* Saponification number

### Acid solubles

Acid-soluble iron in paper, [T 434](#)

### Acidity

*see also* Saponification number

Analysis of salt cake, [T 619](#)

Analysis of sulfuric acid, [T 602](#)

Hot water extractable of paper, [T 428](#)

Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)

Hydrogen ion concentration of paper extracts (hot extraction method), [T 435](#)

### Active alkali

Analysis of soda and sulfate black liquor, [T 625](#)

### Active chlorine

Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)

### Added fluorescence

*see* Fluorescent dyes

### Additives

*see also* Fillers, Pigments

### Adhesion

Curl of flat gummed papers, [T 520](#)

Envelope seal, seam, and window patch testing, [T 516](#)

Internal bond strength of paperboard (z-direction tensile), [T 541](#)

Pin adhesion of corrugated board by selective separation, [T 821](#)

Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)

Water absorption of corrugating medium, [T 832](#)

Wet pin adhesion of corrugated board by selective separation, [T 845](#)

### Adhesives

*see also* Adhesion

### Aging

Effect of dry heat on properties of paper and board, [T 453](#)

Paper and board with moist heat, [T 544](#)

### Aging tests

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

- Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)  
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Air flow (through paper)  
*see also* Air permeability  
Roughness of paper and paperboard (Print-Surf method), [T 555](#)
- Air permeability  
Paper, [T 460](#)  
Air permeance of paper and paperboard (Sheffield method), [T 547](#)  
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Air permeance  
*see also* Air permeability  
Air resistance of paper (Gurley method), [T 460](#)  
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Air pollution  
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
- Air resistance  
*see* Air permeability  
Air resistance of paper (Gurley method), [T 460](#)  
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Alcohol-benzene  
*see* Benzene
- Alexander's stain  
*see* Fiber analysis, Staining
- Alkali  
Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)  
Analysis of rosin size, [T 628](#)
- Alkali solubles/solubility  
*see* Caustic solubles
- Alkaline papers  
Alkalinity of paper as calcium carbonate (alkaline reserve of paper), [T 553](#)
- Alkaline pulp  
*see* Pulp
- Alkaline reserve  
*see* Alkalinity
- Alkalinity  
Analysis of soda and sulfate white and green liquors, [T 624](#)  
Caustic soda, [T 613](#)  
Hot water extractable of paper, [T 428](#)  
Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)  
Hydrogen ion concentration of paper extracts (hot extraction method), [T 435](#)  
Paper as calcium carbonate (alkaline reserve), [T 553](#)  
Sodium silicate, [T 632](#)
- Alpha-cellulose  
In paper, [T 429](#)  
In pulp, [T 203](#)
- Alumina  
*see* Aluminum oxide
- Alumina hydrate  
*see* Aluminum hydroxide
- Aluminum  
Analysis of soda and sulfate black liquor, [T 625](#)  
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Aluminum oxide (alumina)  
Analysis of limestone, [T 618](#)  
Analysis of salt cake, [T 619](#)
- Amides  
Organic nitrogen in paper and paperboard, [T 418](#)
- Amines  
Organic nitrogen in paper and paperboard, [T 418](#)
- Ammonium hydroxide  
Analysis of talc, [T 665](#)
- Ammonium thiocyanate  
Preparation of indicators and standard solutions, [T 610](#)
- Analysis  
Determination of equilibrium moisture in pulp, paper, and paperboard for chemical analysis, [T 550](#)  
Glue in paper (qualitative and quantitative determination), [T 504](#)  
Preparation of wood for chemical analysis, [T 264](#)  
Sampling and preparing wood for analysis, [T 257](#)
- Anatase titanium dioxide  
*see* Pigments
- Angle of contact  
*see* Contact angle
- Angle of slide  
*see* Slide angle
- Animal glue  
*see* Glue  
Glue in paper (qualitative and quantitative determination), [T 504](#)
- Anomalies  
Dealing with suspect (outlying) test determinations, [T 1205](#)
- Apparent viscosity  
*see* Viscosity
- Arabinan  
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)
- Area  
*see* Specific surface
- Arsenic  
Analysis of sulfuric acid, [T 602](#)
- Ash  
*see* Ash content  
Analysis of rosin, [T 621](#)  
Analysis of rosin size, [T 628](#)
- Ash content  
Acid-insoluble, in wood, pulp, paper and

paperboard, [T 244](#)  
Ash in wood, pulp, paper and paperboard:  
combustion at 525°C, [T 211](#)  
Qualitative (including optical microscopic) analysis  
of mineral filler and mineral coating of paper, [T 421](#)  
Wood, pulp, paper and paperboard, combustion at  
900°C, [T 413](#)  
Atmospheres  
Paper, board, pulp handsheets, [T 402](#)  
Test conditions for fiber glass mat test methods,  
[T 1008](#)  
Atomic absorption spectroscopy  
Determination of sodium, calcium, copper, iron and  
manganese in pulp and paper by atomic absorption  
spectroscopy, [T 266](#)  
Zinc and cadmium in paper, [T 438](#)  
Available chlorine  
*see* Active chlorine

---

## B

---

Babcock method  
*see* Casein, analysis of  
Bacteria  
*see* Bacteriology  
Bacteriological examination  
*see* Bacteriology  
Bacteriology  
Bacteriological examination of paper and  
paperboard, [T 449](#)  
Microbiological enumeration of process water and  
slush pulp, [T 631](#)  
Bag papers  
*see* Shipping sack papers  
Bagasse  
Species identification of nonwood plant fibers,  
[T 259](#)  
Baled pulp  
Sampling and testing wood pulp shipments for  
moisture, [T 210](#)  
Bamboo  
Species identification of nonwood plant fibers,  
[T 259](#)  
Barium  
Qualitative (including optical microscopic) analysis  
of mineral filler and mineral coating of paper, [T 421](#)  
Bark  
Analysis of rosin, [T 621](#)  
Weight-volume measurement of pulpwood, [T 268](#)  
Barley straw  
Species identification of nonwood plant fibers,  
[T 259](#)  
Barrier films  
*see* Vapor barriers  
Barrier properties  
*see* Absorptivity, Permeability  
Basic density  
*see* Density  
Basis weight

Cross-machine grammage profile measurement  
(gravimetric method), [T 545](#)  
Determining construction (nominal basis weight) of  
corrugated board, [T 844](#)  
Grammage of paper and paperboard (weight per  
unit area), [T 410](#)  
Fiber glass mats, [T 1011](#)  
Machine direction grammage variation  
measurement (gravimetric method), [T 546](#)  
Bauer-McNett classifier  
Fiber length of pulp by classification, [T 233](#)  
Baumé gravity  
*see* Density  
Beaten pulps  
*see* Pulp, Beaters  
Beater method  
*see* Beaters  
Beater tests  
*see* Beaters  
Beaters  
Drainage time, [T 221](#)  
Laboratory beating of pulp (PFI mill method),  
[T 248](#)  
Laboratory beating of pulp (Valley beater method),  
[T 200](#)  
Beating  
Laboratory beating of pulp (PFI mill method),  
[T 248](#)  
Pulp quality analyzed by, [T 200](#)  
Specific external strength of pulp, [T 226](#)  
Beating degree  
Laboratory beating of pulp (Valley beater method),  
[T 200](#)  
Beating time  
Laboratory beating of pulp (Valley beater method),  
[T 200](#)  
Bekk testers  
Smoothness of paper, [T 479](#)  
Bend strength  
Bending resistance of paper (Gurley-type tester),  
[T 543](#)  
Bending resistance of paper and paperboard by  
single-point bending methods, [T 556](#)  
Corrugated board stiffness, four point method,  
[T 836](#)  
Flexural stiffness of corrugated board, [T 820](#)  
Score bend test, [T 577](#)  
Testing of fiber glass mats: use of modified TAPPI  
procedures for sampling and lot acceptance,  
stiffness, tear resistance, and thickness, [T 1006](#)  
Bending  
Bending number of paperboard, [T 495](#)  
Bending resistance (stiffness) of paper (Taber-type  
tester in 0 to 10 Taber stiffness unit configuration),  
[T 566](#)  
Bending resistance (stiffness) of paper and  
paperboard (Taber-type tester in basic  
configuration), [T 489](#)  
Corrugated board stiffness, four point method,

- [T 836](#)  
Flexural stiffness of corrugated board, [T 820](#)  
Puncture test of containerboard, [T 803](#)
- Bending number  
*see* Bending
- Bending resistance  
*see* Bend strength  
Bending resistance of paper (Gurley-type tester),  
[T 543](#)
- Benzene  
Use of in determining solubles in wood and pulp,  
[T 204](#)  
Use of in preparing wood for chemical analysis,  
[T 264](#)
- Beta-cellulose  
In pulp, [T 203](#)
- Bibulous papers  
*see* Absorbent papers
- Biochemical oxygen demand  
*see* BOD
- Biological control  
Bacteriological examination of paper and  
paperboard, [T 449](#)  
Microbiological enumeration of process water and  
slush pulp, [T 631](#)
- Bisulfite cooking liquor  
*see* Sulfur dioxide
- Black liquor  
Analysis of soda and sulfate black liquor, [T 625](#)  
Analysis of pulping liquors by suppressed ion  
chromatography, [T 699](#)  
Gross heating value, [T 684](#)  
Solids concentration of, [T 650](#)
- Blanks  
Box blank dimensioning, [T 827](#)
- Bleach  
Analysis of bleaching powder, calcium hypochlorite  
bleach liquor, and bleach sludge, [T 611](#)
- Bleach liquor  
Analysis of bleaching powder, calcium hypochlorite  
bleach liquor, and bleach sludge, [T 611](#)
- Bleach sludge  
*see* Bleach, Sludge
- Bleached pulps  
*see also* Pulps  
Alpha-, beta-, gamma-cellulose in pulp, [T 203](#)  
Carboxyl content of pulp, [T 237](#)  
Copper number of pulp, [T 430](#)
- Bleaching agents  
*see* Bleach
- Bleaching powder  
*see* Calcium hypochlorite
- Blister resistance  
*see* Blistering
- Blistering  
Coated paper in heatset printing, [T 526](#)  
Internal bond strength (Scott type), [T 569](#)
- Blotting papers  
*see also* Absorptivity
- Ink absorbency, [T 431](#)  
Forming handsheets for physical tests of pulp,  
[T 205](#)  
Water absorbency of bibulous papers, [T 432](#)  
Water absorptiveness of sized paper, paperboard,  
and corrugated fiberboard (Cobb test), [T 441](#)
- Board  
*see* Corrugated board, Fiberboard, Containers,  
Insulating board, Linerboard, Paperboard
- Boat method  
*see* Corrugating medium
- BOD  
Measuring, sampling, and analyzing white waters,  
[T 656](#)
- Bond strength  
*see also* Adhesion  
Internal bond strength of paperboard (z-direction  
tensile), [T 541](#)  
Pin adhesion of corrugated board by selective  
separation, [T 821](#)
- Bonding strength  
Abrasion loss of paper and paperboard (Taber-type  
method), [T 476](#)  
Internal bond strength (Scott type), [T 569](#)  
Ply separation of solid and corrugated fiberboard  
(wet), [T 812](#)  
Wet pin adhesion of corrugated board by selective  
separation, [T 845](#)
- Bone glue  
*see* Glue
- Book bulk  
*see* Bulk number
- Book paper  
*see* Bulk number
- Books  
Book bulk and bulking number of paper, [T 500](#)
- Boring method  
*see* Baled pulp
- Boxboard  
*see* Linerboard
- Boxes  
*see also* Containers  
Box blank dimensioning, [T 827](#)  
Bursting strength of corrugated board, [T 810](#)  
Drop test for fiberboard shipping containers, [T 802](#)
- Breaking length  
*see* Tensile strength
- Breaking strength  
*see* Tensile strength
- Brightness  
*see also* Reflectance  
Brightness of clay and other mineral pigments  
(45/0), [T 646](#)  
Brightness of clay and other mineral pigments (d/0  
diffuse), [T 534](#)  
CIE whiteness and tint of paper and paperboard  
(45/0 geometry, C/2 illuminant/observer), [T 562](#)  
CIE whiteness and tint of paper and paperboard (d/0  
geometry, C/2 illuminant/observer), [T 560](#)

- Diffuse brightness of paper, paperboard and pulp (d/0) (ultraviolet level D65), [T 579](#)
- Diffuse brightness of paper, paperboard and pulp (d/0) – Ultraviolet Level C, [T 525](#)
- Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
- Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)
- Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)
- Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)
- Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
- Pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)
- Bromophenol blue  
*see* Indicators, preparation of
- Bulk  
Book bulk and bulking number of paper, [T 500](#)
- Bulk density  
Basic density and moisture content of pulpwood, [T 258](#)
- Bulk number  
Of paper, [T 500](#)
- Burst factor  
*see* Burst strength
- Burst index  
*see* Burst strength
- Burst ratio  
*see* Burst strength
- Burst strength  
Corrugated and solid fiberboard, [T 810](#)  
Linerboard, [T 807](#)  
Paper, [T 403](#)
- 
- C**
- 
- Cadmium  
Zinc and cadmium in paper, [T 438](#)
- Calcium  
Analysis of soda and sulfate black liquor, [T 625](#)  
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)  
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Calcium carbonate  
Alkalinity of paper as (alkaline reserve), [T 553](#)
- Calcium hypochlorite  
Analysis of bleach liquor, [T 611](#)
- Calcium oxide  
Analysis of lime, [T 617](#)  
Analysis of limestone, [T 618](#)  
Analysis of talc, [T 665](#)
- Calibration  
Acceptance procedures for laboratories providing reference materials, [T 1211](#)  
Calibration of reflectance standards for hemispherical geometry, [T 1218](#)
- Caliper  
*see* Thickness
- Calorimetry  
Gross heating value of black liquor, [T 684](#)
- Canadian Standard Method  
Freeness of pulp, [T 227](#)
- Capillarity  
Viscosity of pulp (capillary viscometer method), [T 230](#)
- Capillary viscometer  
*see* Capillarity
- Carbohydrates  
Alkali solubility of pulp at 25°C, [T 235](#)  
Composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)  
Extraction of by hot alkali, [T 212](#)
- Carbonates  
Analysis of caustic soda, [T 613](#)  
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)  
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Carboxyl content  
*see* Carboxyl groups
- Carboxyl groups  
Carboxyl content of pulp, [T 237](#)
- Carton adhesive  
*see* Adhesion, Bond strength
- Casein  
Organic nitrogen in paper and paperboard, [T 418](#)
- Castor oil  
Penetration test for paper, [T 462](#)
- Caustic soda  
*see* Sodium hydroxide
- Caustic solubles  
Alkali solubility of pulp at 25°C, [T 235](#)  
One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
- Cellulose  
Alkali solubility of pulp at 25°C, [T 235](#)  
Alpha-, beta-, gamma-cellulose in pulp, [T 203](#)  
Alpha-cellulose in paper, [T 429](#)  
Carboxyl content, [T 237](#)  
Cupriethylenediamine disperse viscosity of pulp, [T 254](#)  
Indication of degradation during pulping and bleaching processes, [T 212](#)  
Viscosity of pulp (capillary viscometer method), [T 230](#)
- Centrifugal pump  
*see* Sample preparation
- Chemical analysis  
Determination of equilibrium moisture in pulp, paper and paperboard analysis, [T 550](#)  
Preparation of wood for, [T 264](#)

Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Chemical properties  
*See also specific properties, e.g., pH*

Chemical pulps  
*See also Pulp*  
Hexeneuronic acid content of chemical pulp, [T 282](#)  
Pulp screening (Valley-type screening device), [T 278](#)

Chemical reactions  
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Chips  
*see also Wood*  
Analysis of rosin, [T 621](#)  
Basic density and moisture content of pulpwood, [T 258](#)  
Natural dirt in wood chips, [T 265](#)  
Sampling and preparing wood for analysis, [T 257](#)

Chlorides  
Analysis of caustic soda, [T 613](#)  
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)  
Analysis of salt cake, [T 619](#)  
Water-soluble chlorides in pulp and paper, [T 256](#)

Chlorine  
Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)  
Analysis of salt cake, [T 619](#)

Chlorine sludge  
Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)

Chromaticity coordinates  
Color of paper and paperboard, [T 527](#)

Chromatography  
Suppressed ion analysis of pulping liquors, [T 699](#)

Chromium oxide  
Analysis of salt cake, [T 619](#)

Chromium trioxide  
Analysis of salt cake, [T 619](#)

C.I.V. test  
*see Viscosity*

Clark classifier  
Fiber length of pulp, [T 233](#)

Clark stiffness  
*see Stiffness*

Classification  
Fiber length of pulp, [T 233](#)

Classifiers  
Fiber length of pulp, [T 233](#)

Clay  
Accelerated test for viscosity stability of clay slurries, [T 697](#)  
Brightness of clay and other mineral pigments (45/0), [T 646](#)  
Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)  
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)  
Viscosity of coating clay slurry, [T 648](#)

CMT test  
*see Corrugating medium*

Coarseness  
*see Fineness*

Coated board  
Blister resistance in heat set printing, [T 526](#)  
Surface strength of paper (wax pick test), [T 459](#)

Coated paper  
Blister resistance of in heatset printing, [T 526](#)  
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Coating clay  
*see Clay*

Coating clay slurry  
*see Clay, Slurry*

Coating color  
Titanium dioxide content in, [T 627](#)

Coating fillers  
*see Fillers*

Coating pigments  
*see Pigments*

Coatings  
*see also Fillers, Pigments*  
Abrasion loss of paper and paperboard (Taber-type method), [T 476](#)  
Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)  
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)  
Viscosity of coating clay slurry, [T 648](#)  
Zinc and cadmium in paper, [T 438](#)

Cobb test  
Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)

COD  
Open drum washer mat sampling technique, [T 281](#)

Coefficient of friction  
*see Friction*

Coefficient of kinetic friction  
*see Friction*

Coefficient of static friction  
*see Friction*

Cohesion  
Internal bond strength of paperboard (z-direction tensile), [T 541](#)

Cohesiveness of fibers  
*see Tensile strength*

Cold extraction method  
*see Extraction*

Cold storage  
Storage of paper samples for optical measurements and color matching, [T 1219](#)

Cold water solubles  
*see Water solubles*

Color  
Analysis of rosin, [T 621](#)  
CIE whiteness and tint of paper and paperboard

- (45/0 geometry, C/2 illuminant/observer), [T 562](#)
- CIE whiteness and tint of paper and paperboard (*d/0* geometry, C/2 illuminant/observer), [T 560](#)
- Color of paper and paperboard (45/0, C/2), [T 524](#)
- Color of paper and paperboard (*d/0*, C/2), [T 527](#)
- Storage of paper samples for optical measurements and color matching, [T 1219](#)
- The determination of instrumental color differences, [T 1215](#)
- Visual grading and color matching of paper, [T 515](#)
- Color grade
  - see* Color
- Color matching
  - Storage of paper samples for optical measurements and color matching, [T 1219](#)
  - Visual grading and color matching of paper, [T 515](#)
- Colorimetric determination
  - see* Color, Colorimetry
- Colorimetry
  - Color of paper and paperboard (45/0, C/2), [T 524](#)
  - Color of paper and paperboard (*d/0*, C/2), [T 527](#)
  - Visual grading and color matching of paper, [T 515](#)
- Combined board
  - see also* Corrugated board
  - Thickness (caliper) of paper, paperboard, and combined board, [T 411](#)
- Combustion
  - Ash in wood, pulp, paper and paperboard, [T 211](#), [T 413](#)
  - Gross heating value of black liquor, [T 684](#)
- Combustion products
  - Ash in wood, pulp, paper and paperboard, [T 211](#)
  - Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)
- Composition
  - see* Fiber analysis
- Compressibility
  - Compression test of fiberboard shipping containers, [T 804](#)
  - Edge crush using neckdown, [T 838](#)
  - Flat crush of corrugating medium (CMT test), [T 809](#)
  - Flat crush test of corrugated board (flexible beam method), [T 808](#)
  - Ring crush of paperboard (flexible beam method), [T 818](#)
- Compression resistance
  - see* Compressibility, Compression strength
- Compression strength
  - Compression test of fiberboard shipping containers, [T 804](#)
  - Edgewise compressive strength of corrugated fiberboard (short column test), [T 811](#)
  - Flat crush of corrugating medium (CMT test), [T 809](#)
  - Flat crush test of corrugated board (flexible beam method), [T 808](#)
  - Short span compressive strength of containerboard, [T 826](#)
- Compression tests
  - Compression test of fiberboard shipping containers, [T 804](#)
  - Edge crush using neckdown, [T 838](#)
  - Flat crush test of corrugated board (rigid support method), [T 825](#)
  - Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
  - Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
  - Ring crush of paperboard (flexible beam method), [T 818](#)
  - Ring crush of paperboard (rigid support method), [T 822](#)
- Compression wood
  - Identification of in pulpwood, [T 267](#)
- Compressive strength
  - see* Compression tests
- Concentration (pulp)
  - Pulp suspensions, [T 240](#)
- Conditioning
  - Paper, board, pulp handsheets, and related products, [T 402](#)
- Conifers
  - see* Softwoods
- Consistency
  - see also* Viscosity
  - Open drum washer mat sampling technique, [T 281](#)
  - Pulp suspensions, [T 240](#)
- Constant rate of elongation
  - see* Elongation
- Construction
  - Determining construction (nominal basis weight) of corrugated board, [T 844](#)
- Contact angle
  - Surface wettability of paper (angle of contact method), [T 458](#)
- Container boards
  - see also* Corrugated boards, Fiberboard
  - Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
  - Determination of containerboard roll hardness, [T 834](#)
  - Drum test for fiberboard shipping containers, [T 800](#)
  - Ink rub, [T 830](#)
  - Puncture test of containerboard, [T 803](#)
  - Sampling and accepting a single lot of paper, paperboard, containerboard, or related product, [T 400](#)
  - Score quality test, [T 829](#)
  - Short span compressive strength of containerboard, [T 826](#)
  - Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
  - Surface wettability and absorbency of sheeted materials using an automated tester, [T 558](#)
- Container testing
  - see* Containers, Container board

- Containers
  - Box blank dimensioning, [T 827](#)
  - Compression test of fiberboard shipping containers, [T 804](#)
  - Drum test for fiberboard shipping containers, [T 800](#)
  - Macro stickies content in pulp: the “pick-up” method, [T 277](#)
- Contaminants
  - see* Impurities
- Contraries
  - Dirt in paper and paperboard, [T 437](#)
- Contrast ratio
  - Opacity of paper (15/d geometry, illuminant A/2°, 89% reflectance backing and paper backing), [T 425](#)
- Controlled atmospheres
  - Paper, board, pulp handsheets testing, [T 402](#)
  - Test conditions for fiber glass mat test methods, [T 1008](#)
- Conversion
  - Bending number of paperboard, [T 495](#)
- Conversion factors
  - For units of measurement, [T 1210](#)
- Cooking liquor
  - See also* Liquors, Kraft liquor, Soda liquors, Sulfite liquor, Bleach liquor, Green liquors, White liquors
  - Sulfur dioxide in sulfite cooking liquor, [T 604](#)
- Copper
  - Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
- Copper number
  - Pulp, paper, and paperboard, [T 430](#)
- Cord weight
  - see* Weight
- Corn
  - Species identification of nonwood plant fibers, [T 259](#)
- Corrugated boards
  - see also* Containers, Corrugating medium, Fiberboard, Linerboard
  - Box blank dimensioning, [T 827](#)
  - Flat crush test of corrugated board (rigid support method), [T 825](#)
  - Bursting strength, [T 810](#)
  - Determining construction (nominal basis weight) of corrugated board, [T 844](#)
  - Edge crush using neckdown, [T 838](#)
  - Edgewise compressive strength of corrugated fiberboard (short column test), [T 811](#)
  - Edgewise compressive strength of corrugated fiberboard using the clamp method (short column test), [T 839](#)
  - Flat crush of corrugating medium (CMT test), [T 809](#)
  - Flat crush test (flexible beam method), [T 808](#)
  - Flexural stiffness, [T 820](#)
  - Ink rub, [T 830](#)
  - Pin adhesion by selective separation, [T 821](#)
  - Puncture resistance of, [T 803](#)
  - Ply separation of, [T 812](#)
  - Ring crush of paperboard (flexible beam method), [T 818](#)
  - Ring crush of paperboard (rigid support method), [T 822](#)
  - Score quality test, [T 829](#)
  - Stiffness, four point method, [T 836](#)
  - Thickness (caliper) of paper, paperboard, and combined board, [T 411](#)
  - Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
  - Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Corrugated boxes
  - see also* Boxes, Corrugated board, Containers
  - Drop test for fiberboard shipping containers, [T 802](#)
  - Score quality test, [T 829](#)
  - Short span compressive strength of containerboard, [T 826](#)
- Corrugated containers
  - see* Containers
- Corrugated fiberboard
  - see* Fiberboard, Corrugated board
- Corrugated fluted crush test
  - Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
  - Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
- Corrugating adhesives
  - see* Adhesion
- Corrugating medium
  - see also* Corrugated boards, Fiberboard
  - Determining construction (nominal basis weight) of corrugated board, [T 844](#)
  - Flat crush (CMT-test), [T 809](#)
  - Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
  - Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
  - Pin adhesion of corrugated board by selective separation, [T 821](#)
  - Water absorption, [T 831](#), [T 832](#), [T 835](#)
  - Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Cotton
  - Species identification of nonwood plant fibers, [T 259](#)
- Cracking
  - see* Fracture
- Creasing
  - see also* Folding endurance
  - Creasing of flexible packaging material paper specimens for testing, [T 512](#)
  - Static creasing of paper for water vapor transmission tests, [T 465](#)
- Critical wax strength number (CWSN)
  - see* Wax pick tests
- Cross direction
  - Grammage profile measurement, [T 545](#)



Cross direction tear  
Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

Crude tall oil  
*see* Tall oil

Crush resistance  
*see* Edge crush resistance, Ring crush tests, Flat crush tests

Cuene  
Cupriethylenediamine disperse viscosity of pulp (falling ball method), [T 254](#)  
Viscosity of pulp (capillary viscometer method), [T 230](#)

Cupriethylene diamine  
*see* Cuene

Curl  
Gummed flat papers, [T 520](#)  
Preparation of mechanical pulps for testing, [T 262](#)

---

## D

---

Dairyman's standard  
Bacteriological examination of paper and paperboard, [T 449](#)

Debris  
Pulp screening (Valley-type screening device), [T 278](#)

Defect area  
Transparent chart for the estimation of defect size, [T 564](#)

Defect size  
Transparent chart for the estimation of defect size, [T 564](#)

Defects  
Fiber glass mat uniformity (visual defects), [T 1015](#)  
Transparent chart for the estimation of defect size, [T 564](#)

Defibering  
Pulp screening (Valley-type screening device), [T 278](#)

Defibrator  
*see* Disintegrators

Degradation/Degraded cellulose  
*see* Cellulose

Degree of adhesion  
*see* Adhesion

Degree of curl  
*see* Curl

Degree of defibering  
*see* Disintegrators

Degree of delignification  
*see* Delignification

Degree of sizing  
*see* Sizing

Delamination  
Internal bond strength (Scott type), [T 569](#)

Delignified pulps  
*see* Pulps

Densitometer  
Air resistance of paper (Gurley method), [T 460](#)  
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)

Density  
Air resistance of paper (Gurley method), [T 460](#)  
Analysis of rosin size, [T 628](#)  
Analysis of soda and sulfate black liquor, [T 625](#)  
Analysis of sulfuric acid, [T 602](#)  
Basic density and moisture content of pulpwood, [T 258](#)  
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)  
Sodium silicate, [T 632](#)  
Weight-volume measurement of pulpwood, [T 268](#)

Diatomaceous earth  
*see* Silica

Dichloromethane  
Solubles in wood and pulp, [T 204](#)

Diffuse blue reflectance  
*see* Diffuse reflection

Diffuse brightness  
*see* Diffuse reflection

Diffuse ISO brightness  
*see* Diffuse reflection

Diffuse luminous reflectance  
*see* Diffuse reflection

Diffuse opacity  
*see* Diffuse reflection

Diffuse reflectance  
Diffuse brightness of paper, paperboard and pulp ( $d/0$ ) – Ultraviolet Level C, [T 525](#)  
Diffuse brightness of paper, paperboard and pulp ( $d/0$ ) (ultraviolet level D65), [T 579](#)

Diffuse reflection  
Brightness of clay and other mineral pigments ( $d/0$  diffuse), [T 534](#)  
Diffuse opacity of paper ( $d/0$  paper backing), [T 519](#)  
Opacity of paper ( $15/d$  geometry, illuminant  $A/2^\circ$ , 89% reflectance backing and paper backing), [T 425](#)

Diffuse reflection factor  
*see* Diffuse reflection

Dimensional measurement  
Transparent chart for the estimation of defect size, [T 564](#)

Dimensioning  
*see* Boxes

Directional brightness  
Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)

Directional measurement  
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Directional reflectance  
*see* Reflectance

Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)

Dirt  
*see also* Defects

Analysis of rosin, [T 621](#)  
Equivalent black area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)  
In paper and paperboard, [T 437](#)  
In pulp, [T 213](#)  
Natural dirt in wood chips, [T 265](#)  
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)

Dirt count  
*see also* Dirt  
Dirt count in paper and paperboard (optical character recognition – OCR), [T 537](#)  
Dirt in paper and paperboard, [T 437](#)  
Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)  
Natural dirt in wood chips, [T 265](#)  
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)

Dirt index  
*see* Dirt

Discoloration  
Envelope seal, seam, and window patch testing, [T 516](#)

Disintegration  
Preparation of mechanical pulps for testing, [T 262](#)

Disintegrators  
Use of in determining drainage time of pulp, [T 221](#)  
Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)

Disperse viscosity  
*see* Viscosity

Dispersions  
Consistency (concentration) of pulp suspensions, [T 240](#)  
Microbiological enumeration of process water and slush pulp, [T 631](#)

Dissolved solids  
Measuring, sampling, and analyzing white waters, [T 656](#)  
Open drum washer mat sampling technique, [T 281](#)

Dominant wavelength  
Color of paper and paperboard ( $d/0$ ,  $C/2$ ), [T 527](#)  
Color of paper and paperboard ( $45/0$ ,  $C/2$ ), [T 524](#)

Drainage  
Of pulp, [T 221](#)

Drainage rate  
Freeness of pulp, [T 227](#)

Drop test  
*see* Impact tests

Drum tests  
*see* Impact tests

Drums  
Open drum washer mat sampling technique, [T 281](#)

Dry abrasion test  
*see* Abrasion

Dry curl  
*see* Curl

Dry heat  
*see* Heat

Dry indicator method  
*see* Water resistance

Dry indicator tests  
Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)

Dry size  
*see* Rosin size

Dryness  
*see* Moisture content

Dupont stain  
*see* Fiber analysis, Staining

Durability  
*see also* Permanence  
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)  
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)  
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

---

**E**

---

ERIC (Effective residual ink concentration)  
*see* Ink

Edge crush resistance  
*see also* Edge crush tests  
Edge crush using neckdown, [T 838](#)  
Edgewise compressive strength of corrugated fiberboard using the clamp method (short column test), [T 839](#)  
Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)  
Fluted edge crush of corrugating medium (rigid support method), [T 843](#)  
Ring crush of paperboard (flexible beam method), [T 818](#)  
Ring crush of paperboard (rigid support method), [T 822](#)

Edge crush tests  
*see also* Edge crush resistance  
Edgewise compressive strength of corrugated fiberboard (short column test), [T 811](#)

Edgewise compression strength  
*see* Edge crush resistance

Education  
Training standard for paper machine tender, [T 1501](#)

Ehrlich's reagent  
Glue in paper (qualitative and quantitative determination), [T 504](#)

Electrical conductivity  
*see* Conductivity  
pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)

Elemental sulfur  
  *see* Sulfur

Elmendorf-type tests  
  *see* Tear strength

Elongation  
  Tensile strength and elongation at break for fiber glass mats, [T 1009](#)

Energy absorption  
  *see* Tensile energy absorption

Envelopes  
  Seal, seam, and window patch testing, [T 516](#)

Enzymatic/colorimetric method  
  *see* Starch

Enzymatic/gravimetric method  
  *see* Starch

Equilibrium moisture  
  Determination of in pulp, paper and paperboard for chemical analysis, [T 550](#)

Equilibrium relative humidity  
  *see* Humidity

Equivalent black area (EBA)  
  Equivalent black area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)  
  Dirt in pulp, [T 213](#)

Errors  
  Dealing with suspect (outlying) test determinations, [T 1205](#)

Esparto  
  Fiber analysis of paper and paperboard, [T 401](#)

Ethanol  
  Use of in determining solubles in wood and pulp, [T 204](#)  
  Use of in preparing wood for chemical analysis, [T 264](#)

Excitation purity  
  *see* Dominant wavelength

External compressive forces  
  *see* Compression tests

External surface  
  *see* Specific surface

Extractable material  
  Water solubility of wood and pulp, [T 207](#)

Extractable resin  
  *see* Rosin

Extraction  
  Hydrogen ion concentration (pH) of paper extracts (cold extraction method), [T 509](#)  
  Hydrogen ion concentration (pH) of paper extracts (hot extraction method), [T 435](#)  
  Solvent extractives of wood and pulp, [T 204](#)

Extraction apparatus  
  *see* Rosin

Extractive-free wood  
  *see* Wood

Extractives  
  Hot water extractable acidity or alkalinity of paper, [T 428](#)  
  Hydrogen ion concentration of paper extracts (cold

extraction method), [T 509](#)  
  Solvent extractives of wood and pulp, [T 204](#)

Extracts  
  *see* Extractives

Extrusion coating  
  Rheological measurements for characterization of polyolefins: low-density polyethylene (LDPE) for extrusion coating, [T 702](#)

---

## F

---

Facial tissues  
  Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)

Falling ball method  
  *see* Viscosity

Fats  
  Determination of in wood and pulp, [T 204](#)

Feathering  
  Surface wettability of paper (angle of contact method), [T 458](#)

Felt side  
  Identification of wire side in paper, [T 455](#)

Ferric iron  
  *see* Iron

Ferrouin  
  *see* Indicators, preparation of

Ferrous ammonium sulfate  
  Preparation of indicators and standard solutions, [T 610](#)

Ferrous iron  
  *see* Iron

Fiber  
  Analysis of paper and paperboard, [T 401](#)  
  Coarseness of pulp fibers, [T 234](#)  
  Consistency (concentration) of pulp suspensions, [T 240](#)  
  Identification of from conifers, [T 263](#)  
  Species identification of nonwood plant fibers, [T 259](#)  
  Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)

Fiber analysis  
  Of paper and paperboard, [T 401](#)

Fiber bonding  
  Internal bond strength of paperboard (z-direction tensile), [T 541](#)  
  Internal bond strength (Scott type), [T 569](#)

Fiber clarifier  
  *see* Fiber classification

Fiber classification  
  Fiber length of pulp, [T 233](#)

Fiber debris  
  Screening of pulp (Somerville-type equipment), [T 275](#)

Fiber diameter  
  Average fiber diameter of fiber glass mats, [T 1016](#)

Fiber glass mats

- Average fiber diameter, [T 1016](#)
- Basis weight, [T 1011](#)
- Loss on ignition, [T 1013](#)
- Moisture content, [T 1012](#)
- Moisture sensitivity, [T 1014](#)
- Uniformity (visual defects), [T 1015](#)
- Fiber identification
  - see* Identification
- Fiber length
  - By classification, [T 233](#)
  - Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
  - Of pulp by projection, [T 232](#)
- Fiber length distribution
  - Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
- Fiber mats
  - Sample location for fiber glass mat sheets, [T 1007](#)
  - Tensile strength and elongation at break for fiber glass mats, [T 1009](#)
  - Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
  - Test conditions for fiber glass mat test methods, [T 1008](#)
- Fiber suspensions
  - see* Dispersions
- Fiberboard containers
  - see* Containers, Fiberboard
- Fiberboard shipping containers
  - see* Containers, Fiber boards
- Fiberboards
  - see also* Corrugated boards
  - Box blank dimensioning, [T 827](#)
  - Compression test of fiberboard shipping containers, [T 804](#)
  - Drop test for fiberboard shipping containers, [T 802](#)
  - Drum test for fiberboard shipping containers, [T 800](#)
  - Edge crush using neckdown, [T 838](#)
  - Flexural stiffness of corrugated board, [T 820](#)
  - Ink rub, [T 830](#)
  - Ply separation of solid and corrugated fiberboard (wet), [T 812](#)
  - Ring crush of paperboard (flexible beam method), [T 818](#)
  - Ring crush of paperboard (rigid support method), [T 822](#)
  - Sampling and accepting a single lot of, [T 400](#)
  - Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
  - Stiffness, four point method, [T 836](#)
  - Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
- Filled papers
  - Zinc and cadmium in paper, [T 438](#)
- Fillers
  - see also* Pigments
- Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)
- Determination of titanium dioxide, [T 627](#)
- Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Sampling, [T 657](#)
- Films
  - Envelope seal, seam, and window patch testing, [T 516](#)
- Fineness
  - Coarseness of pulp fibers, [T 234](#)
  - Specific external surface of pulp, [T 226](#)
- Fire resistance
  - see* Flameproof papers
- Fireproof papers
  - see* Flameproof papers
- Fixed suspended solids
  - see* Suspended solids
- Flakes
  - Pulp screening (Valley-type screening device), [T 278](#)
- Flame resistance
  - see* Flameproof papers
- Flameproof papers
  - Treated paper and paperboard, [T 461](#)
- Flat crush tests
  - Corrugated board, [T 808](#)
  - Corrugating medium, [T 809](#)
  - Flat crush test of corrugated board (rigid support method), [T 825](#)
- Flax
  - Fiber analysis of paper and paperboard, [T 401](#)
  - Species identification of nonwood plant fibers, [T 259](#)
- Flexible packaging
  - see also* Packaging materials
  - Grease resistance of flexible packaging materials, [T 507](#)
- Flexural properties
  - see* Bend strength
- Flexural resistance/stiffness
  - see* Stiffness
- Float curl method
  - Water absorption of corrugating medium, [T 832](#)
- Flow measurement
  - Measuring, sampling, and analyzing white waters, [T 656](#)
- Fluorescence
  - Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)
- Fluorescent dyes
  - Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
  - Visual grading and color matching of paper, [T 515](#)
- Fluorescent whitening agents
  - see* Fluorescent dyes
- Fluorine compounds
  - Grease resistance for paper and paperboard, [T 559](#)
- Flute rigidity

*see* Flutes, Compressibility  
Flute-tip adhesion  
*see* Pin adhesion tests  
Fluted edge crush  
*see* Edge crush resistance  
Flutes  
Flat crush test of corrugated board (flexible beam method), [T 808](#)  
Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)  
Fluted edge crush of corrugating medium (rigid support method), [T 843](#)  
Fold  
Folding endurance of paper (Schopper type tester), [T 423](#)  
Folding  
Bending number of paperboard, [T 495](#)  
Folding endurance  
*see also* Bending, Stiffness  
Folding endurance of paper (Schopper type tester), [T 423](#)  
Paper, [T 511](#)  
Folding number  
Folding endurance of paper (Schopper type tester), [T 423](#)  
Folding resistance  
*see* Folding endurance  
Food boards  
Odor of packaging materials, [T 483](#)  
Food packaging  
*see* Food boards, Food wrap papers  
Food wrap papers  
Odor of packaging materials, [T 483](#)  
Foreign particles  
*see* Impurities  
Formaldehyde  
Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)  
Formate  
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)  
Formation  
Fiber glass mat uniformity (visual defects), [T 1015](#)  
Handsheets for reflectance testing of pulp, [T 272](#)  
Four point method  
*see* Stiffness  
Free fall drops  
*see* Impact test  
Free mineral acids  
*see* Inorganic acids  
Free moisture  
*see* Moisture content  
Freeness  
*see also* Drainage  
Drainage time of pulp, [T 221](#)  
Pulp, [T 227](#)  
Friction  
Coefficient of static friction (slide angle) of packaging and packaging materials (including

shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)  
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)

Friction factor  
*see also* Friction  
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)  
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)  
Fungi  
Microbiological enumeration of process water and slush pulp, [T 631](#)  
Fungus resistance  
*see* Fungi  
Furnish  
Drainage time of pulp, [T 221](#)

---

## G

---

Galactan  
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)  
Gamma cellulose  
In pulp, [T 203](#)  
Gas chromatography  
Carbohydrate composition of extractive-free wood and wood pulp, [T 249](#)  
Gas-liquid chromatography  
*see* Gas chromatography  
Gelatin  
Glue in paper (qualitative and quantitative determination) [T 504](#)  
Geometry  
Calibration of reflectance standards for hemispherical geometry, [T 1218](#)  
Glass fibers  
*see also* Fiber glass mats  
Sample location for fiber glass mat sheets, [T 1007](#)  
Tensile strength and elongation at break for fiber glass mats, [T 1009](#)  
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)  
Test conditions for fiber glass mat test methods, [T 1008](#)  
Glassine papers  
Grease resistance of flexible packaging materials, [T 507](#)  
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)  
Gloss  
Specular gloss of paper and paperboard at 20 degrees, [T 653](#)

Specular gloss of paper and paperboard at 75°, [T 480](#)

Glucan  
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Glue  
*see also* Adhesion  
In paper (qualitative and quantitative determination), [T 504](#)  
Organic nitrogen in paper and paperboard, [T 418](#)

Glued lap joints  
*see* Joints

Graff C stain  
*see* Fiber analysis, Staining

Grammage  
*see* Basis weight

Grasses  
Species identification of nonwood plant fibers, [T 259](#)

Gravimetry  
Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)  
Water vapor transmission rate of paper and paperboard at high temperature and humidity, [T 464](#)  
Zinc and cadmium in paper, [T 438](#)

Grease resistance  
Flexible packaging materials, [T 507](#)  
Grease resistance for paper and paperboard, [T 559](#)  
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Greaseproof papers  
Grease resistance of flexible packaging materials, [T 507](#)  
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Green density  
*see* Density

Green liquor  
Analysis of by suppressed ion chromatography, [T 699](#)  
Suspended solids in, [T 692](#)

Green volume  
*see* Volume

Green weight  
*see* Weight

Green-Yorston stain  
*see* Fiber analysis, Staining

Gross heating value  
*see* Heating value

Gross sample  
*see* Sample

Groundwood  
Drainage time, [T 221](#)  
Specific external surface of pulp, [T 226](#)

Gum rosin  
*see* Rosin

Gummed papers  
Curl of, [T 520](#)

Gums  
Water solubility of wood and pulp, [T 207](#)

Gurley testers  
Bending resistance of paper (Gurley-type tester), [T 543](#)

---

**H**

---

Halpin-Hicks test  
*see* Rosin

Hammers  
Determination of containerboard roll hardness, [T 834](#)

Handling stiffness  
*see* Stiffness

Handsheets formers  
Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)

Handsheets  
Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)  
Diffuse brightness of paper, paperboard and pulp (d/0) – Ultraviolet Level C, [T 525](#)  
Diffuse brightness of paper, paperboard and pulp (d/0) (ultraviolet level D65), [T 579](#)  
Formation for reflectance testing of pulp, [T 272](#)  
Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)  
Forming handsheets for physical tests of pulp, [T 205](#)  
Physical testing of pulp handsheets, [T 220](#)  
Standard conditioning and testing atmospheres for, [T 402](#)

Hardness  
Determination of containerboard roll hardness, [T 834](#)

Hardness (of pulp)  
*see* Cooking degree

Hardwoods  
Fiber analysis of paper and paperboard, [T 401](#)

Heat  
Aging of paper and board with moist heat, [T 544](#)  
Effect of dry heat on properties of paper and board, [T 453](#)

Heat conductivity  
*see* Thermal conductivity

Heat set ink  
Blister resistance of coated paper in heatset printing, [T 526](#)

Heat setting  
Blister resistance of coated paper in heatset printing, [T 526](#)

Heat treatment  
Aging of paper and board with moist heat, [T 544](#)  
Effect of dry heat on properties of paper and board, [T 453](#)

Heating value  
Black liquor, [T 684](#)

- Hemicelluloses  
Alkali solubility of pulp at 25°C, [T 235](#)  
Determination of gamma-cellulose in pulp, [T 203](#)  
Extraction of by hot alkali, [T 212](#)  
Pentosans in wood and pulp, [T 223](#)
- Hemp  
Species identification of nonwood plant fibers, [T 259](#)
- Hexeneuronic acid  
Hexeneuronic acid content of chemical pulp, [T 282](#)
- Hercules test  
*see* Sized papers
- Herzberg stain  
*see* Fiber analysis, Staining
- Hide glue  
Glue in paper (qualitative and quantitative determination), [T 504](#)
- High heating value  
*see* Gloss
- High-molecular-weight cellulose  
*see* Cellulose
- High temperature  
Water vapor transmission rate of paper and paperboard at high temperature and humidity, [T 464](#)
- Horizontal plane method  
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
- Horizontal planes  
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
- Hot extraction  
*see* Extractives
- Hot water extractable alkalinity  
*see* Extractives
- Hot water extracts  
*See also* Extractives  
pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
- Hot water solubles  
*see* Water solubles
- Humidity  
Envelope, seal, seam, and window patch testing, [T 516](#)  
Equilibrium relative humidity of paper and paperboard, [T 502](#)
- Humidity control  
Test conditions for fiber glass mat test methods, [T 1008](#)
- Humidity rooms  
Standard conditioning and testing atmospheres for paper, board and pulp handsheets, [T 402](#)
- Hydrocarbons  
Determination of non-volatile hydrocarbons in wood and pulp, [T 204](#)
- Hydrochloric acid  
Preparation of indicators and standard solutions, [T 610](#)
- Hydrogen ion concentration  
*see* pH
- Hydrolysis  
Hexeneuronic acid content of chemical pulp, [T 282](#)
- Hydroxyproline  
Glue in paper (qualitative and quantitative determination), [T 504](#)
- 
- Identification  
Compression wood, [T 267](#)  
Nonwood plant fibers, [T 259](#)  
Wire side of paper, [T 455](#)  
Wood and fibers from conifers, [T 263](#)
- Illumination  
Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)  
Visual grading and color matching of paper, [T 515](#)
- Image analysis  
Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)  
Macro stickies content in pulp: the “pick-up” method, [T 277](#)  
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
- Immersion  
*see* Submersion
- Impact  
Internal bond strength (Scott type), [T 569](#)
- Impact tests  
Drop test for fiberboard shipping containers, [T 802](#)  
Drum test for fiberboard shipping containers, [T 800](#)
- Impurities  
Acid-insoluble ash in wood, pulp, paper, and paperboard, [T 244](#)  
Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)  
Macro stickies content in pulp: the “pick-up” method, [T 277](#)  
Pulp screening (Valley-type screening device), [T 278](#)  
Silicates and silica in pulp (wet ash method), [T 245](#)
- Inclined planes  
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
- Indicators  
Preparation of, [T 610](#)
- Industrial process water  
*see* Process water
- Ink  
Blotting paper absorption of, [T 431](#)  
Castor-oil penetration test for paper, [T 462](#)  
Determination of effective residual ink concentration (ERIC) by infrared reflectance

measurement, [T 567](#)

Size test for paper by ink resistance (Hercules-type method), [T 530](#)

Titanium dioxide content in, [T 627](#)

Ink absorption

Ink absorbency of blotting paper, [T 431](#)

Size test for paper by ink resistance (Hercules-type method), [T 530](#)

Ink absorptivity

*see* Absorptivity

Ink resistance

*see* Printability

Ink rub resistance

Containerboard, [T 830](#)

Inorganic color pigments

*see* Pigments

Insoluble matter

*see* Solubility

Instrument characteristics

Acceptance procedures for laboratories providing reference materials, [T 1211](#)

Interfiber bonding

*see* Fiber bonding

Interlaboratory evaluation

Test methods used with paper and paper products, [T 1200](#)

Internal bond

*see also* Bond strength

Internal bond strength (Scott type), [T 569](#)

Internal fiber bond strength

*see* Bond strength

Internal tear

*see* Tear strength

Iodine

Preparation of indicators and standard solutions, [T 610](#)

Ion chromatography

Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

Ion exchange

Carboxyl content of pulp, [T 237](#)

Iron

Acid-soluble iron in paper, [T 434](#)

Analysis of caustic soda, [T 613](#)

Analysis of limestone, [T 618](#)

Analysis of salt cake, [T 619](#)

Analysis of soda and sulfate black liquor, [T 625](#)

Analysis of sulfuric acid, [T 602](#)

Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)

Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Iron oxide

Analysis of limestone, [T 618](#)

ISO

*see* Units of measurement

ISO brightness

*see* Diffuse reflection

---

## J

No listings

---

## K

Kantrowitz-Simmons stain

*see* Fiber analysis, Staining

Kaolin

Accelerated test for viscosity stability of clay slurries, [T 697](#)

Kaolin clay dispersion

*see* Clay

Kappa number

Kappa number of pulp, [T 236](#)

Kenaf

Species identification of nonwood plant fibers, [T 259](#)

Kinetic friction

Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)

Kjeldahl procedure

*see* Nitrogen

Klemm method

*see* Blotting papers

Kraft liquor

Suspended solids in, [T 692](#)

Kraft pulping

Analysis of soda and sulfate black liquor, [T 625](#)

Kraft pulps

*see* Pulps

Kubelka-Munk equation

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)  
Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

---

## L

*L, a, b* color values

*see* Color

Laboratories

Acceptance procedures for laboratories providing reference materials, [T 1211](#)

Laboratory beating

Laboratory beating of pulp (PFI mill method), [T 248](#)

Laboratory beating of pulp (Valley beater method), [T 200](#)

Laboratory pulp processing

*see* Laboratory beating

Laboratory refining

Laboratory beating of pulp (PFI mill method), [T 248](#)

Laboratory beating of pulp (Valley beater method),



- [T 200](#)  
Lactates  
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
- Lap joints  
*see also* Joints
- Latency  
Preparation of mechanical pulps for testing, [T 262](#)
- Length  
Weight-volume measurement of pulpwood, [T 268](#)
- Liebermann-Storch test  
*see* Rosin
- Life tests  
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)  
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Lift strength  
*see* Surface strength
- Light  
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)  
Dirt in paper and paperboard, [T 437](#)
- Light sources  
Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)  
Visual grading and color matching of paper, [T 515](#)
- Light-scattering coefficient  
*see* Optical scattering
- Lignin  
In wood and pulp, [T 222](#)  
Kappa number of pulp, [T 236](#)
- Lime  
Analysis of, [T 617](#)  
Analysis of salt cake, [T 619](#)
- Limestone  
Analysis of, [T 618](#)
- Linearity  
Photometric linearity of optical properties instruments, [T 1217](#)
- Liner separation  
*see* Separation
- Linerboards  
Bursting strength, [T 807](#)  
Determining construction (nominal basis weight) of corrugated board, [T 844](#)  
Roughness of paper and paperboard, stylus method (Emveco-type), [T 575](#)
- Liquors  
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
- Lofton-Merritt stain  
*see* Fiber analysis, Staining
- Logs  
*see also* Wood  
Basic density and moisture content of pulpwood, [T 258](#)
- Sampling and preparing wood for analysis, [T 257](#)  
Weight-volume measurement of pulpwood, [T 268](#)
- Lorentzen & Wettre-type tester  
*see* Stiffness
- Loss on heating  
*see* Weight
- Loss on ignition  
Analysis of talc, [T 665](#)  
Fiber glass mats, [T 1013](#)  
Limestone, [T 618](#)
- Lot acceptance  
*see* Acceptability
- Low-density polyethylene (LDPE)  
Rheological measurements for characterization of polyolefins: low-density polyethylene (LDPE) for extrusion coating, [T 702](#)
- Luminosity  
Color of paper and paperboard (45/0, C/2), [T 524](#)  
Color of paper and paperboard (d/0, C/2), [T 527](#)
- Luminous factor  
*see* Reflectance
- Luminous reflectance  
Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)
- 
- M**
- 
- Machine direction  
Grammage variation measurement (gravimetric method), [T 546](#)  
Of paper and paperboard, [T 409](#)
- Machine operation  
Training standard for paper machine tender, [T 1501](#)
- Machine tenders  
Training standard for paper machine tender, [T 1501](#)
- Magnesia  
*see* Magnesium oxide
- Magnesium  
Analysis of soda and sulfate black liquor, [T 625](#)  
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Magnesium oxide (magnesia)  
Analysis of limestone, [T 618](#)  
Analysis of salt cake, [T 619](#)  
Analysis of talc, [T 665](#)
- Magnesium silicate  
Analysis of talc, [T 665](#)
- Manganese  
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
- Manila hemp  
Species identification of nonwood plant fibers, [T 259](#)
- Mannan  
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)
- Mass per unit area  
*see* Grammage

Mass transfer  
Static creasing of paper for water vapor transmission tests, [T 465](#)  
Water vapor transmission rate of sheet materials at standard temperature and humidity, [T 448](#)

Mats  
*see* Fiber glass mats

Measurement  
Units of, [T 1210](#)

Measuring instruments  
Acceptance procedures for laboratories providing reference materials, [T 1211](#)

Mechanical properties  
*see specific property, e.g.*, Burst strength

Mechanical pulps  
Preparation of for testing, [T 262](#)  
Pulp screening (Valley-type screening device), [T 278](#)  
Screening of pulp (Somerville-type equipment), [T 275](#)

Melamine-formaldehyde resins  
*see* Polymelamines

Melamine resins  
*see* Polymelamines

Metals  
*see specific metal, e.g.*, Iron, *etc.*

Methyl orange  
*see* Indicators, preparation of

Methyl red  
*see* Indicators, preparation of

Metric system  
*see* Units of measurement

Microbiological examination  
*see* Microbiology

Microbiology  
Bacteriological examination of paper and paperboard, [T 449](#)  
Microbiological enumeration of process water and slush pulp, [T 631](#)

Micrometer  
Thickness of paper and paperboard, [T 411](#)

Microorganism control  
Bacteriological examination of paper and paperboard, [T 449](#)  
Microbiological enumeration of process water and slush pulp, [T 631](#)

Microscopy  
Fiber analysis of paper and paperboard, [T 401](#)  
Identification of wood and fibers from conifers, [T 263](#)  
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Mineral acids  
*see* Inorganic acids

Mineral coating  
*see* Coatings

Mineral components  
*see* Minerals

Mineral constituents  
*see* Ash content

Mineral fillers  
*see* Fillers

Mineral oil  
*see* Oil absorbency

Mineral pigments  
*see* Pigments

Mineral salts  
*see* Ash content

Minerals  
Brightness of clay and other mineral pigments (45/0), [T 646](#)  
Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)  
Determination of titanium dioxide, [T 627](#)  
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Mixed waste papers  
Macro stickies content in pulp: the “pick-up” method, [T 277](#)

MIT folding testers  
Folding endurance of paper (MIT tester), [T 511](#)

Modulus of elasticity  
*see* Elastic strength

Modulus of rupture  
*see* Rupture modulus

Moist heat  
*see* Heat

Moisture  
*see also* Moisture content  
Sampling and testing wood pulp shipments for moisture, [T 210](#)

Moisture content  
Analysis of rosin size, [T 628](#)  
Equilibrium moisture in pulp, paper and paperboard for chemical analysis, [T 550](#)  
Fiber glass mats, [T 1012](#)  
Moisture in pulp, paper and paperboard, [T 412](#)  
Preparation of wood for chemical analysis, [T 264](#)  
Pulpwood, [T 258](#)  
Salt cake, [T 619](#)  
Sampling and testing wood pulp shipments for moisture, [T 210](#)

Moisture sensitivity  
Fiber glass mats, [T 1014](#)

Monosaccharides  
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Morphological characteristics  
*see* Fiber analysis

Morris method  
*see* Edge crush resistance

Mullen  
*see* Burst strength

Multi-ply boards

*see* Corrugated boards  
Multiwall bags  
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

---

## N

---

NIR (Near infrared reflectance)  
*see* Reflectance  
Nail resistance  
*see* Edge nail strength  
Napkin papers  
Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)  
Natural dirt  
Natural dirt in wood chips, [T 265](#)  
NCR stain  
*see* Fiber analysis, Staining  
Neckdown  
*see* Edge crush resistance  
Neutral sulfite pulps  
*see* Pulps  
Nitrogen  
Organic nitrogen in paper and paperboard, [T 418](#)  
Nitrogen compounds  
Organic nitrogen in paper and paperboard, [T 418](#)  
Nitrogen oxides  
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)  
Nomenclature  
Optical measurements terminology (related to appearance evaluation of paper), [T 1500](#)  
Nonbibulous paperboard  
*see* Sized papers  
Nonbibulous papers  
*see* Sized paper/paperboard  
Nonvolatile matter  
*see* Volatility  
Nonwood fibers  
Species identification of nonwood plant fibers, [T 259](#)  
Nonwood plants  
Species identification of, [T 259](#)  
Nonwovens  
*see also* Insulating boards  
Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

---

## O

---

Oat straw  
Species identification of nonwood plant fibers, [T 259](#)  
OCR  
Dirt count in paper and paperboard (optical character recognition - OCR), [T 537](#)  
Odors  
Packaging materials, [T 483](#)  
Oil  
Grease resistance for paper and paperboard, [T 559](#)  
Oil absorption  
Castor-oil penetration test for paper, [T 462](#)  
Oil penetration tests  
Castor-oil penetration test for paper, [T 462](#)  
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)  
Oil resistance/repellance  
*see* Grease resistance  
Okra  
Species identification of nonwood plant fibers, [T 259](#)  
Opacity  
Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)  
Diffuse opacity of paper, [T 519](#)  
Interrelation of reflectance,  $R_0$ ; reflectivity,  $R_\infty$ ; TAPPI opacity,  $C_{0.89}$ ; scattering,  $s$ ; and absorption,  $k$ , [T 1214](#)  
Measurement of paper, [T 425](#)  
Opaque pigments  
*see* Pigments  
Optical character recognition  
*see* OCR  
Optical instruments  
Photometric linearity of optical properties instruments, [T 1217](#)  
The determination of instrumental color differences, [T 1215](#)  
Optical measurement  
Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)  
Optical measurements terminology (related to appearance evaluation of paper), [T 1500](#)  
Storage of paper samples for optical measurements and color matching, [T 1219](#)  
The determination of instrumental color differences, [T 1215](#)  
Optical microscopy  
*see* Microscopy  
Optical properties  
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)  
Photometric linearity of optical properties instruments, [T 1217](#)  
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus,

[T 572](#)

Organic matter

Organic nitrogen in paper and paperboard, [T 418](#)

Oven-dry density

*see* Density

Oven-dry volume

*see* Volume

Oven-dry weight

*see* Weight

Oxalate

Determination of in pulping liquor, [T 699](#)

---

**P**

---

Packaging materials

Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

Creasing of flexible packaging material paper specimens for testing, [T 512](#)

Grease resistance of, [T 507](#)

Odor of, [T 483](#)

Packaging paper

Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

Creasing of flexible packaging material paper specimens for testing, [T 512](#)

Paper

*see also specific properties, e.g.,* Grammage, Thickness, *etc.*

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)

Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

Acceptance sampling, [T 400](#)

Acid-soluble iron in paper, [T 434](#)

Aging of paper and board with moist heat, [T 544](#)

Air permeance of paper and paperboard (Sheffield method), [T 547](#)

Alkalinity as calcium carbonate (alkaline reserve), [T 553](#)

Alpha-cellulose content, [T 429](#)

Ash content, acid-insoluble, [T 244](#)

Ash content, combustion at 525°C, [T 211](#)

Ash content, combustion at 900°C, [T 413](#)

Bacteria count, [T 449](#)

Bending resistance of paper (Gurley-type tester), [T 543](#)

Bending resistance of paper and paperboard by single-point bending methods, [T 556](#)

Bending resistance (stiffness) of paper and

paperboard (Taber-type tester in basic configuration), [T 489](#)

Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration), [T 566](#)

Blister resistance of coated paper in heatset printing, [T 526](#)

Brightness, [T 452](#), [T 525](#), [T 579](#)

Bulking number, [T 500](#)

Bursting strength, [T 403](#)

Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)

Color, [T 527](#)

Color matching, [T 515](#)

Color of paper and paperboard (45/0, C/2), [T 524](#)

Colorimetry, [T 515](#)

Copper number, [T 430](#)

Creasing of flexible packaging material paper specimens for testing, [T 512](#)

Curl, [T 520](#)

Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)

Diffuse opacity, [T 519](#)

Dirt content, [T 437](#)

Dirt count, [T 537](#)

Dry heat aging affects, [T 453](#)

Equilibrium moisture content, [T 550](#)

Equilibrium relative humidity, [T 502](#)

Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)

Fiber analysis, [T 401](#)

Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)

Flame resistance, [T 461](#)

Folding endurance, [T 511](#)

Folding endurance of paper (Schopper type tester), [T 423](#)

Glue content, [T 504](#)

Grease resistance for paper and paperboard, [T 559](#)

Grease resistance of flexible packaging materials, [T 507](#)

Hot water extractable acidity or alkalinity, [T 428](#)

Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)

Hydrogen ion concentration of paper extracts (hot extraction method), [T 435](#)

Identification and determination of melamine resin in paper, [T 493](#)

Ink absorbency, [T 431](#)

Internal tearing resistance of paper (Elmendorf-type method), [T 414](#)

Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)

Liquid penetration resistance, [T 530](#)  
Machine direction determination, [T 409](#)  
Moisture content, [T 412](#), [T 550](#)  
Nitrogen content, [T 418](#)  
Oil penetration, [T 462](#)  
Opacity, [T 425](#)  
pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)  
Pick resistance, [T 459](#)  
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)  
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)  
Reducible sulfur in paper and paperboard, [T 406](#)  
Rosin content, [T 408](#)  
Roughness, [T 555](#)  
Roughness, stylus method (Emveco-type), [T 575](#)  
Silver tarnishing by paper and paperboard, [T 444](#)  
Smoothness (Bekk method), [T 479](#)  
Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)  
Specular gloss, [T 480](#)  
Specular gloss of paper and paperboard at 20 degrees, [T 653](#)  
Standard conditioning/testing atmospheres for, [T 402](#)  
Starch in paper, [T 419](#)  
Static creasing of paper for water vapor transmission tests, [T 465](#)  
Surface pH, [T 529](#)  
Surface strength, [T 459](#)  
Surface wettability, [T 458](#), [T 558](#)  
Tensile breaking strength of water-saturated paper and paperboard ("wet tensile strength"), [T 456](#)  
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)  
Thickness, [T 411](#)  
Thickness of paper and paperboard (soft platen method), [T 551](#)  
Titanium dioxide, [T 627](#)  
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)  
Visual grading, [T 515](#)  
Water absorbency, [T 432](#)  
Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)  
Water resistance, [T 433](#)  
Water vapor transmission rate of sheet materials at standard temperature and humidity, [T 448](#)  
Water-soluble chlorides in, [T 256](#)  
Water-soluble sulfates in, [T 255](#)  
Wettability, [T 458](#)  
Wire side, identification of, [T 455](#)  
Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)  
Zinc and cadmium in paper, [T 438](#)

Paper coating clays

*see* Clay

Paper properties  
Aging of paper and board with moist heat, [T 544](#)  
Effect of dry heat on, [T 453](#)

Paper machines  
Training standard for paper machine tender, [T 1501](#)

Paper sheets  
Water vapor transmission rate of sheet materials at standard temperature and humidity, [T 448](#)

Paper shipping sacks  
*see* Shipping sack papers

Paperboard  
*see also* Corrugated board, Fiberboard; *see also specific properties, e.g.,* Abrasion resistance, Brightness, *etc.*  
Acid-insoluble ash in, [T 244](#)  
Acid-soluble iron in paper, [T 434](#)  
Aging of paper and board with moist heat, [T 544](#)  
Air permeance of paper and paperboard (Sheffield method), [T 547](#)  
Ash content, [T 211](#), [T 413](#)  
Bacteria content, [T 449](#)  
Bending number of paperboard, [T 495](#)  
Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)  
Bending resistance of paper (Gurley-type tester), [T 543](#)  
Bending resistance of paper and paperboard by single-point bending methods [T 556](#)  
Blister resistance of coated paper in heatset printing, [T 526](#)  
Brightness, [T 452](#), [T 525](#), [T 579](#)  
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)  
Color of paper and paperboard (45/0, C/2), [T 524](#)  
Colorimetry, [T 527](#)  
Copper number, [T 430](#)  
Dirt, [T 437](#), [T 537](#)  
Dry heat, effect of, [T 453](#)  
Equilibrium moisture in pulp, paper and paperboard for chemical analysis, [T 550](#)  
Equilibrium relative humidity, [T 502](#)  
Equivalent black area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)  
Fiber analysis of, [T 401](#)  
Flame resistance, [T 461](#)  
Gloss, [T 653](#)  
Grease resistance test for paper and paperboard, [T 559](#)  
Internal bond strength of paperboard (z-direction tensile), [T 541](#)  
Machine direction, [T 409](#)  
Moisture content, [T 412](#)  
Organic nitrogen, [T 418](#)  
pH and electrical conductivity of hot water extracts

- of pulp, paper, and paperboard, [T 252](#)
- Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
- Reducible sulfur in paper and paperboard, [T 406](#)
- Ring crush, [T 822](#)
- Ring crush of paperboard (flexible beam method), [T 818](#)
- Rosin, [T 408](#)
- Roughness, [T 555](#)
- Roughness, stylus method (Emveco-type), [T 575](#)
- Sampling and accepting a single lot of, [T 400](#)
- Score bend test, [T 577](#)
- Silver tarnishing by paper and paperboard, [T 444](#)
- Size test for paper by ink resistance (Hercules-type method), [T 530](#)
- Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)
- Specular gloss of paper and paperboard at 75°, [T 480](#)
- Standard conditioning and testing atmospheres for, [T 402](#)
- Stiffness, [T 836](#)
- Surface strength of paper (wax pick test), [T 459](#)
- Surface wettability, [T 458](#), [T 558](#)
- Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
- Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)
- Thickness, [T 411](#)
- Thickness of paper and paperboard (soft platen method), [T 551](#)
- Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
- Water immersion number of paperboard, [T 491](#)
- Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)
- Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)
- Papermaking fibers
  - see* Fibers
- Papers, impregnated
  - see* Impregnated papers
- Parchment papers
  - Grease resistance of flexible packaging materials, [T 507](#)
  - Turpentine test for voids in glassine and greaseproof papers, [T 454](#)
- Paste size
  - see* Rosin size
- Pastes
  - see* Pigments
- Penetration
  - Castor-oil test for paper, [T 462](#)
  - Size test for paper by ink resistance (Hercules-type method), [T 530](#)
- Pentosans
  - Pentosans in wood and pulp, [T 223](#)
- Permeability
  - see also* Air permeability
  - Water vapor transmission rate of sheet materials at normal temperature, [T 448](#)
- Permeance
  - see* Permeability
- Permanence
  - Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
  - Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Personnel
  - Training standard for paper machine tender, [T 1501](#)
- Petroleum wax
  - see* Paraffin wax
- PFI mills
  - Laboratory beating of pulp (PFI mill method), [T 248](#)
- pH
  - Hydrogen ion concentration (pH) of paper extracts (cold extraction method), [T 509](#)
  - Hydrogen ion concentration (pH) of paper extracts (hot extraction method), [T 435](#)
  - pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
  - Surface pH measurement of paper, [T 529](#)
- Phenol red
  - see* Indicators, preparation of
- Phenolphthalein
  - see* Indicators, preparation of
- Photochemistry
  - Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
- Photometers
  - Color of paper and paperboard (*d*/0, *C*/2), [T 527](#)
  - Color of paper and paperboard (45/0, *C*/2), [T 524](#)
- Photometry
  - Photometric linearity of optical properties instruments, [T 1217](#)
- Physical properties
  - Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
  - Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Physical tests
  - Physical testing of pulp handsheets, [T 220](#)
- Phytosterols
  - Determination of in wood and pulp, [T 204](#)
- Pick resistance
  - Surface strength of paper, [T 459](#)
- Picking
  - Internal bond strength (Scott type), [T 569](#)
- Pigments
  - see also* Fillers
  - Ash in wood, pulp, paper and paperboard:

- combustion at 900°C, [T 413](#)
- Brightness of clay and other mineral pigments (45/0), [T 646](#)
- Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
- Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Sampling, [T 657](#)
- Titanium dioxide in, [T 627](#)
- Zinc and cadmium in paper, [T 438](#)
- Pin adhesion tests
  - Corrugated board by selective separation, [T 821](#)
  - Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Pitch
  - Wood pulp, [T 204](#)
- Plant fibers
  - Species identification of nonwood plant fibers, [T 259](#)
- Plastics
  - Pulp screening (Valley-type screening device), [T 278](#)
  - Screening of pulp (Somerville-type equipment), [T 275](#)
- Ply separation
  - Solid and corrugated fiberboard, [T 812](#)
- Polarography
  - Zinc and cadmium in paper, [T 438](#)
- Polarized light
  - Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
- Polychromatic illumination
  - see* Spectral reflectance
- Polyethylene adhesion
  - see* Adhesion, Polyethylene
- Polymelamines
  - Identification and determination of melamine resin in paper, [T 493](#)
  - Organic nitrogen in paper and paperboard, [T 418](#)
- Polyolefin film
  - see* Films
- Polysulfides
  - Analysis of soda and sulfate white and green liquors, [T 624](#)
  - Reducible sulfur in paper and paperboard, [T 406](#)
- Polythionates
  - Reducible sulfur in paper and paperboard, [T 406](#)
- Polyureas
  - Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)
  - Organic nitrogen in paper and paperboard, [T 418](#)
- Porosity
  - Air permeance of paper and paperboard (Sheffield method), [T 547](#)
  - Air resistance of paper (Gurley method), [T 460](#)
  - Castor-oil penetration test for paper, [T 462](#)
  - Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Porous substrates
  - see* Substrates
- Potassium dichromate
  - Preparation of indicators and standard solutions, [T 610](#)
- Potassium hydroxide
  - Preparation of indicators and standard solutions, [T 610](#)
- Potassium permanganate
  - Preparation of indicators and standard solutions, [T 610](#)
- Potassium thiocyanate
  - Preparation of indicators and standard solutions, [T 610](#)
- Potassium titanate
  - see* Pigments
- Precision
  - Interlaboratory evaluation of test methods to determine, [T 1200](#)
- Preconditioning
  - see* Conditioning
- Preparation
  - see* Sample preparation
- Preparation of solutions
  - see* Standard solutions
- Preservation of paper
  - see* Permanence
- Print quality
  - see* Printability
- Roughness of paper and paperboard (Sheffield method), [T 538](#)
- Printability
  - Roughness of paper and paperboard (Print-Surf method), [T 555](#)
  - Roughness of paper and paperboard, stylus method (Emveco-type), [T 575](#)
  - Surface wettability of paper (angle of contact method), [T 458](#)
- Printing
  - Blister resistance of coated paper in heatset printing, [T 526](#)
  - Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)
- Printing ink
  - see* Ink
- Printing opacity
  - see* Opacity
- Printing paper
  - see also* Paper
  - Blister resistance of coated, [T 526](#)
  - Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
- Print-Surf method
  - see* Smoothness
- Probability sampling plan
  - see* Sampling
- Process water
  - Microbiological enumeration of, [T 631](#)

Processing of pulp  
  *see* Laboratory beating

Profile  
  Cross-machine grammage profile measurement (gravimetric method), [T 545](#)  
  Machine direction grammage variation measurement (gravimetric method), [T 546](#)

Projection  
  Fiber length of pulp, [T 232](#)  
  Surface wettability of paper (angle of contact method), [T 458](#)

Propionate  
  Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

Pulp  
  Acid-insoluble ash content, [T 244](#)  
  Acid-insoluble lignin content, [T 222](#)  
  Alkali solubility at 25°C, [T 235](#)  
  Alpha-, beta-, gamma-cellulose fraction determination, [T 203](#)  
  Ash content, [T 211](#), [T 413](#)  
  Brightness, [T 452](#), [T 525](#), [T 579](#)  
  Carbohydrate composition, [T 249](#)  
  Carboxyl group content, [T 237](#)  
  Consistency concentration, [T 240](#)  
  Copper number, [T 430](#)  
  Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)  
  Dirt in pulp, [T 213](#)  
  Dirt in pulp, paper and paperboard by image analysis, [T 563](#)  
  Drainage time, [T 221](#)  
  Equivalent Black Area (EBA) and count of visible dirt in pulp, [T 213](#)  
  Fiber coarseness, [T 234](#)  
  Fiber length (classification), [T 233](#)  
  Fiber length (projection), [T 232](#)  
  Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)  
  Freeness, [T 227](#)  
  Kappa number of pulp, [T 236](#)  
  Laboratory beating of pulp (PFI mill method), [T 248](#)  
  Laboratory beating of pulp (Valley beater method), [T 200](#)  
  Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)  
  Macro stickies content in pulp: the “pick-up” method, [T 277](#)  
  Microbiological enumeration, [T 631](#)  
  Moisture content, [T 210](#), [T 412](#), [T 550](#)  
  Pentosans in wood and pulp, [T 223](#)  
  pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)  
  Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)  
  Physical testing of pulp handsheets, [T 220](#)  
  Physical tests, [T 262](#)  
  Reflectance, [T 272](#)  
  Silicate/silica content, [T 245](#)  
  Sodium hydroxide (1%) solubility, [T 212](#)  
  Solvent extractives determination, [T 204](#)  
  Specific external surface, [T 226](#)  
  Sulfur dioxide in sulfite cooking liquor, [T 604](#)  
  Viscosity, [T 254](#)  
  Viscosity of pulp (capillary viscometer method), [T 230](#)  
  Water solubility, [T 207](#)  
  Water soluble chlorides in, [T 256](#)  
  Water soluble sulfates in, [T 255](#)  
  Zero-span breaking strength, [T 231](#)

Pulp bales  
  *see* Baled pulp

Pulp dispersion apparatus  
  *see* Pulp

Pulp fibers  
  *see* Fibers

Pulp handsheets  
  *see* Handsheets

Pulp properties  
  Forming handsheets for physical tests of pulp, [T 205](#)

Pulp quality  
  *see* Pulp

Pulp slush stock  
  *see* Slush pulps

Pulp suspensions  
  *see* Pulp

Pulp tests  
  Forming handsheets for physical tests of pulp, [T 205](#)

Pulp yields  
  Compression wood identification in pulpwood, [T 267](#)

Pulping  
  Pulp screening (Valley-type screening device), [T 278](#)

Pulping liquors  
  *see* Liquors, *or see specific liquor, e.g.,* White liquor, Black liquor, *etc.*

Pulps  
  Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)

Pulpwood  
  *see also* Wood  
  Weight-volume measurement of pulpwood, [T 268](#)

Pulpwood chips  
  *see* Chips

Pulpwood fibers  
  *see* Fibers

Puncture resistance  
  Container board, [T 803](#)

Puncture tests  
  Puncture test of containerboard, [T 803](#)

Purified calfskin gelatin  
  Glue in paper (qualitative and quantitative determination), [T 504](#)



---

## Q

---

### Qualitative analysis

Starch in paper, [T 419](#)

### Quality

Training standard for paper machine tender, [T 1501](#)

### Quality control

Sampling and accepting a single lot of paper, paperboard, containerboard, or related product, [T 400](#)

### Quantitative analysis

Reducible sulfur in paper and paperboard, [T 406](#)

Starch in paper, [T 419](#)

---

## R

---

### Radiation effects

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

### Ramie

Species identification of nonwood plant fibers, [T 259](#)

### Raspail test

*see* Rosin

### Rate of elongation

*see* Tensile strength

### Reagents

Preparation of indicators and standard solutions, [T 610](#)

### Ream weight

*see* Basis weight

### Reclaimed fibers

Macro stickies content in pulp: the "pick-up" method, [T 277](#)

Screening of pulp (Somerville-type equipment), [T 275](#)

### Recycling

Pulp screening (Valley-type screening device), [T 278](#)

Screening of pulp (Somerville-type equipment), [T 275](#)

### Reducible sulfur

Reducible sulfur in paper and paperboard, [T 406](#)

Silver tarnishing by paper and paperboard, [T 444](#)

### Reeds

Species identification of nonwood plant fibers, [T 259](#)

### Refining

*see* Laboratory beating

### Reflectance

*see also* Brightness

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Brightness of clay and other mineral pigments (45/0), [T 646](#)

Brightness of pulp, paper, and paperboard

(directional reflectance at 457 nm), [T 452](#)

Calibration of reflectance standards for

hemispherical geometry, [T 1218](#)

Color of paper and paperboard (45/0, C/2), [T 524](#)

Color of paper and paperboard (d/0, C/2), [T 527](#)

Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

Diffuse opacity of paper (d/0 paper backing), [T 519](#)

Dirt in paper and paperboard, [T 437](#)

Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)

Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

Interrelation of reflectance,  $R_0$ ; reflectivity,  $R_\infty$ ; TAPPI opacity,  $C_{0.89}$ ; scattering,  $s$ ; and absorption,  $k$ , [T 1214](#)

Opacity of paper (15/d geometry, illuminant A/2°, 89% reflectance backing and paper backing), [T 425](#)

Size test for paper by ink resistance (Hercules-type method), [T 530](#)

Testing of pulp handsheets for, [T 272](#)

### Reflectance factor

*see* Reflectance

### Reflectometry

*see* Reflectance

### Reflectivity

Interrelation of reflectance,  $R_0$ ; reflectivity,  $R_\infty$ ; TAPPI opacity,  $C_{0.89}$ ; scattering,  $s$ ; and absorption,  $k$ , [T 1214](#)

### Relative humidity

*see* Humidity

### Remoistening adhesives

Curl of flat gummed papers, [T 520](#)

### Repeatability

Interlaboratory evaluation of test methods to determine, [T 1200](#)

### Repellance

Grease resistance for paper and paperboard, [T 559](#)

### Reproducibility

Interlaboratory evaluation of test methods to determine, [T 1200](#)

### Repulping

Pulp screening (Valley-type screening device), [T 278](#)

### Resin

*see also* Wood resin, Rosin

Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)

Identification and determination of melamine resin in paper, [T 493](#)

### Resistance

Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration), [T 566](#)

### Resistance to bending

Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)

Resistivity  
  *see* Conductivity  
Resonance length method  
  *see* Stiffness  
Revolutions  
  Laboratory beating of pulp (PFI mill method),  
  [T 248](#)  
Revolving hexagonal drum  
  *see* Impact tests  
Rheology  
  Rheological measurements for characterization of  
  polyolefins: low-density polyethylene (LDPE) for  
  extrusion coating, [T 702](#)  
Rice straw  
  Species identification of nonwood plant fibers,  
  [T 259](#)  
Rigid support method  
  *see* Flat crush resistance  
Rigidity  
  *see* Stiffness  
Ring crush tests  
  Ring crush of paperboard (flexible beam method),  
  [T 818](#)  
  Paperboard (rigid support method), [T 822](#)  
Roese-Gottlieb method  
  *see* Casein, analysis of  
Rolls (paperboard)  
  *see* Wound rolls  
Rosin  
  Analysis of, [T 621](#)  
  Analysis of rosin size, [T 628](#)  
  In paper and paperboard, [T 408](#)  
Rosin size  
  Analysis of rosin size, [T 628](#)  
Rotating spindle viscometer  
  *see* Viscosity  
Roughness  
  *see also* Smoothness  
  Roughness of paper and paperboard (Sheffield  
  method), [T 538](#)  
  Stylus method (Emveco-type), [T 575](#)  
Ruling quality  
  *see* Printability  
Rupture work  
  Tensile properties of paper and paperboard (using  
  constant rate of elongation apparatus), [T 494](#)  
Rutile titanium dioxide  
  *see* Pigments  
Rye straw  
  Species identification of nonwood plant fibers,  
  [T 259](#)

---

## S

Salt cake  
  Analysis of, [T 619](#)  
Sample preparation  
  Creasing of flexible packaging material paper

specimens for testing, [T 512](#)  
Specimen preparation for cross directional internal  
tearing resistance for paper, paperboard and related  
materials, [T 496](#)  
Wood for analysis, [T 257](#)  
Wood for chemical analysis, [T 264](#)  
Samples  
  Storage of paper samples for optical measurements  
  and color matching, [T 1219](#)  
Sampling  
  Fillers and pigments, [T 657](#)  
  Pulp for moisture, [T 210](#)  
  Sample location for fiber glass mat sheets, [T 1007](#)  
  Single lot of paper and paperboard, [T 400](#)  
  Testing of fiber glass mats: use of modified TAPPI  
  procedures for sampling and lot acceptance,  
  stiffness, tear resistance, and thickness, [T 1006](#)  
  Weight-volume measurement of pulpwood, [T 268](#)  
  White waters, [T 656](#)  
  Wood for analysis, [T 257](#)  
Sand  
  Analysis of rosin, [T 621](#)  
Sanitary tissues  
  *see* Tissue papers  
Saponification number  
  Analysis of rosin, [T 621](#)  
Saturation  
  Tensile breaking strength of water-saturated paper  
  and paperboard (“wet tensile strength”), [T 456](#)  
Sawdust  
  Sampling and preparing wood for analysis, [T 257](#)  
Scattering  
  Determination of effective residual ink  
  concentration (ERIC) by infrared reflectance  
  measurement, [T 567](#)  
  Interrelation of reflectance,  $R_0$ ; reflectivity,  $R_\infty$ ;  
  TAPPI opacity,  $C_{0.89}$ ; scattering,  $s$ ; and absorption,  
   $k$ , [T 1214](#)  
  Opacity of paper ( $15/d$  geometry, illuminant  $A/2^\circ$ ,  
  89% reflectance backing and paper backing), [T 425](#)  
Scattering coefficient  
  *see* Optical scattering  
Schopper-type tester  
  *see* Folding endurance  
Score bend efficiency  
  Score bend test, [T 577](#)  
Score-line rupture  
  *see* Scores  
Scores  
  Score bend test, [T 577](#)  
  Quality test, [T 829](#)  
Scoring  
  Bending number of paperboard, [T 495](#)  
Scott bond  
  *see* Internal bond  
Screen residue  
  *see* Mesh residue  
Screening  
  Laboratory screening of pulp (MasterScreen-type

- instrument), [T 274](#)
- Macro stickies content in pulp: the “pick-up” method, [T 277](#)
- Pulp screening (Valley-type screening device), [T 278](#)
- Screening of pulp (Somerville-type equipment), [T 275](#)
- Screens
  - Fiber length of pulp by classification, [T 233](#)
- Seal adhesion
  - see* Sealants
- Sealants
  - Envelope seal, seam, and window patch testing, [T 516](#)
- Seals
  - see* Window envelopes
- Seams
  - see* Window envelopes
- Sedimentation method
  - see* Particle size distribution
- Selleger's stain
  - see* Fiber analysis, Staining
- Sensitivity
  - Moisture sensitivity of fiber glass mats, [T 1014](#)
- Separation
  - Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
  - Of liner from medium (pin adhesion test), [T 821](#)
  - Screening of pulp (Somerville-type equipment), [T 275](#)
  - Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Sheet formation
  - see* Formation
- Sheet machines (laboratory)
  - see* Handsheet formers
- Sheet materials
  - see* Sheets
- Sheets
  - Water vapor transmission rate of sheet materials at standard temperature and humidity, [T 448](#)
- Sheffield method
  - see* Smoothness, Air permeability
- Sheffield smoothness
  - Roughness of paper and paperboard (Sheffield method), [T 538](#)
- Shipping containers
  - see also* Containers
  - Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
- Shives
  - Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
  - Pulp screening (Valley-type screening device), [T 278](#)
  - Screening of pulp (Somerville-type equipment), [T 275](#)
- Shock
  - Drum test for fiberboard shipping containers, [T 800](#)
- Short column test
  - see* Edge crush resistance
- SI units
  - see* Units of measurement
- Sides
  - Identification of wire side of paper, [T 455](#)
- Silica
  - Acid-insoluble ash in pulp, [T 244](#)
  - Analysis of limestone, [T 618](#)
  - Analysis of soda and sulfate black liquor, [T 625](#)
  - Analysis of sodium silicate, [T 632](#)
  - Analysis of talc, [T 665](#)
  - In pulp (wet ash method), [T 245](#)
  - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Silicate pigments
  - see* Pigments
- Silicates
  - Acid-insoluble ash in pulp, [T 244](#)
  - In pulp (wet ash method), [T 245](#)
  - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Silicon dioxide
  - see* Silica
- Silver nitrate
  - Preparation of indicators and standard solutions, [T 610](#)
- Silver tarnish tests
  - Silver tarnishing by paper and paperboard, [T 444](#)
- Silvering method
  - see* Specific surface
- Sisal
  - Species identification of nonwood plant fibers, [T 259](#)
- Size
  - Grease resistance for paper and paperboard, [T 559](#)
- Size emulsion
  - see* Rosin size
- Sized papers
  - Size test for paper by ink resistance (Hercules-type method), [T 530](#)
  - Surface wettability of paper (angle of contact method), [T 458](#)
  - Water absorptiveness of (Cobb test), [T 441](#)
  - Water resistance of, [T 433](#)
- Sizing
  - Degree of in paper by ink resistance, [T 530](#)
  - Water absorption of corrugating medium, [T 831](#)
  - Water absorptiveness of sized paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
  - Water immersion number of paperboard, [T 491](#)
  - Water resistance of size paper and paperboard (dry indicator method), [T 433](#)
- Slide angle
  - Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid

fiberboard) (inclined plane method), [T 815](#)

Slide resistance  
*see* Friction, Slide angle

Slowness of pulp/stock  
*see* Freeness

Slurry  
Accelerated test for viscosity stability of clay slurries, [T 697](#)  
Viscosity of coating clay slurry, [T 648](#)

Slush pulps  
Microbiological enumeration of process water and slush pulp, [T 631](#)

Smelt  
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

Smoothness  
Paper (Bekk method), [T 479](#)  
Paper and paperboard (Print-Surf method), [T 555](#)  
Roughness of paper and paperboard, stylus method (Emveco-type), [T 575](#)  
Roughness of paper and paperboard (Sheffield method), [T 538](#)

Soda ash  
*see* Sodium carbonate

Soda pulping  
Analysis of soda and sulfate black liquor, [T 625](#)

Soda pulps  
*see* Pulps

Sodium  
Analysis of soda and sulfate black liquor, [T 625](#)  
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)

Sodium bicarbonate  
Analysis of salt cake, [T 619](#)

Sodium chloride  
Analysis of salt cake, [T 619](#)

Sodium hydrosulfite  
Analysis of sodium hydrosulfite, [T 622](#)

Sodium hydroxide  
Analysis of caustic soda, [T 613](#)  
One percent sodium hydroxide solubility of wood and pulp, [T 212](#)  
Preparation of indicators and standard solutions, [T 610](#)  
Use of in determining alkali solubility of pulp, [T 235](#)

Sodium oxide  
Analysis of salt cake, [T 619](#)  
Analysis of sodium silicate, [T 632](#)

Sodium silicate  
Analysis of, [T 632](#)

Sodium sulfate  
Analysis of salt cake, [T 619](#)  
Analysis of soda and sulfate black liquor, [T 625](#)

Sodium sulfide  
Analysis of soda and sulfate black liquor, [T 625](#)

Sodium sulfite  
Analysis of soda and sulfate black liquor, [T 625](#)

Sodium thiosulfate  
Preparation of indicators and standard solutions, [T 610](#)  
Analysis of soda and sulfate black liquor, [T 625](#)

Softwoods  
Fiber analysis of paper and paperboard, [T 401](#)  
Wood/fiber identification method for, [T 263](#)

Solid fiberboard  
*see* Fiberboard

Solids content  
Analysis of rosin size, [T 628](#)  
Black liquor, [T 650](#)  
Measuring, sampling, and analyzing white waters, [T 656](#)  
Suspended solids in kraft green and black liquor, [T 692](#)

Solubility  
Alkali solubility of pulp at 25°C, [T 235](#)  
Analysis of limestone, [T 618](#)  
Analysis of rosin, [T 621](#)  
One percent sodium hydroxide solubility of wood and pulp, [T 212](#)

Soluble material  
*see* Solubility

Solutions  
Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)

Solvent extractives  
*see* Solvents

Solvents  
Extractives of wood and pulp, [T 204](#)

Soxhlet apparatus  
*see* Extraction, Rosin

Species identification  
Species identification of nonwood plant fibers, [T 259](#)

Specific gravity  
*see* Density

Specific handling stiffness  
*see* Stiffness

Specific surface  
Of pulp, [T 226](#)

Specific volume  
*see* Bulk

Spectrometers  
Color of paper and paperboard (45/0, C/2), [T 524](#)  
Color of paper and paperboard (d/0, C/2), [T 527](#)

Spectrophotometry  
*see* Spectroscopy

Spectroscopy  
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)  
Identification and determination of melamine resin in paper, [T 493](#)

Specular gloss  
*see* Gloss

Splitting  
*see* Ply separation

Spore-cloud method  
*see* Fungi

Spore-mycelial method  
*see* Fungi

Stability  
*see also* Permanence  
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)  
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)  
Accelerated test for viscosity stability of clay slurries, [T 697](#)  
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)  
Effect of dry heat on properties of paper, [T 453](#)

Staining  
Envelope seal, seam, and window patch testing, [T 516](#)  
Fiber analysis of paper and paperboard, [T 401](#)

Standard practice  
Acceptance procedures for laboratories providing reference materials, [T 1211](#)

Standard solutions  
Preparation of, [T 610](#)

Standards  
Acceptance procedures for laboratories providing reference materials, [T 1211](#)  
Calibration of reflectance standards for hemispherical geometry, [T 1218](#)

Starch  
Starch in paper, [T 419](#)  
Water solubility of wood and pulp, [T 207](#)

Starch indicator  
*see* Indicators, preparation of

Static creasing  
*see* Creasing

Static friction  
*see* Friction

Static tests  
Static creasing of paper for water vapor transmission tests, [T 465](#)

Stickies  
Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)  
Macro stickies content in pulp: the “pick-up” method, [T 277](#)  
Pulp screening (Valley-type screening device), [T 278](#)  
Screening of pulp (Somerville-type equipment), [T 275](#)

Stiffness  
Bending resistance of paper and paperboard by single-point bending methods, [T 556](#)  
Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration), [T 566](#)  
Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)  
Corrugated board stiffness, four point method, [T 836](#)  
Flexural stiffness of corrugated board, [T 820](#)  
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)  
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)

Stokes' Law  
*see* Particle size distribution

Storage  
Storage of paper samples for optical measurements and color matching, [T 1219](#)

Straw  
Fiber analysis of paper and paperboard, [T 401](#)  
Species identification of nonwood plant fibers, [T 259](#)

Strength tests  
*see* Bond strength, Burst strength, Compression tests, Tear strength, Tensile strength, Impact tests  
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)  
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

Stretch  
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)  
Tensile strength and elongation at break for fiber glass mats, [T 1009](#)

Strip method  
*see* Baled pulp

Stripping strength  
*see* Peel strength

Structural fiber insulating board  
*see* Insulating board

Submersion  
Water immersion number of paperboard, [T 491](#)

Substance  
*see* Basis weight

Sugar cane  
Species identification of nonwood plant fibers, [T 259](#)

Sugars  
Water solubility of wood and pulp, [T 207](#)

Sulfate liquors  
*see* Kraft liquors

Sulfate soap  
*see* Tall oil soap

Sulfated ash  
*see* Ash content

Sulfates  
Analysis of caustic soda, [T 613](#)  
Determination of in pulping liquor, [T 699](#)  
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Water-soluble sulfates in pulp and paper, [T 255](#)

Sulfide

- Determination of in pulping liquor, [T 699](#)
- Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Reducible sulfur in paper and paperboard, [T 406](#)

Sulfide-free reducing compounds

- Analysis of soda and sulfate white and green liquors, [T 624](#)

Sulfite

- Determination of in pulping liquor, [T 699](#)
- Reducible sulfur in paper and paperboard, [T 406](#)
- Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Sulfite liquors

- Sulfur dioxide in sulfite cooking liquor, [T 604](#)

Sulfite pulps

- Sulfur dioxide in sulfite cooking liquor, [T 604](#)

Sulfur

- Analysis of soda and sulfate black liquor, [T 625](#)
- Reducible sulfur in paper and paperboard, [T 406](#)

Sulfur dioxide

- Analysis of sulfuric acid, [T 602](#)
- Sulfur dioxide in sulfite cooking liquor, [T 604](#)

Sulfur trioxide

- Analysis of salt cake, [T 619](#)

Sulfuric acid

- Analysis of, [T 602](#)
- Preparation of indicators and standard solutions, [T 610](#)

Sunn hemp

- Species identification of nonwood plant fibers, [T 259](#)

Surface area

- see* Specific surface

Surface pH

- see* pH

Surface roughness

- Roughness of paper and paperboard (Sheffield method), [T 538](#)

Surface strength

- Abrasion loss of paper and paperboard (Taber-type method), [T 476](#)
- Of paper (wax pick test), [T 459](#)

Surface wettability

- see* Wettability

Surfaces

- Dirt in paper and paperboard, [T 437](#)

Suspect test determinations

- see* Test determinations

Suspended solids

- Determination of in kraft green and white liquor, [T 692](#)
- Measuring, sampling, and analyzing white waters, [T 656](#)

Suspensions (pulp)

- see* Dispersions

Sutherland test

- see* Ink rub resistance

---

## T

---

Taber stiffness

- Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)

Talc

- Analysis of, [T 665](#)
- Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Tall oil rosin

- see* Rosin

Tear factor

- see* Tear strength

Tear strength

- Internal tearing resistance of paper (Elmendorf-type method), [T 414](#)
- Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)

Tearing resistance

- See also* Tear strength
- Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

Temperature control

- Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
- Test conditions for fiber glass mat test methods, [T 1008](#)

Tensile breaking strength

- see also* Tensile strength

Tensile energy absorption (TEA)

- Internal bond strength (Scott type), [T 569](#)
- Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

Tensile index

- see* Tensile strength

Tensile properties

- Internal tearing resistance of paper (Elmendorf-type method), [T 414](#)

Tensile strength

- Elongation at break for fiber glass mats, [T 1009](#)
- Internal bond strength of paperboard (z-direction tensile), [T 541](#)
- Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
- Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

Tensile stress

- Internal bond strength (Scott type), [T 569](#)

Tensile tests

- Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

## Terminology

Optical measurements terminology (related to appearance evaluation of paper), [T 1500](#)

## Test conditions

Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)

## Test facilities

Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)

## Test sheets

*see* Handsheets

## Test methods

Dealing with suspect (outlying) test determinations, [T 1205](#)

## Testing

Compression wood identification in pulping, [T 267](#)

Dealing with suspect (outlying) test determinations, [T 1205](#)

Interlaboratory evaluation of test methods used with paper and paper products, [T 1200](#)

Test conditions for fiber glass mat test methods, [T 1008](#)

## Testing atmospheres

*see* Atmospheres, Test conditions

## Thickness

Book bulk and bulking number of paper, [T 500](#)

Envelope seal, seam, and window patch testing, [T 516](#)

Paper, paperboard, and combined board, [T 411](#)

Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)

Thickness of paper and paperboard (soft platen method), [T 551](#)

Towel, tissue, napkin and facial products, [T 580](#)

## Thiosulfate

Determination of in pulping liquor, [T 699](#)

Reducible sulfur in paper and paperboard, [T 406](#)

## Thymol blue

*see* Indicators, preparation of

## Tinting

CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)

CIE whiteness and tint of paper and paperboard (*d*/0 geometry, C/2 illuminant/observer), [T 560](#)

## Tissue papers

*see also* Absorptivity, Paper products

Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)

Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)

Water absorbency of bibulous papers, [T 432](#)

## Tissues

*see* Absorptivity, Paper products, Tissue papers

## Titanium

Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

## Titanium dioxide

*see also* Fillers, Pigments

Determination of, [T 627](#)

## Titrateable alkali

Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)

## Toluene

Analysis of rosin, [T 621](#)

## Total alkali

Caustic soda, [T 613](#)

Analysis of soda and sulfate black liquor, [T 625](#)

## Total alkalinity

*see* Total alkali

## Total reducing compounds

Analysis of soda and sulfate white and green liquors, [T 624](#)

## Total solids

*see* Solids content

## Total suspended solids

*see* Suspended solids

## Toweling

*see* Absorptivity

## Toweling papers

Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)

Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)

Water absorbency of bibulous papers, [T 432](#)

## Training

Training standard for paper machine tender, [T 1501](#)

## Transmission rate

*see* Water vapor transmission rate

## Treated paper and paperboard

*see* Flameproof papers, Fungi

## Tristimulus values

Color of paper and paperboard, [T 527](#)

Color of paper and paperboard (45/0, C/2), [T 524](#)

## Tub-sized starch

*see* Starch

## Turpentine tests

*see* Grease resistance, Oil penetration tests

---

## U

---

## Ultraviolet radiation

Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)

## Ultraviolet spectroscopy

Hexeneuronic acid content of chemical pulp, [T 282](#)

## Ultraviolet-containing daylight illuminant

*see* Illumination

## Uniformity

Fiber glass mat uniformity (visual defects), [T 1015](#)

## Units of measurement

Measurement and conversion factors, [T 1210](#)

## Unsaponifiable materials

*see* Saponification number

## Urea-formaldehyde resins

*see* Polyureas  
Useful fiber  
*see* Fiber

---

## V

---

Valley beater  
Laboratory beating of pulp (Valley beater method), [T 200](#)

Variation  
Cross-machine grammage profile measurement, [T 545](#)  
Machine direction grammage variation measurement (gravimetric method), [T 546](#)

Vegetable parchment  
*see* Parchment papers

Viewing device  
*see* Compression wood

Viscosity  
Accelerated test for viscosity stability of clay slurries, [T 697](#)  
Coating clay slurry, [T 648](#)  
Cupriethylenediamine disperse viscosity of pulp (falling ball method), [T 254](#)  
Viscosity of pulp (capillary viscometer method), [T 230](#)  
Sodium silicate, [T 632](#)

Viscosity stability  
*see* Viscosity

Viscosity-velocity product  
*see* Printing

Vision  
Fiber glass mat uniformity (visual defects), [T 1015](#)  
Visual grading and color matching of paper, [T 515](#)

Visual defects  
Fiber glass mat uniformity, [T 1015](#)

Visual efficiency  
Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

Visual grading  
Visual grading and color matching of paper, [T 515](#)

Voids  
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Volatile suspended solids  
*see* Suspended solids

Volatiles content  
Analysis of rosin size, [T 628](#)

Volatility  
Solvent extractives in wood and pulp, [T 204](#)  
Analysis of sulfuric acid, [T 602](#)

Volume  
Basic density and moisture content of pulpwood, [T 258](#)  
Measuring, sampling, and analyzing white waters, [T 656](#)  
Weight-volume measurement of pulpwood, [T 268](#)

Volumetric reagent solutions

*see* Standard solutions

Volumetry  
Zinc and cadmium in paper, [T 438](#)

---

## W

---

Washer  
Open drum washer mat sampling technique, [T 281](#)

Water absorbency/absorption/absorptivity  
*see* Absorptivity

Water absorption  
Water absorption of corrugating medium: float curl method, [T 832](#)  
Water absorption of corrugating medium: water drop absorption test, [T 835](#)  
Water absorption of corrugating medium: water drop penetration test, [T 831](#)  
Water immersion number of paperboard, [T 491](#)

Water content  
*see* Moisture content

Water drop tests  
Water absorption of corrugating medium (absorption test), [T 835](#)  
Water absorption of corrugating medium (penetration test), [T 831](#)

Water immersion  
*see* Submersion

Water immersion tests  
*see* Water resistance

Water resistance  
Sized paper and paperboard, [T 433](#)  
Water immersion number of paperboard, [T 491](#)

Water saturation  
*see* Saturation

Water solubility  
*see* Water solubles

Water solubles  
Chloride in pulp and paper, [T 256](#)  
In pulp and paper, [T 255](#)  
Wood and pulp, [T 207](#)

Water vapor permeability  
Static creasing of paper for water vapor transmission tests, [T 465](#)

Water vapor transfer rate  
*see* Water vapor transmission rate

Water vapor transmission rate (WVTR)  
Sheet materials at normal temperature, [T 448](#)  
Water vapor transmission rate of paper and paperboard at high temperature and humidity, [T 464](#)

Water-soluble acidity  
*see* Acidity

Water-soluble alkalinity  
*see* Alkalinity

Wax  
Determination in wood and pulp, [T 204](#)

Wax pick tests  
Surface strength of paper, [T 459](#)

Wax strength number  
*see* Wax pick tests



- Wedge method  
*see* Baled pulp
- Weight  
Basic density and moisture content of pulpwood, [T 258](#)  
Weight/volume measurement of pulpwood, [T 268](#)
- Weight fraction fines  
Fines fraction by weight of paper stock by wet screening, [T 261](#)
- Weight percent fines  
Fines fraction by weight of paper stock by wet screening, [T 261](#)
- Weight/area measurement  
*see* Grammage
- Weight/volume measurement  
*see* Volume, Weight
- Weighted average fiber length  
*see* Fiber length
- Wet abrasion test  
*see* Abrasion
- Wet ash method  
Silica and silicates in pulp, [T 245](#)
- Wet curl  
*see* Curl
- Wet density  
*see* Density
- Wet ply separation  
*see* Ply separation
- Wet screening  
*see also* Screening  
Fines fraction by weight of paper stock by wet screening, [T 261](#)
- Wet strength  
Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
- Wet tensile breaking strength  
*see* Tensile strength
- Wettability  
Surface wettability of paper (angle of contact method), [T 458](#)  
Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)
- Wetting  
Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)
- Wetting resistance  
*see* Wettability
- Wheat straw  
Species identification of nonwood plant fibers, [T 259](#)
- White liquors  
Analysis of by suppressed ion chromatography, [T 699](#)  
Suspended solids in, [T 692](#)
- White waters  
Determination of titanium dioxide, [T 627](#)  
Measuring, sampling, and analyzing, [T 656](#)
- Whiteness  
Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)  
CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)  
CIE whiteness and tint of paper and paperboard (d/0 geometry, C/2 illuminant/observer), [T 560](#)  
Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)
- Wilson's stain  
*see* Fiber analysis, Staining
- Window envelopes  
Seal, seam, and window patch testing in, [T 516](#)
- Wire side  
Identification of in paper, [T 455](#)
- Wood  
Acid-insoluble ash in, [T 244](#)  
Acid-soluble lignin in, [T 222](#)  
Alcohol-benzene and dichloromethane solubles in, [T 204](#)  
Ash determination, [T 211](#), [T 413](#)  
Basic density and moisture content of, [T 258](#)  
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)  
Compression wood identification in pulpwood, [T 267](#)  
Identification of from conifers, [T 263](#)  
Natural dirt in wood chips, [T 265](#)  
One percent sodium hydroxide solubility of, [T 212](#)  
Pentosans in wood and pulp, [T 223](#)  
Preparation of for chemical analysis, [T 264](#)  
Sampling and preparing for analysis, [T 257](#)  
Water solubility of, [T 207](#)
- Wood chips  
*see* Chips
- Wood extractives  
*see* Extractives
- Wood fibers  
*see* Fibers
- Wood flour  
Specific external surface of pulp, [T 226](#)
- Wood pulp  
*see* Pulp
- Wood resins  
Solvent extractives in wood and pulp, [T 204](#)
- Wound rolls  
Determination of containerboard roll hardness, [T 834](#)
- Writing paper  
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)  
Surface wettability of paper (angle of contact method), [T 458](#)
- Writing quality  
*see* Feathering
- WVTR  
*see* Water vapor transmission rate

---

## X

---

### Xenon lamps

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

### X-ray diffraction

Analysis of talc, [T 665](#)

### Xylan

Carbohydrate composition of extractive-free wood and wood pulp chromatography, [T 249](#)

---

## Y

---

### Y reflectance

Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)

### Yellowness coefficient

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)  
Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

### Young's modulus

*see* Elastic strength

---

## Z

---

### Z-direction

Internal bond strength (Scott type), [T 569](#)

### Z-directional tensile strength

*see* Tensile strength

### Zero-span breaking strength

*see* Tensile strength

### Zero-span tensile strength

*see also* Tensile strength

Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)

### Zinc

Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Zinc and cadmium in paper, [T 438](#)

### Zinc oxide

*see* Pigments

### Zinc sulfide

*see* Pigments