

Standards Subject Index

NOTE: This list was updated July 23, 2020

A

ABC test

see Sulfide-free reducing compounds, Total reducing compounds

Abrasion

Loss of paper and paperboard, [T 476](#)

Abrasion resistance

Paper and paperboard, [T 476](#)

Absorbance/absorbency

see Absorptivity

Absorbent papers

see also Absorptivity

Water absorbency of bibulous papers, [T 432](#)

Absorption

Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

Interrelation of reflectance, R_0 ; reflectivity, R_∞ ; TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)

Opacity of paper (15/d geometry, illuminant $A/2^\circ$, 89% reflectance backing and paper backing), [T 425](#)

Surface wettability of sheeted materials using an automated contact angle tester, [T 558](#)

Absorptiveness

see Absorptivity

Absorptivity

Bibulous papers, to water, [T 432](#)

Blotting paper, to ink, [T 431](#)

Castor-oil penetration test for paper, [T 462](#)

Corrugating medium (water drop absorption test), [T 835](#)

Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)

Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)

Water, corrugating medium, [T 831](#), [T 832](#)

Accelerated aging

see Aging

Accelerated tests

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)

Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

Aging of paper and board with moist heat, [T 544](#)

Effect of dry heat on properties of paper and board, [T 453](#)

Acceptability

Sampling and accepting a single lot of paper, paperboard, containerboard, or related product, [T 400](#)

Acetate

Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

Acetone

Solvent extractives of wood and pulp, [T 204](#)

Acid groups

Hexeneuronic acid content of chemical pulp, [T 282](#)

Acid insolubles

Ash in wood, pulp, paper, and paperboard, [T 244](#)

Wood and pulp, [T 222](#)

Acid number

see Saponification number

Acid solubles

Acid-soluble iron in paper, [T 434](#)

Acidity

see also Saponification number

Analysis of salt cake, [T 619](#)

Analysis of sulfuric acid, [T 602](#)

Hot water extractable of paper, [T 428](#)

Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)

Hydrogen ion concentration of paper extracts (hot extraction method), [T 435](#)

Active alkali

Analysis of soda and sulfate black liquor, [T 625](#)

Active chlorine

Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)

Added fluorescence

see Fluorescent dyes

Additives

see also Fillers, Pigments

Adhesion

Curl of flat gummed papers, [T 520](#)

Envelope seal, seam, and window patch testing, [T 516](#)

Internal bond strength of paperboard (z-direction tensile), [T 541](#)

Pin adhesion of corrugated board by selective separation, [T 821](#)

Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)

Water absorption of corrugating medium, [T 832](#)

Wet pin adhesion of corrugated board by selective separation, [T 845](#)

Adhesives

see also Adhesion

Aging

Effect of dry heat on properties of paper and board, [T 453](#)

Aging of paper and board with moist heat, [T 544](#)

Aging tests

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus,

- [T 572](#)
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Air flow (through paper)
see also Air permeability
Roughness of paper and paperboard (Print-Surf method), [T 555](#)
- Air permeability
Paper, [T 460](#)
Air permeance of paper and paperboard (Sheffield method), [T 547](#)
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Air permeance
see also Air permeability
Air resistance of paper (Gurley method), [T 460](#)
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Air pollution
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
- Air resistance
see Air permeability
Air resistance of paper (Gurley method), [T 460](#)
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Alcohol-benzene
see Benzene
- Alexander's stain
see Fiber analysis, Staining
- Alkali
Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
Analysis of rosin size, [T 628](#)
- Alkali solubles/solubility
see Caustic solubles
- Alkaline papers
Alkalinity of paper as calcium carbonate (alkaline reserve of paper), [T 553](#)
- Alkaline pulp
see Pulp
- Alkaline reserve
see Alkalinity
- Alkalinity
Analysis of soda and sulfate white and green liquors, [T 624](#)
Caustic soda, [T 613](#)
Hot water extractable of paper, [T 428](#)
Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)
Hydrogen ion concentration of paper extracts (hot extraction method), [T 435](#)
Paper as calcium carbonate (alkaline reserve), [T 553](#)
Sodium silicate, [T 632](#)
- Alpha-cellulose
In paper, [T 429](#)
In pulp, [T 203](#)
- Alumina
see Aluminum oxide
- Alumina hydrate
see Aluminum hydroxide
- Aluminum
Analysis of soda and sulfate black liquor, [T 625](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Aluminum oxide (alumina)
Analysis of limestone, [T 618](#)
Analysis of salt cake, [T 619](#)
- Amides
Organic nitrogen in paper and paperboard, [T 418](#)
- Amines
Organic nitrogen in paper and paperboard, [T 418](#)
- Ammonium hydroxide
Analysis of talc, [T 665](#)
- Ammonium thiocyanate
Preparation of indicators and standard solutions, [T 610](#)
- Analysis
Determination of equilibrium moisture in pulp, paper, and paperboard for chemical analysis, [T 550](#)
Glue in paper (qualitative and quantitative determination), [T 504](#)
Preparation of wood for chemical analysis, [T 264](#)
Sampling and preparing wood for analysis, [T 257](#)
- Anatase titanium dioxide
see Pigments
- Angle of contact
see Contact angle
- Angle of slide
see Slide angle
- Animal glue
see Glue
Glue in paper (qualitative and quantitative determination), [T 504](#)
- Anomalies
Dealing with suspect (outlying) test determinations, [T 1205](#)
- Apparent viscosity
see Viscosity
- Arabinan
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)
- Area
see Specific surface
- Arsenic
Analysis of sulfuric acid, [T 602](#)
- Ash
see Ash content
Analysis of rosin, [T 621](#)
Analysis of rosin size, [T 628](#)
- Ash content
Acid-insoluble, in wood, pulp, paper and paperboard, [T 244](#)
Ash in wood, pulp, paper and paperboard: combustion at 525°C, [T 211](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Wood, pulp, paper and paperboard, combustion at

900°C, [T 413](#)
Atmospheres
Paper, board, pulp handsheets, [T 402](#)
Test conditions for fiber glass mat test methods,
[T 1008](#)
Atomic absorption spectroscopy
Determination of sodium, calcium, copper, iron and
manganese in pulp and paper by atomic absorption
spectroscopy, [T 266](#)
Zinc and cadmium in paper, [T 438](#)
Available chlorine
see Active chlorine

B

Babcock method
see Casein, analysis of
Bacteria
see Bacteriology
Bacteriological examination
see Bacteriology
Bacteriology
Bacteriological examination of paper and
paperboard, [T 449](#)
Microbiological enumeration of process water and
slush pulp, [T 631](#)
Bag papers
see Shipping sack papers
Bagasse
Species identification of nonwood plant fibers,
[T 259](#)
Baled pulp
Sampling and testing wood pulp shipments for
moisture, [T 210](#)
Bamboo
Species identification of nonwood plant fibers,
[T 259](#)
Barium
Qualitative (including optical microscopic) analysis
of mineral filler and mineral coating of paper, [T 421](#)
Bark
Analysis of rosin, [T 621](#)
Weight-volume measurement of pulpwood, [T 268](#)
Barley straw
Species identification of nonwood plant fibers,
[T 259](#)
Barrier films
see Vapor barriers
Barrier properties
see Absorptivity, Permeability
Basic density
see Density
Basis weight
Cross-machine grammage profile measurement
(gravimetric method), [T 545](#)
Determining construction (nominal basis weight) of
corrugated board, [T 844](#)
Grammage of paper and paperboard (weight per
unit area), [T 410](#)
Fiber glass mats, [T 1011](#)
Machine direction grammage variation

measurement (gravimetric method), [T 546](#)
Bauer-McNett classifier
Fiber length of pulp by classification, [T 233](#)
Baumé gravity
see Density
Beaten pulps
see Pulp, Beaters
Beater method
see Beaters
Beater tests
see Beaters
Beaters
Drainage time, [T 221](#)
Laboratory beating of pulp (PFI mill method),
[T 248](#)
Laboratory beating of pulp (Valley beater method),
[T 200](#)
Beating
Laboratory beating of pulp (PFI mill method),
[T 248](#)
Pulp quality analyzed by, [T 200](#)
Specific external strength of pulp, [T 226](#)
Beating degree
Laboratory beating of pulp (Valley beater method),
[T 200](#)
Beating time
Laboratory beating of pulp (Valley beater method),
[T 200](#)
Bekk testers
Smoothness of paper, [T 479](#)
Bend strength
Bending resistance of paper (Gurley-type tester),
[T 543](#)
Bending resistance of paper and paperboard by
single-point bending methods, [T 556](#)
Corrugated board stiffness, four point method,
[T 836](#)
Flexural stiffness of corrugated board, [T 820](#)
Score bend test, [T 577](#)
Testing of fiber glass mats: use of modified TAPPI
procedures for sampling and lot acceptance,
stiffness, tear resistance, and thickness, [T 1006](#)
Bending
Bending number of paperboard, [T 495](#)
Bending resistance (stiffness) of paper (Taber-type
tester in 0 to 10 Taber stiffness unit configuration),
[T 566](#)
Bending resistance (stiffness) of paper and
paperboard (Taber-type tester in basic
configuration), [T 489](#)
Corrugated board stiffness, four point method,
[T 836](#)
Flexural stiffness of corrugated board, [T 820](#)
Puncture test of containerboard, [T 803](#)
Bending number
see Bending
Bending resistance
see Bend strength
Bending resistance of paper (Gurley-type tester),
[T 543](#)
Benzene

- Use of in determining solubles in wood and pulp, [T 204](#)
- Use of in preparing wood for chemical analysis, [T 264](#)
- Beta-cellulose
 - In pulp, [T 203](#)
- Bibulous papers
 - see* Absorbent papers
- Biochemical oxygen demand
 - see* BOD
- Biological control
 - Bacteriological examination of paper and paperboard, [T 449](#)
 - Microbiological enumeration of process water and slush pulp, [T 631](#)
- Bisulfite cooking liquor
 - see* Sulfur dioxide
- Black liquor
 - Analysis of soda and sulfate black liquor, [T 625](#)
 - Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
 - Gross heating value, [T 684](#)
 - Solids concentration of, [T 650](#)
- Blanks
 - Box blank dimensioning, [T 827](#)
- Bleach
 - Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
- Bleach liquor
 - Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
- Bleach sludge
 - see* Bleach, Sludge
- Bleached pulps
 - see also* Pulps
 - Alpha-, beta-, gamma-cellulose in pulp, [T 203](#)
 - Carboxyl content of pulp, [T 237](#)
 - Copper number of pulp, [T 430](#)
- Bleaching agents
 - see* Bleach
- Bleaching powder
 - see* Calcium hypochlorite
- Blister resistance
 - see* Blistering
- Blistering
 - Coated paper in heatset printing, [T 526](#)
 - Internal bond strength (Scott type), [T 569](#)
- Blotting papers
 - see also* Absorptivity
 - Ink absorbency, [T 431](#)
 - Forming handsheets for physical tests of pulp, [T 205](#)
 - Water absorbency of bibulous papers, [T 432](#)
 - Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
- Board
 - see* Corrugated board, Fiberboard, Containers, Insulating board, Linerboard, Paperboard
- Boat method
 - see* Corrugating medium
- BOD
 - Measuring, sampling, and analyzing white waters, [T 656](#)
- Bond strength
 - see also* Adhesion
 - Internal bond strength of paperboard (z-direction tensile), [T 541](#)
 - Pin adhesion of corrugated board by selective separation, [T 821](#)
- Bonding strength
 - Abrasion loss of paper and paperboard (Taber-type method), [T 476](#)
 - Internal bond strength (Scott type), [T 569](#)
 - Ply separation of solid and corrugated fiberboard (wet), [T 812](#)
 - Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Bone glue
 - see* Glue
- Book bulk
 - see* Bulk number
- Book paper
 - see* Bulk number
- Books
 - Book bulk and bulking number of paper, [T 500](#)
- Boring method
 - see* Baled pulp
- Boxboard
 - see* Linerboard
- Boxes
 - see also* Containers
 - Box blank dimensioning, [T 827](#)
 - Bursting strength of corrugated board, [T 810](#)
 - Drop test for fiberboard shipping containers, [T 802](#)
- Breaking length
 - see* Tensile strength
- Breaking strength
 - see* Tensile strength
- Brightness
 - see also* Reflectance
 - Brightness of clay and other mineral pigments (45/0), [T 646](#)
 - Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
 - CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)
 - CIE whiteness and tint of paper and paperboard (d/0 geometry, C/2 illuminant/observer), [T 560](#)
 - Diffuse brightness of paper, paperboard and pulp (d/0) (ultraviolet level D65), [T 579](#)
 - Diffuse brightness of paper, paperboard and pulp (d/0) – Ultraviolet Level C, [T 525](#)
 - Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
 - Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)
 - Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)
 - Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
Pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)
Bromophenol blue
see Indicators, preparation of
Bulk
Book bulk and bulking number of paper, [T 500](#)
Bulk density
Basic density and moisture content of pulpwood, [T 258](#)
Bulk number
Of paper, [T 500](#)
Burst factor
see Burst strength
Burst index
see Burst strength
Burst ratio
see Burst strength
Burst strength
Corrugated and solid fiberboard, [T 810](#)
Linerboard, [T 807](#)
Paper, [T 403](#)

C

Cadmium
Zinc and cadmium in paper, [T 438](#)
Calcium
Analysis of soda and sulfate black liquor, [T 625](#)
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Calcium carbonate
Alkalinity of paper as (alkaline reserve), [T 553](#)
Calcium hypochlorite
Analysis of bleach liquor, [T 611](#)
Calcium oxide
Analysis of lime, [T 617](#)
Analysis of limestone, [T 618](#)
Analysis of talc, [T 665](#)
Calibration
Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)
Calibration of reflectance standards for hemispherical geometry, [T 1218](#)
Caliper
see Thickness
Calorimetry
Gross heating value of black liquor, [T 684](#)
Canadian Standard Method
Freeness of pulp, [T 227](#)
Capillarity
Viscosity of pulp (capillary viscometer method), [T 230](#)

Capillary viscometer
see Capillarity
Carbohydrates
Alkali solubility of pulp at 25°C, [T 235](#)
Composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)
Extraction of by hot alkali, [T 212](#)
Carbonates
Analysis of caustic soda, [T 613](#)
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Carboxyl content
see Carboxyl groups
Carboxyl groups
Carboxyl content of pulp, [T 237](#)
Carton adhesive
see Adhesion, Bond strength
Casein
Organic nitrogen in paper and paperboard, [T 418](#)
Castor oil
Penetration test for paper, [T 462](#)
Caustic soda
see Sodium hydroxide
Caustic solubles
Alkali solubility of pulp at 25°C, [T 235](#)
One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
Cellulose
Alkali solubility of pulp at 25°C, [T 235](#)
Alpha-, beta-, gamma-cellulose in pulp, [T 203](#)
Alpha-cellulose in paper, [T 429](#)
Carboxyl content, [T 237](#)
Cupriethylenediamine disperse viscosity of pulp, [T 254](#)
Indication of degradation during pulping and bleaching processes, [T 212](#)
Viscosity of pulp (capillary viscometer method), [T 230](#)
Centrifugal pump
see Sample preparation
Chemical analysis
Determination of equilibrium moisture in pulp, paper and paperboard analysis, [T 550](#)
Preparation of wood for, [T 264](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Chemical properties
See also specific properties, e.g., pH
Chemical pulps
See also Pulp
Hexeneuronic acid content of chemical pulp, [T 282](#)
Pulp screening (Valley-type screening device), [T 278](#)
Chemical reactions
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
Chips
see also Wood

- Analysis of rosin, [T 621](#)
- Basic density and moisture content of pulpwood, [T 258](#)
- Natural dirt in wood chips, [T 265](#)
- Sampling and preparing wood for analysis, [T 257](#)
- Chlorides
 - Analysis of caustic soda, [T 613](#)
 - Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
 - Analysis of salt cake, [T 619](#)
 - Water-soluble chlorides in pulp and paper, [T 256](#)
- Chlorine
 - Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
 - Analysis of salt cake, [T 619](#)
- Chlorine sludge
 - Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
- Chromaticity coordinates
 - Color of paper and paperboard (d/0, C/2), [T 527](#)
- Chromatography
 - Suppressed ion analysis of pulping liquors, [T 699](#)
- Chromium oxide
 - Analysis of salt cake, [T 619](#)
- Chromium trioxide
 - Analysis of salt cake, [T 619](#)
- C.I.V. test
 - see* Viscosity
- Clark classifier
 - Fiber length of pulp, [T 233](#)
- Clark stiffness
 - see* Stiffness
- Classification
 - Fiber length of pulp, [T 233](#)
- Classifiers
 - Fiber length of pulp, [T 233](#)
- Clay
 - Accelerated test for viscosity stability of clay slurries, [T 697](#)
 - Brightness of clay and other mineral pigments (45/0), [T 646](#)
 - Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
 - Viscosity of coating clay slurry, [T 648](#)
- CMT test
 - see* Corrugating medium
- Coarseness
 - see* Fineness
- Coated board
 - Blister resistance in heat set printing, [T 526](#)
 - Surface strength of paper (wax pick test), [T 459](#)
- Coated paper
 - Blister resistance of in heatset printing, [T 526](#)
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Coating clay
 - see* Clay
- Coating clay slurry
 - see* Clay, Slurry
- Coating color
 - Titanium dioxide content in, [T 627](#)
- Coating fillers
 - see* Fillers
- Coating pigments
 - see* Pigments
- Coatings
 - see also* Fillers, Pigments
 - Abrasion loss of paper and paperboard (Taber-type method), [T 476](#)
 - Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
 - Viscosity of coating clay slurry, [T 648](#)
 - Zinc and cadmium in paper, [T 438](#)
- Cobb tests
 - Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
- COD
 - Open drum washer mat sampling technique, [T 281](#)
- Coefficient of friction
 - see* Friction
- Coefficient of kinetic friction
 - see* Friction
- Coefficient of static friction
 - see* Friction
- Cohesion
 - Internal bond strength of paperboard (z-direction tensile), [T 541](#)
- Cohesiveness of fibers
 - see* Tensile strength
- Cold extraction method
 - see* Extraction
- Cold storage
 - Storage of paper samples for optical measurements and color matching, [T 1219](#)
- Cold water solubles
 - see* Water solubles
- Color
 - Analysis of rosin, [T 621](#)
 - CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)
 - CIE whiteness and tint of paper and paperboard (d/0 geometry, C/2 illuminant/observer), [T 560](#)
 - Color of paper and paperboard (45/0, C/2), [T 524](#)
 - Color of paper and paperboard (d/0, C/2), [T 527](#)
 - Storage of paper samples for optical measurements and color matching, [T 1219](#)
 - The determination of instrumental color differences, [T 1215](#)
 - Visual grading and color matching of paper, [T 515](#)
- Color grade
 - see* Color
- Color matching
 - Storage of paper samples for optical measurements and color matching, [T 1219](#)
 - Visual grading and color matching of paper, [T 515](#)
- Colorimetric determination
 - see* Color, Colorimetry

- Colorimetry
 - Color of paper and paperboard (45/0, C/2), [T 524](#)
 - Color of paper and paperboard (d/0, C/2), [T 527](#)
 - Visual grading and color matching of paper, [T 515](#)
- Combined board
 - see also* Corrugated board
 - Thickness (caliper) of paper, paperboard, and combined board, [T 411](#)
- Combustion
 - Ash in wood, pulp, paper and paperboard, [T 211](#), [T 413](#)
 - Gross heating value of black liquor, [T 684](#)
- Combustion products
 - Ash in wood, pulp, paper and paperboard, [T 211](#)
 - Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)
- Composition
 - see* Fiber analysis
- Compressibility
 - Compression test of fiberboard shipping containers, [T 804](#)
 - Edge crush using neckdown, [T 838](#)
 - Flat crush of corrugating medium (CMT test), [T 809](#)
 - Flat crush test of corrugated board (flexible beam method), [T 808](#)
 - Ring crush of paperboard (flexible beam method), [T 818](#)
- Compression resistance
 - see* Compressibility, Compression strength
- Compression strength
 - Compression test of fiberboard shipping containers, [T 804](#)
 - Edgewise compressive strength of corrugated fiberboard (short column test), [T 811](#)
 - Flat crush of corrugating medium (CMT test), [T 809](#)
 - Flat crush test of corrugated board (flexible beam method), [T 808](#)
 - Short span compressive strength of containerboard, [T 826](#)
- Compression tests
 - Compression test of fiberboard shipping containers, [T 804](#)
 - Edge crush using neckdown, [T 838](#)
 - Flat crush test of corrugated board (rigid support method), [T 825](#)
 - Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
 - Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
 - Ring crush of paperboard (flexible beam method), [T 818](#)
 - Ring crush of paperboard (rigid support method), [T 822](#)
- Compression wood
 - Identification of in pulpwood, [T 267](#)
- Compressive strength
 - see* Compression tests
- Concentration (pulp)
 - Consistency (concentration) of pulp suspensions, [T 240](#)
- Conditioning
 - Paper, board, pulp handsheets, and related products, [T 402](#)
- Conifers
 - see* Softwoods
- Consistency
 - see also* Viscosity
 - Open drum washer mat sampling technique, [T 281](#)
 - Consistency (concentration) of pulp suspensions, [T 240](#)
- Constant rate of elongation
 - see* Elongation
- Construction
 - Determining construction (nominal basis weight) of corrugated board, [T 844](#)
- Contact angle
 - Surface wettability of paper (angle of contact method), [T 458](#)
- Container boards
 - see also* Corrugated boards, Fiberboard
 - Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
 - Determination of containerboard roll hardness, [T 834](#)
 - Drum test for fiberboard shipping containers, [T 800](#)
 - Ink rub, [T 830](#)
 - Puncture test of containerboard, [T 803](#)
 - Sampling and accepting a single lot of paper, paperboard, containerboard, or related product, [T 400](#)
 - Score quality test, [T 829](#)
 - Short span compressive strength of containerboard, [T 826](#)
 - Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
 - Surface wettability and absorbency of sheeted materials using an automated tester, [T 558](#)
- Container testing
 - see* Containers, Container board
- Containers
 - Box blank dimensioning, [T 827](#)
 - Compression test of fiberboard shipping containers, [T 804](#)
 - Drum test for fiberboard shipping containers, [T 800](#)
 - Macro stickies content in pulp: the “pick-up” method, [T 277](#)
- Contaminants
 - see* Impurities
- Contraries
 - Dirt in paper and paperboard, [T 437](#)
- Contrast ratio
 - Opacity of paper (15/d geometry, illuminant A/2°, 89% reflectance backing and paper backing), [T 425](#)
- Controlled atmospheres
 - Paper, board, pulp handsheets testing, [T 402](#)
 - Test conditions for fiber glass mat test methods, [T 1008](#)

Conversion
Bending number of paperboard, [T 495](#)

Conversion factors
For units of measurement, [T 1210](#)

Cooking liquor
See also Liquors, Kraft liquor, Soda liquors, Sulfite liquor, Bleach liquor, Green liquors, White liquors
Sulfur dioxide in sulfite cooking liquor, [T 604](#)

Copper
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)

Copper number
Pulp, paper, and paperboard, [T 430](#)

Cord weight
see Weight

Corn
Species identification of nonwood plant fibers, [T 259](#)

Corrugated boards
see also Containers, Corrugating medium, Fiberboard, Linerboard
Box blank dimensioning, [T 827](#)
Flat crush test of corrugated board (rigid support method), [T 825](#)
Bursting strength, [T 810](#)
Determining construction (nominal basis weight) of corrugated board, [T 844](#)
Edge crush using neckdown, [T 838](#)
Edgewise compressive strength of corrugated fiberboard (short column test), [T 811](#)
Edgewise compressive strength of corrugated fiberboard using the clamp method (short column test), [T 839](#)
Flat crush of corrugating medium (CMT test), [T 809](#)
Flat crush test (flexible beam method), [T 808](#)
Flexural stiffness, [T 820](#)
Ink rub, [T 830](#)
Pin adhesion by selective separation, [T 821](#)
Puncture resistance of, [T 803](#)
Ply separation of, [T 812](#)
Ring crush of paperboard (flexible beam method), [T 818](#)
Ring crush of paperboard (rigid support method), [T 822](#)
Score quality test, [T 829](#)
Stiffness, four point method, [T 836](#)
Thickness (caliper) of paper, paperboard, and combined board, [T 411](#)
Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
Wet pin adhesion of corrugated board by selective separation, [T 845](#)

Corrugated boxes
see also Boxes, Corrugated board, Containers
Drop test for fiberboard shipping containers, [T 802](#)
Score quality test, [T 829](#)
Short span compressive strength of containerboard, [T 826](#)

Corrugated containers
see Containers

Corrugated fiberboard
see Fiberboard, Corrugated board

Corrugated fluted crush test
Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
Fluted edge crush of corrugating medium (rigid support method), [T 843](#)

Corrugating adhesives
see Adhesion

Corrugating medium
see also Corrugated boards, Fiberboard
Determining construction (nominal basis weight) of corrugated board, [T 844](#)
Flat crush (CMT-test), [T 809](#)
Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
Pin adhesion of corrugated board by selective separation, [T 821](#)
Water absorption, [T 831](#), [T 832](#), [T 835](#)
Wet pin adhesion of corrugated board by selective separation, [T 845](#)

Cotton
Species identification of nonwood plant fibers, [T 259](#)

Cracking
see Fracture

Creasing
see also Folding endurance
Creasing of flexible packaging material paper specimens for testing, [T 512](#)
Static creasing of paper for water vapor transmission tests, [T 465](#)

Critical wax strength number (CWSN)
see Wax pick tests

Cross direction
Cross-machine grammage profile measurement (gravimetric method), [T 545](#)

Cross direction tear
Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

Crude tall oil
see Tall oil

Crush resistance
see Edge crush resistance, Ring crush tests, Flat crush tests

Cuene
Cupriethylenediamine disperse viscosity of pulp (falling ball method), [T 254](#)
Viscosity of pulp (capillary viscometer method), [T 230](#)

Cupriethylene diamine
see Cuene

Curl
Gummed flat papers, [T 520](#)
Preparation of mechanical pulps for testing, [T 262](#)

D

- Dairyman's standard
 - Bacteriological examination of paper and paperboard, [T 449](#)
- Debris
 - Pulp screening (Valley-type screening device), [T 278](#)
- Defect area
 - Transparent chart for the estimation of defect size, [T 564](#)
- Defect size
 - Transparent chart for the estimation of defect size, [T 564](#)
- Defects
 - Fiber glass mat uniformity (visual defects), [T 1015](#)
 - Transparent chart for the estimation of defect size, [T 564](#)
- Defibering
 - Pulp screening (Valley-type screening device), [T 278](#)
- Defibrator
 - see* Disintegrators
- Degradation/Degraded cellulose
 - see* Cellulose
- Degree of adhesion
 - see* Adhesion
- Degree of curl
 - see* Curl
- Degree of defibering
 - see* Disintegrators
- Degree of delignification
 - see* Delignification
- Degree of sizing
 - see* Sizing
- Delamination
 - Internal bond strength (Scott type), [T 569](#)
- Delignified pulps
 - see* Pulps
- Densitometer
 - Air resistance of paper (Gurley method), [T 460](#)
 - Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Density
 - Air resistance of paper (Gurley method), [T 460](#)
 - Analysis of rosin size, [T 628](#)
 - Analysis of soda and sulfate black liquor, [T 625](#)
 - Analysis of sulfuric acid, [T 602](#)
 - Basic density and moisture content of pulpwood, [T 258](#)
 - Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
 - Sodium silicate, [T 632](#)
 - Weight-volume measurement of pulpwood, [T 268](#)
- Diatomaceous earth
 - see* Silica
- Dichloromethane
 - Solubles in wood and pulp, [T 204](#)
- Diffuse blue reflectance
 - see* Diffuse reflection
- Diffuse brightness
 - see* Diffuse reflection
- Diffuse ISO brightness
 - see* Diffuse reflection
- Diffuse luminous reflectance
 - see* Diffuse reflection
- Diffuse opacity
 - see* Diffuse reflection
- Diffuse reflectance
 - Diffuse brightness of paper, paperboard and pulp ($d/0$) – Ultraviolet Level C, [T 525](#)
 - Diffuse brightness of paper, paperboard and pulp ($d/0$) (ultraviolet level D65), [T 579](#)
- Diffuse reflection
 - Brightness of clay and other mineral pigments ($d/0$ diffuse), [T 534](#)
 - Diffuse opacity of paper ($d/0$ paper backing), [T 519](#)
 - Opacity of paper ($15/d$ geometry, illuminant $A/2^\circ$, 89% reflectance backing and paper backing), [T 425](#)
- Diffuse reflection factor
 - see* Diffuse reflection
- Dimensional measurement
 - Transparent chart for the estimation of defect size, [T 564](#)
- Dimensioning
 - see* Boxes
- Directional brightness
 - Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)
- Directional measurement
 - Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
- Directional reflectance
 - see* Reflectance
- Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)
- Dirt
 - see also* Defects
 - Analysis of rosin, [T 621](#)
 - Equivalent black area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
 - In paper and paperboard, [T 437](#)
 - In pulp, [T 213](#)
 - Natural dirt in wood chips, [T 265](#)
 - Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
- Dirt count
 - see also* Dirt
 - Dirt count in paper and paperboard (optical character recognition – OCR), [T 537](#)
 - Dirt in paper and paperboard, [T 437](#)
 - Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
 - Natural dirt in wood chips, [T 265](#)
 - Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
- Dirt index
 - see* Dirt
- Discoloration
 - Envelope seal, seam, and window patch testing,

[T 516](#)

- Disintegration
 - Preparation of mechanical pulps for testing, [T 262](#)
- Disintegrators
 - Use of in determining drainage time of pulp, [T 221](#)
 - Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)
- Disperse viscosity
 - see* Viscosity
- Dispersions
 - Consistency (concentration) of pulp suspensions, [T 240](#)
 - Microbiological enumeration of process water and slush pulp, [T 631](#)
- Dissolved solids
 - Measuring, sampling, and analyzing white waters, [T 656](#)
 - Open drum washer mat sampling technique, [T 281](#)
- Dominant wavelength
 - Color of paper and paperboard (*d/0, C/2*), [T 527](#)
 - Color of paper and paperboard (*45/0, C/2*), [T 524](#)
- Drainage
 - Of pulp, [T 221](#)
- Drainage rate
 - Freeness of pulp, [T 227](#)
- Drop test
 - see* Impact tests
- Drum tests
 - see* Impact tests
- Drums
 - Open drum washer mat sampling technique, [T 281](#)
- Dry abrasion test
 - see* Abrasion
- Dry curl
 - see* Curl
- Dry heat
 - see* Heat
- Dry indicator method
 - see* Water resistance
- Dry indicator tests
 - Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)
- Dry size
 - see* Rosin size
- Dryness
 - see* Moisture content
- Dupont stain
 - see* Fiber analysis, Staining
- Durability
 - see also* Permanence
 - Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
 - Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
 - Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

[E](#)

- ERIC (Effective residual ink concentration)
 - see* Ink
- Edge crush resistance
 - see also* Edge crush tests
 - Edge crush using neckdown, [T 838](#)
 - Edgewise compressive strength of corrugated fiberboard using the clamp method (short column test), [T 839](#)
 - Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
 - Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
 - Ring crush of paperboard (flexible beam method), [T 818](#)
 - Ring crush of paperboard (rigid support method), [T 822](#)
- Edge crush tests
 - see also* Edge crush resistance
 - Edgewise compressive strength of corrugated fiberboard (short column test), [T 811](#)
- Edgewise compression strength
 - see* Edge crush resistance
- Education
 - Training standard for paper machine tender, [T 1501](#)
- Ehrlich's reagent
 - Glue in paper (qualitative and quantitative determination), [T 504](#)
- Electrical conductivity
 - see* Conductivity
 - pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
- Elemental sulfur
 - see* Sulfur
- Elmendorf-type tests
 - see* Tear strength
- Elongation
 - Tensile strength and elongation at break for fiber glass mats, [T 1009](#)
- Energy absorption
 - see* Tensile energy absorption
- Envelopes
 - Seal, seam, and window patch testing, [T 516](#)
- Enzymatic/colorimetric method
 - see* Starch
- Enzymatic/gravimetric method
 - see* Starch
- Equilibrium moisture
 - Determination of in pulp, paper and paperboard for chemical analysis, [T 550](#)
- Equilibrium relative humidity
 - see* Humidity
- Equivalent black area (EBA)
 - Equivalent black area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
 - Dirt in pulp, [T 213](#)
- Errors
 - Dealing with suspect (outlying) test determinations, [T 1205](#)

Esparto
Fiber analysis of paper and paperboard, [T 401](#)

Ethanol
Use of in determining solubles in wood and pulp, [T 204](#)
Use of in preparing wood for chemical analysis, [T 264](#)

Excitation purity
see Dominant wavelength

External compressive forces
see Compression tests

External surface
see Specific surface

Extractable material
Water solubility of wood and pulp, [T 207](#)

Extractable resin
see Rosin

Extraction
Hydrogen ion concentration (pH) of paper extracts (cold extraction method), [T 509](#)
Hydrogen ion concentration (pH) of paper extracts (hot extraction method), [T 435](#)
Solvent extractives of wood and pulp, [T 204](#)

Extraction apparatus
see Rosin

Extractive-free wood
see Wood

Extractives
Hot water extractable acidity or alkalinity of paper, [T 428](#)
Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)
Solvent extractives of wood and pulp, [T 204](#)

Extracts
see Extractives

Extrusion coating
Rheological measurements for characterization of polyolefins: low-density polyethylene (LDPE) for extrusion coating, [T 702](#)

F

Facial tissues
Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)

Falling ball method
see Viscosity

Fats
Determination of in wood and pulp, [T 204](#)

Feathering
Surface wettability of paper (angle of contact method), [T 458](#)

Felt side
Identification of wire side in paper, [T 455](#)

Ferric iron
see Iron

Ferroun
see Indicators, preparation of

Ferrous ammonium sulfate
Preparation of indicators and standard solutions, [T 610](#)

Ferrous iron
see Iron

Fiber
Analysis of paper and paperboard, [T 401](#)
Coarseness of pulp fibers, [T 234](#)
Consistency (concentration) of pulp suspensions, [T 240](#)
Identification of from conifers, [T 263](#)
Species identification of nonwood plant fibers, [T 259](#)
Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)

Fiber analysis
Of paper and paperboard, [T 401](#)

Fiber bonding
Internal bond strength of paperboard (z-direction tensile), [T 541](#)
Internal bond strength (Scott type), [T 569](#)

Fiber clarifier
see Fiber classification

Fiber classification
Fiber length of pulp, [T 233](#)

Fiber debris
Screening of pulp (Somerville-type equipment), [T 275](#)

Fiber diameter
Average fiber diameter of fiber glass mats, [T 1016](#)

Fiber glass mats
Average fiber diameter, [T 1016](#)
Basis weight, [T 1011](#)
Loss on ignition, [T 1013](#)
Moisture content, [T 1012](#)
Moisture sensitivity, [T 1014](#)
Uniformity (visual defects), [T 1015](#)

Fiber identification
see Identification

Fiber length
By classification, [T 233](#)
Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
Of pulp by projection, [T 232](#)

Fiber length distribution
Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)

Fiber mats
Sample location for fiber glass mat sheets, [T 1007](#)
Tensile strength and elongation at break for fiber glass mats, [T 1009](#)
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
Test conditions for fiber glass mat test methods, [T 1008](#)

Fiber suspensions
see Dispersions

Fiberboard containers
see Containers, Fiberboard

Fiberboard shipping containers

- see* Containers, Fiber boards
- Fiberboards
 - see also* Corrugated boards
 - Box blank dimensioning, [T 827](#)
 - Compression test of fiberboard shipping containers, [T 804](#)
 - Drop test for fiberboard shipping containers, [T 802](#)
 - Drum test for fiberboard shipping containers, [T 800](#)
 - Edge crush using neckdown, [T 838](#)
 - Flexural stiffness of corrugated board, [T 820](#)
 - Ink rub, [T 830](#)
 - Ply separation of solid and corrugated fiberboard (wet), [T 812](#)
 - Ring crush of paperboard (flexible beam method), [T 818](#)
 - Ring crush of paperboard (rigid support method), [T 822](#)
 - Sampling and accepting a single lot of, [T 400](#)
 - Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
 - Stiffness, four point method, [T 836](#)
- Fiber boards
 - Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
- Filled papers
 - Zinc and cadmium in paper, [T 438](#)
- Fillers
 - see also* Pigments
 - Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)
 - Determination of titanium dioxide, [T 627](#)
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
 - Sampling, [T 657](#)
- Films
 - Envelope seal, seam, and window patch testing, [T 516](#)
- Fineness
 - Coarseness of pulp fibers, [T 234](#)
 - Specific external surface of pulp, [T 226](#)
- Fire resistance
 - see* Flameproof papers
- Fireproof papers
 - see* Flameproof papers
- Fixed suspended solids
 - see* Suspended solids
- Flakes
 - Pulp screening (Valley-type screening device), [T 278](#)
- Flame resistance
 - see* Flameproof papers
- Flameproof papers
 - Treated paper and paperboard, [T 461](#)
- Flat crush tests
 - Corrugated board, [T 808](#)
 - Corrugating medium, [T 809](#)
 - Flat crush test of corrugated board (rigid support method), [T 825](#)
- Flax
 - Fiber analysis of paper and paperboard, [T 401](#)
 - Species identification of nonwood plant fibers, [T 259](#)
- Flexible packaging
 - see also* Packaging materials
 - Grease resistance of flexible packaging materials, [T 507](#)
- Flexural properties
 - see* Bend strength
- Flexural resistance/stiffness
 - see* Stiffness
- Float curl method
 - Water absorption of corrugating medium, [T 832](#)
- Flow measurement
 - Measuring, sampling, and analyzing white waters, [T 656](#)
- Fluorescence
 - Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)
- Fluorescent dyes
 - Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
 - Visual grading and color matching of paper, [T 515](#)
- Fluorescent whitening agents
 - see* Fluorescent dyes
- Fluorine compounds
 - Grease resistance for paper and paperboard, [T 559](#)
- Flute rigidity
 - see* Flutes, Compressibility
- Flute-tip adhesion
 - see* Pin adhesion tests
- Fluted edge crush
 - see* Edge crush resistance
- Flutes
 - Flat crush test of corrugated board (flexible beam method), [T 808](#)
 - Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
 - Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
- Fold
 - Folding endurance of paper (Schopper type tester), [T 423](#)
- Folding
 - Bending number of paperboard, [T 495](#)
- Folding endurance
 - see also* Bending, Stiffness
 - Folding endurance of paper (Schopper type tester), [T 423](#)
 - Paper, [T 511](#)
- Folding number
 - Folding endurance of paper (Schopper type tester), [T 423](#)
- Folding resistance
 - see* Folding endurance
- Food boards
 - Odor of packaging materials, [T 483](#)
- Food packaging
 - see* Food boards, Food wrap papers
- Food wrap papers
 - Odor of packaging materials, [T 483](#)

Foreign particles
see Impurities

Formaldehyde
Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)

Formate
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

Formation
Fiber glass mat uniformity (visual defects), [T 1015](#)
Handsheets for reflectance testing of pulp, [T 272](#)

Four point method
see Stiffness

Free fall drops
see Impact test

Free mineral acids
see Inorganic acids

Free moisture
see Moisture content

Freeness
see also Drainage
Drainage time of pulp, [T 221](#)
Pulp, [T 227](#)

Friction
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)

Friction factor
see also Friction
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

Fungi
Microbiological enumeration of process water and slush pulp, [T 631](#)

Fungus resistance
see Fungi

Furnish
Drainage time of pulp, [T 221](#)

G

Galactan
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Gamma cellulose
In pulp, [T 203](#)

Gas chromatography
Carbohydrate composition of extractive-free wood and wood pulp, [T 249](#)

Gas-liquid chromatography
see Gas chromatography

Gelatin
Glue in paper (qualitative and quantitative determination) [T 504](#)

Geometry
Calibration of reflectance standards for hemispherical geometry, [T 1218](#)

Glass fibers
see also Fiber glass mats
Sample location for fiber glass mat sheets, [T 1007](#)
Tensile strength and elongation at break for fiber glass mats, [T 1009](#)
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
Test conditions for fiber glass mat test methods, [T 1008](#)

Glassine papers
Grease resistance of flexible packaging materials, [T 507](#)
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Gloss
Specular gloss of paper and paperboard at 20 degrees, [T 653](#)
Specular gloss of paper and paperboard at 75°, [T 480](#)

Glucan
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Glue
see also Adhesion
In paper (qualitative and quantitative determination), [T 504](#)
Organic nitrogen in paper and paperboard, [T 418](#)

Glued lap joints
see Joints

Graff C stain
see Fiber analysis, Staining

Grammage
see Basis weight

Grasses
Species identification of nonwood plant fibers, [T 259](#)

Gravimetry
Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)
Water vapor transmission rate of paper and paperboard at high temperature and humidity, [T 464](#)
Zinc and cadmium in paper, [T 438](#)

Grease resistance
Flexible packaging materials, [T 507](#)
Grease resistance for paper and paperboard, [T 559](#)
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Greaseproof papers
Grease resistance of flexible packaging materials, [T 507](#)
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Green density

see Density
Green liquor
 Analysis of by suppressed ion chromatography, [T 699](#)
 Suspended solids in, [T 692](#)
Green volume
 see Volume
Green weight
 see Weight
Green-Yorston stain
 see Fiber analysis, Staining
Gross heating value
 see Heating value
Gross sample
 see Sample
Groundwood
 Drainage time, [T 221](#)
 Specific external surface of pulp, [T 226](#)
Gum rosin
 see Rosin
Gummed papers
 Curl of, [T 520](#)
Gums
 Water solubility of wood and pulp, [T 207](#)
Gurley testers
 Bending resistance of paper (Gurley-type tester), [T 543](#)

H

Halpin-Hicks test
 see Rosin
Hammers
 Determination of containerboard roll hardness, [T 834](#)
Handling stiffness
 see Stiffness
Handsheet formers
 Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)
Handsheets
 Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
 Diffuse brightness of paper, paperboard and pulp (*d/0*) – Ultraviolet Level C, [T 525](#)
 Diffuse brightness of paper, paperboard and pulp (*d/0*) (ultraviolet level D65), [T 579](#)
 Formation for reflectance testing of pulp, [T 272](#)
 Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)
 Forming handsheets for physical tests of pulp, [T 205](#)
 Physical testing of pulp handsheets, [T 220](#)
 Standard conditioning and testing atmospheres for, [T 402](#)
Hardness
 Determination of containerboard roll hardness, [T 834](#)
Hardness (of pulp)
 see Cooking degree

Hardwoods
 Fiber analysis of paper and paperboard, [T 401](#)
Heat
 Aging of paper and board with moist heat, [T 544](#)
 Effect of dry heat on properties of paper and board, [T 453](#)
Heat conductivity
 see Thermal conductivity
Heat set ink
 Blister resistance of coated paper in heatset printing, [T 526](#)
Heat setting
 Blister resistance of coated paper in heatset printing, [T 526](#)
Heat treatment
 Aging of paper and board with moist heat, [T 544](#)
 Effect of dry heat on properties of paper and board, [T 453](#)
Heating value
 Black liquor, [T 684](#)
Hemicelluloses
 Alkali solubility of pulp at 25°C, [T 235](#)
 Determination of gamma-cellulose in pulp, [T 203](#)
 Extraction of by hot alkali, [T 212](#)
 Pentosans in wood and pulp, [T 223](#)
Hemp
 Species identification of nonwood plant fibers, [T 259](#)
Hexeneuronic acid
 Hexeneuronic acid content of chemical pulp, [T 282](#)
Hercules test
 see Sized papers
Herzberg stain
 see Fiber analysis, Staining
Hide glue
 Glue in paper (qualitative and quantitative determination), [T 504](#)
High heating value
 see Gloss
High-molecular-weight cellulose
 see Cellulose
High temperature
 Water vapor transmission rate of paper and paperboard at high temperature and humidity, [T 464](#)
Horizontal plane method
 Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
Horizontal planes
 Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
Hot extraction
 see Extractives
Hot water extractable alkalinity
 see Extractives
Hot water extracts
 See also Extractives
 pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
Hot water solubles

see Water solubles

Humidity
Envelope, seal, seam, and window patch testing, [T 516](#)
Equilibrium relative humidity of paper and paperboard, [T 502](#)

Humidity control
Test conditions for fiber glass mat test methods, [T 1008](#)

Humidity rooms
Standard conditioning and testing atmospheres for paper, board and pulp handsheets, [T 402](#)

Hydrocarbons
Determination of non-volatile hydrocarbons in wood and pulp, [T 204](#)

Hydrochloric acid
Preparation of indicators and standard solutions, [T 610](#)

Hydrogen ion concentration
see pH

Hydrolysis
Hexeneuronic acid content of chemical pulp, [T 282](#)

Hydroxyproline
Glue in paper (qualitative and quantitative determination), [T 504](#)

Identification
Compression wood, [T 267](#)
Nonwood plant fibers, [T 259](#)
Wire side of paper, [T 455](#)
Wood and fibers from conifers, [T 263](#)

Illumination
Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
Visual grading and color matching of paper, [T 515](#)

Image analysis
Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
Macro stickies content in pulp: the “pick-up” method, [T 277](#)
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)

Immersion
see Submersion

Impact
Internal bond strength (Scott type), [T 569](#)

Impact tests
Drop test for fiberboard shipping containers, [T 802](#)
Drum test for fiberboard shipping containers, [T 800](#)

Impurities
Acid-insoluble ash in wood, pulp, paper, and paperboard, [T 244](#)
Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
Macro stickies content in pulp: the “pick-up” method, [T 277](#)
Pulp screening (Valley-type screening device),

[T 278](#)
Silicates and silica in pulp (wet ash method), [T 245](#)

Inclined planes
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

Indicators
Preparation of, [T 610](#)

Industrial process water
see Process water

Ink
Blotting paper absorption of, [T 431](#)
Castor-oil penetration test for paper, [T 462](#)
Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
Size test for paper by ink resistance (Hercules-type method), [T 530](#)
Titanium dioxide content in, [T 627](#)

Ink absorption
Ink absorbency of blotting paper, [T 431](#)
Size test for paper by ink resistance (Hercules-type method), [T 530](#)

Ink absorptivity
see Absorptivity

Ink resistance
see Printability

Ink rub resistance
Containerboard, [T 830](#)

Inorganic color pigments
see Pigments

Insoluble matter
see Solubility

Instrument characteristics
Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)

Interfiber bonding
see Fiber bonding

Interlaboratory evaluation
Interlaboratory evaluation of test methods to determine TAPPI repeatability and reproducibility, [T 1200](#)

Internal bond
see also Bond strength
Internal bond strength (Scott type), [T 569](#)

Internal fiber bond strength
see Bond strength

Internal tear
see Tear strength

Iodine
Preparation of indicators and standard solutions, [T 610](#)

Ion chromatography
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

Ion exchange
Carboxyl content of pulp, [T 237](#)

Iron
Acid-soluble iron in paper, [T 434](#)

Analysis of caustic soda, [T 613](#)
Analysis of limestone, [T 618](#)
Analysis of salt cake, [T 619](#)
Analysis of soda and sulfate black liquor, [T 625](#)
Analysis of sulfuric acid, [T 602](#)
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Iron oxide
 Analysis of limestone, [T 618](#)
ISO
 see Units of measurement
ISO brightness
 see Diffuse reflection

J

No listings

K

Kantrowitz-Simmons stain
 see Fiber analysis, Staining
Kaolin
 Accelerated test for viscosity stability of clay slurries, [T 697](#)
Kaolin clay dispersion
 see Clay
Kappa number
 Kappa number of pulp, [T 236](#)
Kenaf
 Species identification of nonwood plant fibers, [T 259](#)
Kinetic friction
 Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
Kjeldahl procedure
 see Nitrogen
Klemm method
 see Blotting papers
Kraft liquor
 Suspended solids in, [T 692](#)
Kraft pulping
 Analysis of soda and sulfate black liquor, [T 625](#)
Kraft pulps
 see Pulps
Kubelka-Munk equation
 Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
 Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

L

L, a, b color values
 see Color

Laboratories
 Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)
Laboratory beating
 Laboratory beating of pulp (PFI mill method), [T 248](#)
 Laboratory beating of pulp (Valley beater method), [T 200](#)
Laboratory pulp processing
 see Laboratory beating
Laboratory refining
 Laboratory beating of pulp (PFI mill method), [T 248](#)
 Laboratory beating of pulp (Valley beater method), [T 200](#)
Lactates
 Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
Lap joints
 see also Joints
Latency
 Preparation of mechanical pulps for testing, [T 262](#)
Length
 Weight-volume measurement of pulpwood, [T 268](#)
Liebermann-Storch test
 see Rosin
Life tests
 Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
 Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
Lift strength
 see Surface strength
Light
 Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
 Dirt in paper and paperboard, [T 437](#)
Light sources
 Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
 Visual grading and color matching of paper, [T 515](#)
Light-scattering coefficient
 see Optical scattering
Lignin
 In wood and pulp, [T 222](#)
 Kappa number of pulp, [T 236](#)
Lime
 Analysis of, [T 617](#)
 Analysis of salt cake, [T 619](#)
Limestone
 Analysis of, [T 618](#)
Linearity
 Photometric linearity of optical properties instruments, [T 1217](#)
Liner separation
 see Separation
Linerboards
 Bursting strength, [T 807](#)

Determining construction (nominal basis weight) of corrugated board, [T 844](#)

Roughness of paper and paperboard, stylus method (Emveco-type), [T 575](#)

Liquors

Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

Lofton-Merritt stain

see Fiber analysis, Staining

Logs

see also Wood

Basic density and moisture content of pulpwood, [T 258](#)

Sampling and preparing wood for analysis, [T 257](#)

Weight-volume measurement of pulpwood, [T 268](#)

Lorentzen & Wettre-type tester

see Stiffness

Loss on heating

see Weight

Loss on ignition

Analysis of talc, [T 665](#)

Fiber glass mats, [T 1013](#)

Limestone, [T 618](#)

Lot acceptance

see Acceptability

Low-density polyethylene (LDPE)

Rheological measurements for characterization of polyolefins: low-density polyethylene (LDPE) for extrusion coating, [T 702](#)

Luminosity

Color of paper and paperboard (45/0, C/2), [T 524](#)

Color of paper and paperboard (d/0, C/2), [T 527](#)

Luminous factor

see Reflectance

Luminous reflectance

Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

M

Machine direction

Grammage variation measurement (gravimetric method), [T 546](#)

Of paper and paperboard, [T 409](#)

Machine operation

Training standard for paper machine tender, [T 1501](#)

Machine tenders

Training standard for paper machine tender, [T 1501](#)

Magnesia

see Magnesium oxide

Magnesium

Analysis of soda and sulfate black liquor, [T 625](#)

Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Magnesium oxide (magnesia)

Analysis of limestone, [T 618](#)

Analysis of salt cake, [T 619](#)

Analysis of talc, [T 665](#)

Magnesium silicate

Analysis of talc, [T 665](#)

Manganese

Determination of sodium, calcium, copper, iron and

manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)

Manila hemp

Species identification of nonwood plant fibers, [T 259](#)

Mannan

Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Mass per unit area

see Grammage

Mass transfer

Static creasing of paper for water vapor transmission tests, [T 465](#)

Water vapor transmission rate of sheet materials at standard temperature and humidity, [T 448](#)

Mats

see Fiber glass mats

Measurement

Units of, [T 1210](#)

Measuring instruments

Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)

Mechanical properties

see specific property, e.g., Burst strength

Mechanical pulps

Preparation of for testing, [T 262](#)

Pulp screening (Valley-type screening device), [T 278](#)

Screening of pulp (Somerville-type equipment), [T 275](#)

Melamine-formaldehyde resins

see Polymelamines

Melamine resins

see Polymelamines

Metals

see specific metal, e.g., Iron, *etc.*

Methyl orange

see Indicators, preparation of

Methyl red

see Indicators, preparation of

Metric system

see Units of measurement

Microbiological examination

see Microbiology

Microbiology

Bacteriological examination of paper and paperboard, [T 449](#)

Microbiological enumeration of process water and slush pulp, [T 631](#)

Micrometer

Thickness of paper and paperboard, [T 411](#)

Microorganism control

Bacteriological examination of paper and paperboard, [T 449](#)

Microbiological enumeration of process water and slush pulp, [T 631](#)

Microscopy

Fiber analysis of paper and paperboard, [T 401](#)

Identification of wood and fibers from conifers,

[T 263](#)

Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Mineral acids
see Inorganic acids

Mineral coating
see Coatings

Mineral components
see Minerals

Mineral constituents
see Ash content

Mineral fillers
see Fillers

Mineral oil
see Oil absorbency

Mineral pigments
see Pigments

Mineral salts
see Ash content

Minerals
Brightness of clay and other mineral pigments (45/0), [T 646](#)
Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
Determination of titanium dioxide, [T 627](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Mixed waste papers
Macro stickies content in pulp: the “pick-up” method, [T 277](#)

MIT folding testers
Folding endurance of paper (MIT tester), [T 511](#)

Modulus of elasticity
see Elastic strength

Modulus of rupture
see Rupture modulus

Moist heat
see Heat

Moisture
see also Moisture content
Sampling and testing wood pulp shipments for moisture, [T 210](#)

Moisture content
Analysis of rosin size, [T 628](#)
Equilibrium moisture in pulp, paper and paperboard for chemical analysis, [T 550](#)
Fiber glass mats, [T 1012](#)
Moisture in pulp, paper and paperboard, [T 412](#)
Preparation of wood for chemical analysis, [T 264](#)
Pulpwood, [T 258](#)
Salt cake, [T 619](#)
Sampling and testing wood pulp shipments for moisture, [T 210](#)

Moisture sensitivity
Fiber glass mats, [T 1014](#)

Monosaccharides
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Morphological characteristics
see Fiber analysis

Morris method
see Edge crush resistance

Mullen
see Burst strength

Multi-ply boards
see Corrugated boards

Multiwall bags
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

N

NIR (Near infrared reflectance)
see Reflectance

Nail resistance
see Edge nail strength

Napkin papers
Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)

Natural dirt
Natural dirt in wood chips, [T 265](#)

NCR stain
see Fiber analysis, Staining

Neckdown
see Edge crush resistance

Neutral sulfite pulps
see Pulps

Nitrogen
Organic nitrogen in paper and paperboard, [T 418](#)

Nitrogen compounds
Organic nitrogen in paper and paperboard, [T 418](#)

Nitrogen oxides
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)

Nomenclature
Optical measurements terminology (related to appearance evaluation of paper), [T 1500](#)

Nonbibulous paperboard
see Sized papers

Nonbibulous papers
see Sized paper/paperboard

Nonvolatile matter
see Volatility

Nonwood fibers
Species identification of nonwood plant fibers, [T 259](#)

Nonwood plants
Species identification of, [T 259](#)

Nonwovens
see also Insulating boards
Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

O

- Oat straw
 - Species identification of nonwood plant fibers, [T 259](#)
- OCR
 - Dirt count in paper and paperboard (optical character recognition - OCR), [T 537](#)
- Odors
 - Packaging materials, [T 483](#)
- Oil
 - Grease resistance for paper and paperboard, [T 559](#)
- Oil absorption
 - Castor-oil penetration test for paper, [T 462](#)
- Oil penetration tests
 - Castor-oil penetration test for paper, [T 462](#)
 - Turpentine test for voids in glassine and greaseproof papers, [T 454](#)
- Oil resistance/repellance
 - see* Grease resistance
- Okra
 - Species identification of nonwood plant fibers, [T 259](#)
- Opacity
 - Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
 - Diffuse opacity of paper, [T 519](#)
 - Interrelation of reflectance, R_0 ; reflectivity, R_∞ ; TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)
 - Measurement of paper, [T 425](#)
- Opaque pigments
 - see* Pigments
- Optical character recognition
 - see* OCR
- Optical instruments
 - Photometric linearity of optical properties instruments, [T 1217](#)
 - The determination of instrumental color differences, [T 1215](#)
- Optical measurement
 - Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
 - Optical measurements terminology (related to appearance evaluation of paper), [T 1500](#)
 - Storage of paper samples for optical measurements and color matching, [T 1219](#)
 - The determination of instrumental color differences, [T 1215](#)
- Optical microscopy
 - see* Microscopy
- Optical properties
 - Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
 - Photometric linearity of optical properties instruments, [T 1217](#)
 - Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
- Organic matter

- Organic nitrogen in paper and paperboard, [T 418](#)
- Oven-dry density
 - see* Density
- Oven-dry volume
 - see* Volume
- Oven-dry weight
 - see* Weight
- Oxalate
 - Determination of in pulping liquor, [T 699](#)

P

- Packaging materials
 - Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
 - Creasing of flexible packaging material paper specimens for testing, [T 512](#)
 - Grease resistance of, [T 507](#)
 - Odor of, [T 483](#)
- Packaging paper
 - Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
 - Creasing of flexible packaging material paper specimens for testing, [T 512](#)
- Paper
 - see also specific properties, e.g.,* Grammage, Thickness, *etc.*
 - Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
 - Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
 - Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
 - Acceptance sampling, [T 400](#)
 - Acid-soluble iron in paper, [T 434](#)
 - Aging of paper and board with moist heat, [T 444](#)
 - Air permeance of paper and paperboard (Sheffield method), [T 547](#)
 - Alkalinity as calcium carbonate (alkaline reserve), [T 553](#)
 - Alpha-cellulose content, [T 429](#)
 - Ash content, acid-insoluble, [T 244](#)
 - Ash content, combustion at 525°C, [T 211](#)
 - Ash content, combustion at 900°C, [T 413](#)
 - Bacteria count, [T 449](#)
 - Bending resistance of paper (Gurley-type tester), [T 543](#)
 - Bending resistance of paper and paperboard by single-point bending methods, [T 556](#)
 - Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)
 - Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration),

[T 566](#)

Blister resistance of coated paper in heatset printing, [T 526](#)
Brightness, [T 452](#), [T 525](#), [T 579](#)
Bulking number, [T 500](#)
Bursting strength, [T 403](#)
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
Color of paper and paperboard (d/0, C/2), [T 527](#)
Color of paper and paperboard (45/0, C/2), [T 524](#)
Copper number, [T 430](#)
Creasing of flexible packaging material paper specimens for testing, [T 512](#)
Curl, [T 520](#)
Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
Diffuse opacity, [T 519](#)
Dirt content, [T 437](#)
Dirt count, [T 537](#)
Effect of dry heat on properties of paper and board, [T 453](#)
Equilibrium moisture content, [T 550](#)
Equilibrium relative humidity, [T 502](#)
Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
Fiber analysis, [T 401](#)
Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
Flame resistance, [T 461](#)
Folding endurance, [T 511](#)
Folding endurance of paper (Schopper type tester), [T 423](#)
Glue content, [T 504](#)
Grease resistance for paper and paperboard, [T 559](#)
Grease resistance of flexible packaging materials, [T 507](#)
Hot water extractable acidity or alkalinity, [T 428](#)
Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)
Hydrogen ion concentration of paper extracts (hot extraction method), [T 435](#)
Identification and determination of melamine resin in paper, [T 493](#)
Ink absorbency, [T 431](#)
Internal tearing resistance of paper (Elmendorf-type method), [T 414](#)
Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
Liquid penetration resistance, [T 530](#)
Machine direction determination, [T 409](#)
Moisture content, [T 412](#), [T 550](#)
Nitrogen content, [T 418](#)
Oil penetration, [T 462](#)
Opacity, [T 425](#)
pH and electrical conductivity of hot water extracts

of pulp, paper, and paperboard, [T 252](#)

Pick resistance, [T 459](#)

Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)

Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Reducible sulfur in paper and paperboard, [T 406](#)

Rosin content, [T 408](#)

Roughness, [T 555](#)

Roughness, stylus method (Emveco-type), [T 575](#)

Silver tarnishing by paper and paperboard, [T 444](#)

Smoothness (Bekk method), [T 479](#)

Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

Specular gloss, [T 480](#)

Specular gloss of paper and paperboard at 20 degrees, [T 653](#)

Standard conditioning/testing atmospheres for, [T 402](#)

Starch in paper, [T 419](#)

Static creasing of paper for water vapor transmission tests, [T 465](#)

Surface pH, [T 529](#)

Surface strength, [T 459](#)

Surface wettability, [T 458](#), [T 558](#)

Tensile breaking strength of water-saturated paper and paperboard ("wet tensile strength"), [T 456](#)

Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

Thickness, [T 411](#)

Thickness of paper and paperboard (soft platen method), [T 551](#)

Titanium dioxide, [T 627](#)

Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Visual grading and color matching of paper, [T 515](#)

Water absorbency, [T 432](#)

Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)

Water resistance, [T 433](#)

Water vapor transmission rate of sheet materials at standard temperature and humidity, [T 448](#)

Water-soluble chlorides in, [T 256](#)

Water-soluble sulfates in, [T 255](#)

Wettability, [T 458](#)

Wire side, identification of, [T 455](#)

Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)

Zinc and cadmium in paper, [T 438](#)

Paper coating clays

see Clay

Paper properties

Aging of paper and board with moist heat, [T 544](#)

Effect of dry heat on properties of paper and board, [T 453](#)

Paper machines

Training standard for paper machine tender, [T 1501](#)

Paper sheets

Water vapor transmission rate of sheet materials at

standard temperature and humidity, [T 448](#)

Paper shipping sacks
see Shipping sack papers

Paperboard
see also Corrugated board, Fiberboard; *see also specific properties, e.g.*, Abrasion resistance, Brightness, *etc.*

Acid-insoluble ash in, [T 244](#)

Acid-soluble iron in paper, [T 434](#)

Aging of paper and board with moist heat, [T 544](#)

Air permeance of paper and paperboard (Sheffield method), [T 547](#)

Ash content, [T 211](#), [T 413](#)

Bacteria content, [T 449](#)

Bending number of paperboard, [T 495](#)

Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)

Bending resistance of paper (Gurley-type tester), [T 543](#)

Bending resistance of paper and paperboard by single-point bending methods [T 556](#)

Blister resistance of coated paper in heatset printing, [T 526](#)

Brightness, [T 452](#), [T 525](#), [T 579](#)

Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

Color of paper and paperboard (45/0, C/2), [T 524](#)

Color of paper and paperboard (d/0, C/2), [T 527](#)

Copper number, [T 430](#)

Dirt, [T 437](#), [T 537](#)

Effect of dry heat on properties of paper and board, [T 453](#)

Equilibrium moisture in pulp, paper and paperboard for chemical analysis, [T 550](#)

Equilibrium relative humidity, [T 502](#)

Equivalent black area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)

Fiber analysis of, [T 401](#)

Flame resistance, [T 461](#)

Gloss, [T 653](#)

Grease resistance test for paper and paperboard, [T 559](#)

Internal bond strength of paperboard (z-direction tensile), [T 541](#)

Machine direction, [T 409](#)

Moisture content, [T 412](#)

Organic nitrogen, [T 418](#)

pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)

Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)

Reducible sulfur in paper and paperboard, [T 406](#)

Ring crush, [T 822](#)

Ring crush of paperboard (flexible beam method), [T 818](#)

Rosin, [T 408](#)

Roughness, [T 555](#)

Roughness, stylus method (Emveco-type), [T 575](#)

Sampling and accepting a single lot of, [T 400](#)

Score bend test, [T 577](#)

Silver tarnishing by paper and paperboard, [T 444](#)

Size test for paper by ink resistance (Hercules-type method), [T 530](#)

Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

Specular gloss of paper and paperboard at 75°, [T 480](#)

Standard conditioning and testing atmospheres for, [T 402](#)

Stiffness, [T 836](#)

Surface strength of paper (wax pick test), [T 459](#)

Surface wettability, [T 458](#), [T 558](#)

Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)

Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

Thickness, [T 411](#)

Thickness of paper and paperboard (soft platen method), [T 551](#)

Water immersion number of paperboard, [T 491](#)

Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)

Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)

Paper board
Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)

Papermaking fibers
see Fibers

Papers, impregnated
see Impregnated papers

Parchment papers
Grease resistance of flexible packaging materials, [T 507](#)

Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Paste size
see Rosin size

Pastes
see Pigments

Penetration
Castor-oil test for paper, [T 462](#)

Size test for paper by ink resistance (Hercules-type method), [T 530](#)

Pentosans
Pentosans in wood and pulp, [T 223](#)

Permeability
see also Air permeability

Water vapor transmission rate of sheet materials at normal temperature, [T 448](#)

Permeance
see Permeability

Permanence
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)

- Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Personnel
Training standard for paper machine tender, [T 1501](#)
- Petroleum wax
see Paraffin wax
- PFI mills
Laboratory beating of pulp (PFI mill method), [T 248](#)
- pH
Hydrogen ion concentration (pH) of paper extracts (cold extraction method), [T 509](#)
Hydrogen ion concentration (pH) of paper extracts (hot extraction method), [T 435](#)
pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
Surface pH measurement of paper, [T 529](#)
- Phenol red
see Indicators, preparation of
- Phenolphthalein
see Indicators, preparation of
- Photochemistry
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
- Photometers
Color of paper and paperboard (d/0, C/2), [T 527](#)
Color of paper and paperboard (45/0, C/2), [T 524](#)
- Photometry
Photometric linearity of optical properties instruments, [T 1217](#)
- Physical properties
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Physical tests
Physical testing of pulp handsheets, [T 220](#)
- Phytosterols
Determination of in wood and pulp, [T 204](#)
- Pick resistance
Surface strength of paper, [T 459](#)
- Picking
Internal bond strength (Scott type), [T 569](#)
- Pigments
see also Fillers
Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)
Brightness of clay and other mineral pigments (45/0), [T 646](#)
Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Sampling, [T 657](#)
Titanium dioxide in, [T 627](#)
Zinc and cadmium in paper, [T 438](#)
- Pin adhesion tests
Corrugated board by selective separation, [T 821](#)
Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Pitch
Wood pulp, [T 204](#)
- Plant fibers
Species identification of nonwood plant fibers, [T 259](#)
- Plastics
Pulp screening (Valley-type screening device), [T 278](#)
Screening of pulp (Somerville-type equipment), [T 275](#)
- Ply separation
Solid and corrugated fiberboard, [T 812](#)
- Polarography
Zinc and cadmium in paper, [T 438](#)
- Polarized light
Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
- Polychromatic illumination
see Spectral reflectance
- Polyethylene adhesion
see Adhesion, Polyethylene
- Polymelamines
Identification and determination of melamine resin in paper, [T 493](#)
Organic nitrogen in paper and paperboard, [T 418](#)
- Polyolefin film
see Films
- Polysulfides
Analysis of soda and sulfate white and green liquors, [T 624](#)
Reducible sulfur in paper and paperboard, [T 406](#)
- Polythionates
Reducible sulfur in paper and paperboard, [T 406](#)
- Polyureas
Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)
Organic nitrogen in paper and paperboard, [T 418](#)
- Porosity
Air permeance of paper and paperboard (Sheffield method), [T 547](#)
Air resistance of paper (Gurley method), [T 460](#)
Castor-oil penetration test for paper, [T 462](#)
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Porous substrates
see Substrates
- Potassium dichromate
Preparation of indicators and standard solutions, [T 610](#)
- Potassium hydroxide
Preparation of indicators and standard solutions, [T 610](#)
- Potassium permanganate
Preparation of indicators and standard solutions, [T 610](#)

- Potassium thiocyanate
Preparation of indicators and standard solutions, [T 610](#)
- Potassium titanate
see Pigments
- Precision
Interlaboratory evaluation of test methods to determine TAPPI repeatability and reproducibility, [T 1200](#)
- Preconditioning
see Conditioning
- Preparation
see Sample preparation
- Preparation of solutions
see Standard solutions
- Preservation of paper
see Permanence
- Print quality
see Printability
Roughness of paper and paperboard (Sheffield method), [T 538](#)
- Printability
Roughness of paper and paperboard (Print-Surf method), [T 555](#)
Roughness of paper and paperboard, stylus method (Emveco-type), [T 575](#)
Surface wettability of paper (angle of contact method), [T 458](#)
- Printing
Blister resistance of coated paper in heatset printing, [T 526](#)
Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)
- Printing ink
see Ink
- Printing opacity
see Opacity
- Printing paper
see also Paper
Blister resistance of coated, [T 526](#)
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
- Print-Surf method
see Smoothness
- Probability sampling plan
see Sampling
- Process water
Microbiological enumeration of, [T 631](#)
- Processing of pulp
see Laboratory beating
- Profile
Cross-machine grammage profile measurement (gravimetric method), [T 545](#)
Machine direction grammage variation measurement (gravimetric method), [T 546](#)
- Projection
Fiber length of pulp, [T 232](#)
Surface wettability of paper (angle of contact method), [T 458](#)
- Propionate
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
- Pulp
Acid-insoluble ash content, [T 244](#)
Acid-insoluble lignin content, [T 222](#)
Alkali solubility at 25°C, [T 235](#)
Alpha-, beta-, gamma-cellulose fraction determination, [T 203](#)
Ash content, [T 211](#), [T 413](#)
Brightness, [T 452](#), [T 525](#), [T 579](#)
Carbohydrate composition, [T 249](#)
Carboxyl group content, [T 237](#)
Consistency (concentration) of pulp suspensions, [T 240](#)
Copper number, [T 430](#)
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
Dirt in pulp, [T 213](#)
Dirt in pulp, paper and paperboard by image analysis, [T 563](#)
Drainage time, [T 221](#)
Equivalent Black Area (EBA) and count of visible dirt in pulp, [T 213](#)
Fiber coarseness, [T 234](#)
Fiber length (classification), [T 233](#)
Fiber length (projection), [T 232](#)
Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
Freeness, [T 227](#)
Kappa number of pulp, [T 236](#)
Laboratory beating of pulp (PFI mill method), [T 248](#)
Laboratory beating of pulp (Valley beater method), [T 200](#)
Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
Macro stickies content in pulp: the “pick-up” method, [T 277](#)
Microbiological enumeration, [T 631](#)
Moisture content, [T 210](#), [T 412](#), [T 550](#)
Pentosans in wood and pulp, [T 223](#)
pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
Physical testing of pulp handsheets, [T 220](#)
Physical tests, [T 262](#)
Reflectance, [T 272](#)
Silicate/silica content, [T 245](#)
Sodium hydroxide (1%) solubility, [T 212](#)
Solvent extractives determination, [T 204](#)
Specific external surface, [T 226](#)
Sulfur dioxide in sulfite cooking liquor, [T 604](#)
Viscosity, [T 254](#)
Viscosity of pulp (capillary viscometer method), [T 230](#)
Water solubility, [T 207](#)
Water soluble chlorides in, [T 256](#)
Water soluble sulfates in, [T 255](#)

Zero-span breaking strength, [T 231](#)
Pulp bales
 see Baled pulp
Pulp dispersion apparatus
 see Pulp
Pulp fibers
 see Fibers
Pulp handsheets
 see Handsheets
Pulp properties
 Forming handsheets for physical tests of pulp,
 [T 205](#)
Pulp quality
 see Pulp
Pulp slush stock
 see Slush pulps
Pulp suspensions
 see Pulp
Pulp tests
 Forming handsheets for physical tests of pulp,
 [T 205](#)
Pulp yields
 Compression wood identification in pulpwood,
 [T 267](#)
Pulping
 Pulp screening (Valley-type screening device),
 [T 278](#)
Pulping liquors
 see Liquors, *or see specific liquor, e.g.,* White
 liquor, Black liquor, *etc.*
Pulps
 Forming handsheets for reflectance testing of pulp
 (Büchner funnel procedure), [T 218](#)
Pulpwood
 see also Wood
 Weight-volume measurement of pulpwood, [T 268](#)
Pulpwood chips
 see Chips
Pulpwood fibers
 see Fibers
Puncture resistance
 Container board, [T 803](#)
Puncture tests
 Puncture test of containerboard, [T 803](#)
Purified calfskin gelatin
 Glue in paper (qualitative and quantitative
 determination), [T 504](#)

Q

Qualitative analysis
 Starch in paper, [T 419](#)
Quality
 Training standard for paper machine tender, [T 1501](#)
Quality control
 Sampling and accepting a single lot of paper,
 paperboard, containerboard, or related product,
 [T 400](#)

Quantitative analysis
 Reducible sulfur in paper and paperboard, [T 406](#)
 Starch in paper, [T 419](#)

R

Radiation effects
 Accelerated light aging of printing and writing
 paper by xenon-arc exposure apparatus, [T 578](#)
Ramie
 Species identification of nonwood plant fibers,
 [T 259](#)
Raspail test
 see Rosin
Rate of elongation
 see Tensile strength
Reagents
 Preparation of indicators and standard solutions,
 [T 610](#)
Ream weight
 see Basis weight
Reclaimed fibers
 Macro stickies content in pulp: the “pick-up”
 method, [T 277](#)
 Screening of pulp (Somerville-type equipment),
 [T 275](#)
Recycling
 Pulp screening (Valley-type screening device),
 [T 278](#)
 Screening of pulp (Somerville-type equipment),
 [T 275](#)
Reducible sulfur
 Reducible sulfur in paper and paperboard, [T 406](#)
 Silver tarnishing by paper and paperboard, [T 444](#)
Reeds
 Species identification of nonwood plant fibers,
 [T 259](#)
Refining
 see Laboratory beating
Reflectance
 see also Brightness
 Accelerated light aging of printing and writing
 paper by xenon-arc exposure apparatus, [T 578](#)
 Brightness of clay and other mineral pigments
 (45/0), [T 646](#)
 Brightness of pulp, paper, and paperboard
 (directional reflectance at 457 nm), [T 452](#)
 Calibration of reflectance standards for
 hemispherical geometry, [T 1218](#)
 Color of paper and paperboard (45/0, C/2), [T 524](#)
 Color of paper and paperboard (d/0, C/2), [T 527](#)
 Determination of effective residual ink
 concentration (ERIC) by infrared reflectance
 measurement, [T 567](#)
 Diffuse opacity of paper (d/0 paper backing), [T 519](#)
 Dirt in paper and paperboard, [T 437](#)
 Forming handsheets for reflectance testing of pulp
 (Büchner funnel procedure), [T 218](#)
 Indices for whiteness, yellowness, brightness, and
 luminous reflectance factor, [T 1216](#)

Interrelation of reflectance, R_0 ; reflectivity, R_∞ ;
TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption,
 k , [T 1214](#)
Opacity of paper (15/d geometry, illuminant $A/2^\circ$,
89% reflectance backing and paper backing), [T 425](#)
Size test for paper by ink resistance (Hercules-type
method), [T 530](#)
Testing of pulp handsheets for, [T 272](#)

Reflectance factor
see Reflectance

Reflectometry
see Reflectance

Reflectivity
Interrelation of reflectance, R_0 ; reflectivity, R_∞ ;
TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption,
 k , [T 1214](#)

Relative humidity
see Humidity

Remoistening adhesives
Curl of flat gummed papers, [T 520](#)

Repeatability
Interlaboratory evaluation of test methods to
determine TAPPI repeatability and reproducibility,
[T 1200](#)

Repellance
Grease resistance for paper and paperboard, [T 559](#)

Reproducibility
Interlaboratory evaluation of test methods to
determine TAPPI repeatability and reproducibility,
[T 1200](#)

Repulping
Pulp screening (Valley-type screening device),
[T 278](#)

Resin
see also Wood resin, Rosin
Analysis of formaldehyde in aqueous solutions and
of free formaldehyde in resins, [T 600](#)
Identification and determination of melamine resin
in paper, [T 493](#)

Resistance
Bending resistance (stiffness) of paper (Taber-type
tester in 0 to 10 Taber stiffness unit configuration),
[T 566](#)

Resistance to bending
Bending resistance (stiffness) of paper and
paperboard (Taber-type tester in basic
configuration), [T 489](#)

Resistivity
see Conductivity

Resonance length method
see Stiffness

Revolutions
Laboratory beating of pulp (PFI mill method),
[T 248](#)

Revolving hexagonal drum
see Impact tests

Rheology
Rheological measurements for characterization of
polyolefins: low-density polyethylene (LDPE) for
extrusion coating, [T 702](#)

Rice straw
Species identification of nonwood plant fibers,
[T 259](#)

Rigid support method
see Flat crush resistance

Rigidity
see Stiffness

Ring crush tests
Ring crush of paperboard (flexible beam method),
[T 818](#)
Paperboard (rigid support method), [T 822](#)

Roese-Gottlieb method
see Casein, analysis of

Rolls (paperboard)
see Wound rolls

Rosin
Analysis of, [T 621](#)
Analysis of rosin size, [T 628](#)
In paper and paperboard, [T 408](#)

Rosin size
Analysis of rosin size, [T 628](#)

Rotating spindle viscometer
see Viscosity

Roughness
see also Smoothness
Roughness of paper and paperboard (Sheffield
method), [T 538](#)
Stylus method (Emveco-type), [T 575](#)

Ruling quality
see Printability

Rupture work
Tensile properties of paper and paperboard (using
constant rate of elongation apparatus), [T 494](#)

Rutile titanium dioxide
see Pigments

Rye straw
Species identification of nonwood plant fibers,
[T 259](#)

S

Salt cake
Analysis of, [T 619](#)

Sample preparation
Creasing of flexible packaging material paper
specimens for testing, [T 512](#)
Specimen preparation for cross directional internal
tearing resistance for paper, paperboard and related
materials, [T 496](#)
Wood for analysis, [T 257](#)
Wood for chemical analysis, [T 264](#)

Samples
Storage of paper samples for optical measurements
and color matching, [T 1219](#)

Sampling
Fillers and pigments, [T 657](#)
Pulp for moisture, [T 210](#)
Sample location for fiber glass mat sheets, [T 1007](#)
Single lot of paper and paperboard, [T 400](#)
Testing of fiber glass mats: use of modified TAPPI

- procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
- Weight-volume measurement of pulpwood, [T 268](#)
- White waters, [T 566](#)
- Wood for analysis, [T 257](#)
- Sand
 - Analysis of rosin, [T 621](#)
- Sanitary tissues
 - see* Tissue papers
- Saponification number
 - Analysis of rosin, [T 621](#)
- Saturation
 - Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
- Sawdust
 - Sampling and preparing wood for analysis, [T 257](#)
- Scattering
 - Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
 - Interrelation of reflectance, R_0 ; reflectivity, R_∞ ; TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)
 - Opacity of paper (15/d geometry, illuminant A/2°, 89% reflectance backing and paper backing), [T 425](#)
- Scattering coefficient
 - see* Optical scattering
- Schopper-type tester
 - see* Folding endurance
- Score bend efficiency
 - Score bend test, [T 577](#)
- Score-line rupture
 - see* Scores
- Scores
 - Score bend test, [T 577](#)
 - Quality test, [T 829](#)
- Scoring
 - Bending number of paperboard, [T 495](#)
- Scott bond
 - see* Internal bond
- Screen residue
 - see* Mesh residue
- Screening
 - Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
 - Macro stickies content in pulp: the “pick-up” method, [T 277](#)
 - Pulp screening (Valley-type screening device), [T 278](#)
 - Screening of pulp (Somerville-type equipment), [T 275](#)
- Screens
 - Fiber length of pulp by classification, [T 233](#)
- Seal adhesion
 - see* Sealants
- Sealants
 - Envelope seal, seam, and window patch testing, [T 516](#)
- Seals
 - see* Window envelopes
- Seams
 - see* Window envelopes
- Sedimentation method
 - see* Particle size distribution
- Selleger's stain
 - see* Fiber analysis, Staining
- Sensitivity
 - Moisture sensitivity of fiber glass mats, [T 1014](#)
- Separation
 - Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
 - Of liner from medium (pin adhesion test), [T 821](#)
 - Screening of pulp (Somerville-type equipment), [T 275](#)
 - Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Sheet formation
 - see* Formation
- Sheet machines (laboratory)
 - see* Handsheet formers
- Sheet materials
 - see* Sheets
- Sheets
 - Water vapor transmission rate of sheet materials at standard temperature and humidity, [T 448](#)
- Sheffield method
 - see* Smoothness, Air permeability
- Sheffield smoothness
 - Roughness of paper and paperboard (Sheffield method), [T 538](#)
- Shipping containers
 - see also* Containers
 - Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
- Shives
 - Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
 - Pulp screening (Valley-type screening device), [T 278](#)
 - Screening of pulp (Somerville-type equipment), [T 275](#)
- Shock
 - Drum test for fiberboard shipping containers, [T 800](#)
- Short column test
 - see* Edge crush resistance
- SI units
 - see* Units of measurement
- Sides
 - Identification of wire side of paper, [T 455](#)
- Silica
 - Acid-insoluble ash in pulp, [T 244](#)
 - Analysis of limestone, [T 618](#)
 - Analysis of soda and sulfate black liquor, [T 625](#)
 - Analysis of sodium silicate, [T 632](#)
 - Analysis of talc, [T 665](#)
 - In pulp (wet ash method), [T 245](#)
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Silicate pigments

- see* Pigments
- Silicates
 - Acid-insoluble ash in pulp, [T 244](#)
 - In pulp (wet ash method), [T 245](#)
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Silicon dioxide
 - see* Silica
- Silver nitrate
 - Preparation of indicators and standard solutions, [T 610](#)
- Silver tarnish tests
 - Silver tarnishing by paper and paperboard, [T 444](#)
- Silvering method
 - see* Specific surface
- Sisal
 - Species identification of nonwood plant fibers, [T 259](#)
- Size
 - Grease resistance for paper and paperboard, [T 559](#)
- Size emulsion
 - see* Rosin size
- Sized papers
 - Size test for paper by ink resistance (Hercules-type method), [T 530](#)
 - Surface wettability of paper (angle of contact method), [T 458](#)
 - Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
 - Water resistance of, [T 433](#)
- Sizing
 - Degree of in paper by ink resistance, [T 530](#)
 - Water absorption of corrugating medium, [T 831](#)
 - Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
 - Water immersion number of paperboard, [T 491](#)
 - Water resistance of size paper and paperboard (dry indicator method), [T 433](#)
- Slide angle
 - Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
- Slide resistance
 - see* Friction, Slide angle
- Slowness of pulp/stock
 - see* Freeness
- Slurry
 - Accelerated test for viscosity stability of clay slurries, [T 697](#)
 - Viscosity of coating clay slurry, [T 648](#)
- Slush pulps
 - Microbiological enumeration of process water and slush pulp, [T 631](#)
- Smelt
 - Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
- Smoothness
 - Paper (Bekk method), [T 479](#)
- Paper and paperboard (Print-Surf method), [T 555](#)
- Roughness of paper and paperboard, stylus method (Emveco-type), [T 575](#)
- Roughness of paper and paperboard (Sheffield method), [T 538](#)
- Soda ash
 - see* Sodium carbonate
- Soda pulping
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Soda pulps
 - see* Pulps
- Sodium
 - Analysis of soda and sulfate black liquor, [T 625](#)
 - Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
- Sodium bicarbonate
 - Analysis of salt cake, [T 619](#)
- Sodium chloride
 - Analysis of salt cake, [T 619](#)
- Sodium hydrosulfite
 - Analysis of sodium hydrosulfite, [T 622](#)
- Sodium hydroxide
 - Analysis of caustic soda, [T 613](#)
 - One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
 - Preparation of indicators and standard solutions, [T 610](#)
 - Use of in determining alkali solubility of pulp, [T 235](#)
- Sodium oxide
 - Analysis of salt cake, [T 619](#)
 - Analysis of sodium silicate, [T 632](#)
- Sodium silicate
 - Analysis of, [T 632](#)
- Sodium sulfate
 - Analysis of salt cake, [T 619](#)
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Sodium sulfide
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Sodium sulfite
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Sodium thiosulfate
 - Preparation of indicators and standard solutions, [T 610](#)
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Softwoods
 - Fiber analysis of paper and paperboard, [T 401](#)
 - Wood/fiber identification method for, [T 263](#)
- Solid fiberboard
 - see* Fiberboard
- Solids content
 - Analysis of rosin size, [T 628](#)
 - Black liquor, [T 650](#)
 - Measuring, sampling, and analyzing white waters, [T 656](#)
 - Suspended solids in kraft green and black liquor, [T 692](#)
- Solubility
 - Alkali solubility of pulp at 25°C, [T 235](#)
 - Analysis of limestone, [T 618](#)

- Analysis of rosin, [T 621](#)
- One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
- Soluble material
 - see* Solubility
- Solutions
 - Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)
- Solvent extractives
 - see* Solvents
- Solvents
 - Extractives of wood and pulp, [T 204](#)
- Soxhlet apparatus
 - see* Extraction, Rosin
- Species identification
 - Species identification of nonwood plant fibers, [T 259](#)
- Specific gravity
 - see* Density
- Specific handling stiffness
 - see* Stiffness
- Specific surface
 - Of pulp, [T 226](#)
- Specific volume
 - see* Bulk
- Spectrometers
 - Color of paper and paperboard (45/0, C/2), [T 524](#)
 - Color of paper and paperboard (d/0, C/2), [T 527](#)
- Spectrophotometry
 - see* Spectroscopy
- Spectroscopy
 - Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
 - Identification and determination of melamine resin in paper, [T 493](#)
- Specular gloss
 - see* Gloss
- Splitting
 - see* Ply separation
- Spore-cloud method
 - see* Fungi
- Spore-mycelial method
 - see* Fungi
- Stability
 - see also* Permanence
 - Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
 - Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
 - Accelerated test for viscosity stability of clay slurries, [T 697](#)
 - Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
 - Effect of dry heat on properties of paper and board, [T 453](#)
- Staining
 - Envelope seal, seam, and window patch testing, [T 516](#)
- Fiber analysis of paper and paperboard, [T 401](#)
- Standard practice
 - Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)
- Standard solutions
 - Preparation of, [T 610](#)
- Standards
 - Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)
 - Calibration of reflectance standards for hemispherical geometry, [T 1218](#)
- Starch
 - Starch in paper, [T 419](#)
 - Water solubility of wood and pulp, [T 207](#)
- Starch indicator
 - see* Indicators, preparation of
- Static creasing
 - see* Creasing
- Static friction
 - see* Friction
- Static tests
 - Static creasing of paper for water vapor transmission tests, [T 465](#)
- Stickies
 - Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
 - Macro stickies content in pulp: the “pick-up” method, [T 277](#)
 - Pulp screening (Valley-type screening device), [T 278](#)
 - Screening of pulp (Somerville-type equipment), [T 275](#)
- Stiffness
 - Bending resistance of paper and paperboard by single-point bending methods, [T 556](#)
 - Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration), [T 566](#)
 - Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)
 - Corrugated board stiffness, four point method, [T 836](#)
 - Flexural stiffness of corrugated board, [T 820](#)
 - Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)
 - Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
- Stokes' Law
 - see* Particle size distribution
- Storage
 - Storage of paper samples for optical measurements and color matching, [T 1219](#)
- Straw
 - Fiber analysis of paper and paperboard, [T 401](#)
 - Species identification of nonwood plant fibers, [T 259](#)
- Strength tests

- see* Bond strength, Burst strength, Compression tests, Tear strength, Tensile strength, Impact tests
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Stretch
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)
Tensile strength and elongation at break for fiber glass mats, [T 1009](#)
- Strip method
see Baled pulp
- Stripping strength
see Peel strength
- Structural fiber insulating board
see Insulating board
- Submersion
Water immersion number of paperboard, [T 491](#)
- Substance
see Basis weight
- Sugar cane
Species identification of nonwood plant fibers, [T 259](#)
- Sugars
Water solubility of wood and pulp, [T 207](#)
- Sulfate liquors
see Kraft liquors
- Sulfate soap
see Tall oil soap
- Sulfated ash
see Ash content
- Sulfates
Analysis of caustic soda, [T 613](#)
Determination of in pulping liquor, [T 699](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Water-soluble sulfates in pulp and paper, [T 255](#)
- Sulfide
Determination of in pulping liquor, [T 699](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Reducible sulfur in paper and paperboard, [T 406](#)
- Sulfide-free reducing compounds
Analysis of soda and sulfate white and green liquors, [T 624](#)
- Sulfite
Determination of in pulping liquor, [T 699](#)
Reducible sulfur in paper and paperboard, [T 406](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Sulfite liquors
Sulfur dioxide in sulfite cooking liquor, [T 604](#)
- Sulfite pulps
Sulfur dioxide in sulfite cooking liquor, [T 604](#)
- Sulfur
Analysis of soda and sulfate black liquor, [T 625](#)
Reducible sulfur in paper and paperboard, [T 406](#)
- Sulfur dioxide
Analysis of sulfuric acid, [T 602](#)
Sulfur dioxide in sulfite cooking liquor, [T 604](#)
- Sulfur trioxide
Analysis of salt cake, [T 619](#)
- Sulfuric acid
Analysis of, [T 602](#)
Preparation of indicators and standard solutions, [T 610](#)
- Sunn hemp
Species identification of nonwood plant fibers, [T 259](#)
- Surface area
see Specific surface
- Surface pH
see pH
- Surface roughness
Roughness of paper and paperboard (Sheffield method), [T 538](#)
- Surface strength
Abrasion loss of paper and paperboard (Taber-type method), [T 476](#)
Of paper (wax pick test), [T 459](#)
- Surface wettability
see Wettability
- Surfaces
Dirt in paper and paperboard, [T 437](#)
- Suspect test determinations
see Test determinations
- Suspended solids
Determination of in kraft green and white liquor, [T 692](#)
Measuring, sampling, and analyzing white waters, [T 656](#)
- Suspensions (pulp)
see Dispersions
- Sutherland test
see Ink rub resistance
-
- T**
-
- Taber stiffness
Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)
- Talc
Analysis of, [T 665](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Tall oil rosin
see Rosin
- Tear factor
see Tear strength
- Tear strength
Internal tearing resistance of paper (Elmendorf-type method), [T 414](#)
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)

Tearing resistance
See also Tear strength
Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

Temperature control
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
Test conditions for fiber glass mat test methods, [T 1008](#)

Tensile breaking strength
see also Tensile strength

Tensile energy absorption (TEA)
Internal bond strength (Scott type), [T 569](#)
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

Tensile index
see Tensile strength

Tensile properties
Internal tearing resistance of paper (Elmendorf-type method), [T 414](#)

Tensile strength
Elongation at break for fiber glass mats, [T 1009](#)
Internal bond strength of paperboard (z-direction tensile), [T 541](#)
Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

Tensile stress
Internal bond strength (Scott type), [T 569](#)

Tensile tests
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

Terminology
Optical measurements terminology (related to appearance evaluation of paper), [T 1500](#)

Test conditions
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)

Test facilities
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)

Test sheets
see Handsheets

Test methods
Dealing with suspect (outlying) test determinations, [T 1205](#)

Testing
Compression wood identification in pulping, [T 267](#)
Dealing with suspect (outlying) test determinations, [T 1205](#)
Interlaboratory evaluation of test methods to determine TAPPI repeatability and reproducibility, [T 1200](#)
Test conditions for fiber glass mat test methods, [T 1008](#)

Testing atmospheres
see Atmospheres, Test conditions

Thickness
Book bulk and bulking number of paper, [T 500](#)
Envelope seal, seam, and window patch testing, [T 516](#)
Paper, paperboard, and combined board, [T 411](#)
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
Thickness of paper and paperboard (soft platen method), [T 551](#)
Towel, tissue, napkin and facial products, [T 580](#)

Thiosulfate
Determination of in pulping liquor, [T 699](#)
Reducible sulfur in paper and paperboard, [T 406](#)

Thymol blue
see Indicators, preparation of

Tinting
CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)
CIE whiteness and tint of paper and paperboard (d/0 geometry, C/2 illuminant/observer), [T 560](#)

Tissue papers
see also Absorptivity, Paper products
Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)
Water absorbency of bibulous papers, [T 432](#)

Tissues
see Absorptivity, Paper products, Tissue papers

Titanium
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Titanium dioxide
see also Fillers, Pigments
Determination of, [T 627](#)

Titrateable alkali
Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)

Toluene
Analysis of rosin, [T 621](#)

Total alkali
Caustic soda, [T 613](#)
Analysis of soda and sulfate black liquor, [T 625](#)

Total alkalinity
see Total alkali

Total reducing compounds
Analysis of soda and sulfate white and green liquors, [T 624](#)

Total solids
see Solids content

Total suspended solids
see Suspended solids

Toweling
see Absorptivity

Toweling papers
Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
Thickness (caliper) of towel, tissue, napkin and

facial products, [T 580](#)
Water absorbency of bibulous papers, [T 432](#)
Training
Training standard for paper machine tender, [T 1501](#)
Transmission rate
see Water vapor transmission rate
Treated paper and paperboard
see Flameproof papers, Fungi
Tristimulus values
Color of paper and paperboard (d/0, C/2), [T 527](#)
Color of paper and paperboard (45/0, C/2), [T 524](#)
Tub-sized starch
see Starch
Turpentine tests
see Grease resistance, Oil penetration tests

U

Ultraviolet radiation
Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
Ultraviolet spectroscopy
Hexeneuronic acid content of chemical pulp, [T 282](#)
Ultraviolet-containing daylight illuminant
see Illumination
Uniformity
Fiber glass mat uniformity (visual defects), [T 1015](#)
Units of measurement
Measurement and conversion factors, [T 1210](#)
Unsaponifiable materials
see Saponification number
Urea-formaldehyde resins
see Polyureas
Useful fiber
see Fiber

V

Valley beater
Laboratory beating of pulp (Valley beater method), [T 200](#)
Variation
Cross-machine grammage profile measurement (gravimetric method), [T 545](#)
Machine direction grammage variation measurement (gravimetric method), [T 546](#)
Vegetable parchment
see Parchment papers
Viewing device
see Compression wood
Viscosity
Accelerated test for viscosity stability of clay slurries, [T 697](#)
Coating clay slurry, [T 648](#)
Cupriethylenediamine disperse viscosity of pulp (falling ball method), [T 254](#)
Viscosity of pulp (capillary viscometer method), [T 230](#)
Sodium silicate, [T 632](#)

Viscosity stability
see Viscosity
Viscosity-velocity product
see Printing
Vision
Fiber glass mat uniformity (visual defects), [T 1015](#)
Visual grading and color matching of paper, [T 515](#)
Visual defects
Fiber glass mat uniformity, [T 1015](#)
Visual efficiency
Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)
Visual grading
Visual grading and color matching of paper, [T 515](#)
Voids
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)
Volatile suspended solids
see Suspended solids
Volatiles content
Analysis of rosin size, [T 628](#)
Volatility
Solvent extractives in wood and pulp, [T 204](#)
Analysis of sulfuric acid, [T 602](#)
Volume
Basic density and moisture content of pulpwood, [T 258](#)
Measuring, sampling, and analyzing white waters, [T 656](#)
Weight-volume measurement of pulpwood, [T 268](#)
Volumetric reagent solutions
see Standard solutions
Volumetry
Zinc and cadmium in paper, [T 438](#)

W

Washer
Open drum washer mat sampling technique, [T 281](#)
Water absorbency/absorption/absorptivity
see Absorptivity
Water absorption
Water absorption of corrugating medium: float curl method, [T 832](#)
Water absorption of corrugating medium: water drop absorption test, [T 835](#)
Water absorption of corrugating medium: water drop penetration test, [T 831](#)
Water immersion number of paperboard, [T 491](#)
Water content
see Moisture content
Water drop tests
Water absorption of corrugating medium (absorption test), [T 835](#)
Water absorption of corrugating medium (penetration test), [T 831](#)
Water immersion
see Submersion

Water immersion tests
 see Water resistance

Water resistance
 Sized paper and paperboard, [T 433](#)
 Water immersion number of paperboard, [T 491](#)

Water saturation
 see Saturation

Water solubility
 see Water solubles

Water solubles
 Chloride in pulp and paper, [T 256](#)
 In pulp and paper, [T 255](#)
 Wood and pulp, [T 207](#)

Water vapor permeability
 Static creasing of paper for water vapor transmission tests, [T 465](#)

Water vapor transfer rate
 see Water vapor transmission rate

Water vapor transmission rate (WVTR)
 Sheet materials at normal temperature, [T 448](#)
 Water vapor transmission rate of paper and paperboard at high temperature and humidity, [T 464](#)

Water-soluble acidity
 see Acidity

Water-soluble alkalinity
 see Alkalinity

Wax
 Determination in wood and pulp, [T 204](#)

Wax pick tests
 Surface strength of paper, [T 459](#)

Wax strength number
 see Wax pick tests

Wedge method
 see Baled pulp

Weight
 Basic density and moisture content of pulpwood, [T 258](#)
 Weight/volume measurement of pulpwood, [T 268](#)

Weight fraction fines
 Fines fraction by weight of paper stock by wet screening, [T 261](#)

Weight percent fines
 Fines fraction by weight of paper stock by wet screening, [T 261](#)

Weight/area measurement
 see Grammage

Weight/volume measurement
 see Volume, Weight

Weighted average fiber length
 see Fiber length

Wet abrasion test
 see Abrasion

Wet ash method
 Silica and silicates in pulp, [T 245](#)

Wet curl
 see Curl

Wet density
 see Density

Wet ply separation
 see Ply separation

Wet screening
 see also Screening
 Fines fraction by weight of paper stock by wet screening, [T 261](#)

Wet strength
 Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)

Wet tensile breaking strength
 see Tensile strength

Wettability
 Surface wettability of paper (angle of contact method), [T 458](#)
 Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)

Wetting
 Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)

Wetting resistance
 see Wettability

Wheat straw
 Species identification of nonwood plant fibers, [T 259](#)

White liquors
 Analysis of by suppressed ion chromatography, [T 699](#)
 Suspended solids in, [T 692](#)

White waters
 Determination of titanium dioxide, [T 627](#)
 Measuring, sampling, and analyzing, [T 656](#)

Whiteness
 Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
 CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)
 CIE whiteness and tint of paper and paperboard (d/0 geometry, C/2 illuminant/observer), [T 560](#)
 Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

Wilson's stain
 see Fiber analysis, Staining

Window envelopes
 Seal, seam, and window patch testing in, [T 516](#)

Wire side
 Identification of in paper, [T 455](#)

Wood
 Acid-insoluble ash in, [T 244](#)
 Acid-soluble lignin in, [T 222](#)
 Alcohol-benzene and dichloromethane solubles in, [T 204](#)
 Ash determination, [T 211](#), [T 413](#)
 Basic density and moisture content of, [T 258](#)
 Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)
 Compression wood identification in pulpwood, [T 267](#)
 Identification of from conifers, [T 263](#)
 Natural dirt in wood chips, [T 265](#)
 One percent sodium hydroxide solubility of, [T 212](#)
 Pentosans in wood and pulp, [T 223](#)

Preparation of for chemical analysis, [T 264](#)
Sampling and preparing for analysis, [T 257](#)
Water solubility of, [T 207](#)
Wood chips
 see Chips
Wood extractives
 see Extractives
Wood fibers
 see Fibers
Wood flour
 Specific external surface of pulp, [T 226](#)
Wood pulp
 see Pulp
Wood resins
 Solvent extractives in wood and pulp, [T 204](#)
Wound rolls
 Determination of containerboard roll hardness,
 [T 834](#)
Writing paper
 Coefficients of static and kinetic friction of
 uncoated writing and printing paper by use of the
 horizontal plane method, [T 549](#)
 Surface wettability of paper (angle of contact
 method), [T 458](#)
Writing quality
 see Feathering
WVTR
 see Water vapor transmission rate

X

Xenon lamps
 Accelerated light aging of printing and writing
 paper by xenon-arc exposure apparatus, [T 578](#)
X-ray diffraction
 Analysis of talc, [T 665](#)
Xylan
 Carbohydrate composition of extractive-free wood
 and wood pulp chromatography, [T 249](#)

Y

Y reflectance
 Equivalent Black Area (EBA) and count of visible
 dirt in pulp, paper and paperboard by image
 analysis, [T 563](#)
Yellowness coefficient
 Accelerated light aging of printing and writing
 paper by xenon-arc exposure apparatus, [T 578](#)
 Indices for whiteness, yellowness, brightness, and
 luminous reflectance factor, [T 1216](#)
Young's modulus
 see Elastic strength

Z

Z-direction
 Internal bond strength (Scott type), [T 569](#)
Z-directional tensile strength
 see Tensile strength

Zero-span breaking strength
 see Tensile strength
Zero-span tensile strength
 see also Tensile strength
 Zero-span breaking strength of pulp (dry zero-span
 tensile), [T 231](#)
Zinc
 Qualitative (including optical microscopic) analysis
 of mineral filler and mineral coating of paper, [T 421](#)
 Zinc and cadmium in paper, [T 438](#)
Zinc oxide
 see Pigments
Zinc sulfide
 see Pigments