

# Subject Index

## Technical Information Papers

This document was last updated November 11, 2019

### A-

#### Abrasion

Selection criteria for wet end ceramics, [0502-15](#)

#### Abrasion resistance

Selection criteria for wet end ceramics, [0502-15](#)

#### Absorption

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### Accessibility

Maintenance considerations in new construction and rebuilds, [0408-02](#)

#### Acrylic fibers

*see* Polyacrylics, Synthetic fibers

#### Additives

Techniques for running “WRA” (water resistant starch adhesive), [0304-46](#)

#### Adhesives

Buying, storing, and handling flexo folder gluer/rotary diecutter adhesives, [0305-25](#)

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Evaluating glue lap adhesive properties, [0304-16](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Proper methods of measuring starch adhesive viscosity, [0304-33](#)

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Starch adhesive trial, [0304-22](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Stickies definition and classification, [0603-02](#)

Techniques for bonding of densified liners, [0304-40](#)

Techniques for running “WRA” (water resistant starch adhesive), [0304-46](#)

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

Using washup water as the vehicle in starch-based corrugating adhesive, [0304-44](#)

#### After dryers

Paper machine drying rate, [0404-07](#)

#### Agitation

Using washing water as the vehicle in starch based corrugating adhesive, [0304-44](#)

#### Agitators

Guidelines for side-entering stock agitators, [0420-13](#)

#### Air

Paper machine room ventilation guidelines, [0404-50](#)

#### Air balance

*see* Air, Materials balance

#### Air flow

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Sheet handling devices, [0404-44](#)

#### Air jets

Sheet handling devices, [0404-44](#)

#### Air permeability

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

#### Air pollution

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### Air staging

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### Alignment

Checking the parallel of corrugating rolls with “NCR” paper, [0304-62](#)

#### Alkali

Specific heat of caustic soda solutions, [0606-07](#)

#### Alkaline sulfite pulping

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

#### Alkalinity

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

#### Ammonia

Solubility of sulfur dioxide, [0607-06](#)

#### Analysis

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

**Angle of slide**

*see* Slide angle

**Anilox coaters**

In-line coating at the corrugator, [0304-39](#)

**Anilox rolls**

*see* Flexography, Printing cylinders

**Anvil**

Troubleshooting the diecutting section, [0305-39](#)

**Approach flow systems**

Headbox approach piping guidelines, [0404-54](#)

**Ash**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Drainage evaluation by mass measurement, [0502-12](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

**Atmosphere**

Testing atmospheres simulating end use conditions, [0808-05](#)

**Auditing**

Checklist for a properly planned project, [0408-01](#)

**Automatic feeders**

*see* Feeders

**Availability**

Definitions of black liquor recovery furnace availability, [0416-02](#)

**B-****Backing Blade**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

**Bacteria**

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

**Bag papers**

Paper machine performance guidelines, [0404-47](#)

**Bags**

Paper machine drying rate, [0404-07](#)

**Bar Width Reduction (BWR)**

*see* Product codes

**Bar codes**

*see* Product codes

**Bases**

*see* Hydroxides

**Basis weight**

Headbox approach piping guidelines, [0404-54](#)

**Batch digesters**

Guidelines for inspecting batch digesters, [0402-22](#)

**Batch process**

Measurement of dryer condensing rates (vertical separator method), [0404-18](#)

**Beams**

Calibration of flexible beam crush tester, [0304-20](#)

**Bearings**

Corrugator bearing clearance checks and their impact, [0304-47](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Total indicated runout and its impact on combined board quality, [0304-56](#)

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

**Bearing failure**

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

**Biocide**

Using washing water as the vehicle in starch based corrugating adhesive, [0304-44](#)

**Biomass**

Performance test procedure for boilers using biomass as fuel, [0416-18](#)

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

**Biomechanics**

*see* Human factors

**Bisulfites**

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

**Black liquors**

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

Recovery boiler performance calculation – short form, [0416-01](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

**Blade coaters**

*see also* Coaters

In-line coating at the corrugator, [0304-39](#)

**Bleach plants**

Bleaching plant washer efficiency guide, [0606-23](#)

**Bleached board**

Paper machine drying rate, [0404-07](#)

Paper machine performance guidelines, [0404-47](#)

**Bleaching**

Boiling point rise of spent sulfite liquors, [0607-21](#)

Cotton in nonwovens, [1205-02](#)

Chlorine gas curve, [0606-02](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of chlorine gas, [0606-03](#)

Density of milk of lime solution, [0607-05](#)

Energy checklist: pulp mill, [0416-24](#)

Heat of vaporization of liquid chlorine, [0606-04](#)

Recommended pulp bleaching stage designation method, [0606-21](#)

Relative enthalpy (heat content) of sodium hydroxide solutions, [0606-08](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Viscosity of liquid chlorine [0606-05](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

### **Bleaching stages**

*see* Bleaching

### **Blind-drilled rolls**

*see* Vacuum rolls

### **Blistering**

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, [0304-17](#)

### **Blow boxes**

Sheet handling devices, [0404-44](#)

### **Blowdown**

*see also* Blowing

Design engineer decisions tree: paper mill boiler feedwater, [0416-04](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

### **Blowing**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

### **Board**

Pilot paper and wet laid nonwoven machines, [0502-16](#)

### **Board caliper**

*see* Thickness

### **Boiler feed water**

*see* Boilers, Feedwater

### **Boiler tubes**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

### **Boilers**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Design engineer decisions tree: paper mill boiler feedwater, [0416-04](#)

Explanation of recovery boiler leak indications, [0416-23](#)

Evaluating reverse osmosis for treating makeup to the boiler feedwater in a pulp and paper mill, [0416-07](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Keys to successful chemical cleaning of boilers, [0416-06](#)  
Performance test procedure for boilers using biomass as fuel, [0416-18](#)

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, [0416-13](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

### **Bonding**

Techniques for bonding of densified liners, [0304-40](#)

### **Box compression**

*see* Compression strength

### **Box flaps**

*see* Flaps

### **Box machines**

Troubleshooting a glue lap problem, [0304-10](#)

### **Box plants**

*see* Converting plants

### **Boxes**

Corrugated boxplant-list of potential hazards, [0301-01](#)

Critical properties to consider when unitizing, [0304-72](#)

High vacuum sheet dewatering, [0404-60](#)

Squaring flap cut (center special) boxes, [0305-45](#)

### **Broke**

Broke loss calculations, [0502-10](#)

### **Bronze**

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Weld repairs on new suction roll shells, [0402-17](#)

### **Burners**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

### **Burst testers**

Calibration and maintenance of, [0304-24](#)

### **Butt joints**

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

### **Butt welds**

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

### **C-**

#### **CADCAM**

Computer-assisted machinery, [0305-02](#)

#### **CONEG**

*see* Regulations

#### **Cadmium**

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

#### **Calcination**

Physical data of calcined kaolin-water suspensions,

[0106-09](#)

**Calcium base liquors**

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions,

[0607-07](#)

**Calcium bisulfite**

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions,

[0607-07](#)

**Calcium carbonate**

Physical data of calcium carbonate-water suspensions,

[0106-01](#)

**Calcium hydroxide**

Density of milk of lime solution, [0607-05](#)

**Calculations**

*see* Computation

**Calibration**

Basic guidelines for image analysis measurements,

[0804-09](#)

Calibration and maintenance of the manually operated micrometer, [0304-30](#)

Calibration of flexible beam crush tester, [0304-20](#)

Of burst testers, [0304-24](#)

Suggestions for developing a box plant quality manual,

[0304-49](#)

**Caliper**

*see* Thickness

**Canadian standard freeness**

Interconversion of freeness, [0809-01](#)

**Carbon steel**

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

**Carbonates**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Physical data of calcium carbonate-water suspensions,

[0106-01](#)

**Cartridges**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

**Cast iron**

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

**Castings**

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

**Caustic soda**

*see* Sodium hydroxide

**Causticizing**

Energy checklist: pulp mill, [0416-24](#)

Material balance equations relating to digester requirements, [0418-02](#)

**Ceramics**

Selection criteria for wet end ceramics, [0502-15](#)

Use of ceramics on the forming section: diagnosing and preventing forming fabric wear, [0502-19](#)

**Certification**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

**Chalk**

*see* Calcium carbonate

**Charting**

Introduction to the flow chart, [0305-26](#)

Short-run statistical process control: a basic charting method, [0304-70](#)

Statistical process control pin adhesion, [0304-23](#)

Statistical process control - procedures for charting warp, [0304-13](#)

**Checklist**

*see* Maintenance

**Chemical preparation**

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

**Chemical properties**

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling, [0606-30](#)

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Magnesia-base pulping solutions, [0607-04](#)

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage, [0606-31](#)

**Chemical pulps**

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

**Chemical recovery**

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

**Chemicals**

Material safety data sheets, what to look for - how to understand them, [0304-38](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

**Chests**

*see* Stock chests

**Chip silos**

*see* Chip bins

**Chlorides**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

**Chlorine**

Chlorine gas curve, [0606-02](#)

Density of chlorine gas, [0606-03](#)

Heat of vaporization of liquid chlorine, [0606-04](#)

Viscosity of liquid chlorine, [0606-05](#)

**Chlorine dioxide**

Safe storage and handling of, [0606-30](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

### **Chrome**

Tests for corrugator roll wear, [0304-53](#)

### **Chromium**

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

### **Clad-steel plate**

*see* Plates

### **Classification**

Paper grade classifications, [0404-36](#)

### **Clay**

Kaolin clay pigment index, [0106-06](#)

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

### **Cleaners**

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Introduction to centrifugal cleaners, [0508-10](#)

### **Cleaning**

Cleaning anilox rolls: procedures and options, [0306-18](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Daily, weekly, and monthly maintenance checklists, [0305-34](#)

Dryer fabric cleaning, [0404-38](#)

Housekeeping at order and shift change and weekly, [0305-32](#)

Introduction to centrifugal cleaners, [0508-10](#)

Keys to successful chemical cleaning of boilers, [0416-06](#)

Paper machine clothing cleaning and conditioning for recycled fiber use, [0404-51](#)

Paper machine shower recommendations, [0404-61](#)

Post-fabrication cleaning of stainless steel in the pulp and paper industry, [0402-35](#)

### **Cleaning chemicals**

*see* Cleansers

### **Cleansers**

Keys to successful chemical cleaning of boilers, [0416-06](#)

### **Clogging**

Nozzle maintenance and clogging, [0420-15](#)

### **Clothing**

*see* Felts, Machine clothing

### **Coating color**

*see* Color

### **Coating thickness**

Tests for corrugator roll wear, [0304-53](#)

### **Coatings**

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Tests for corrugator roll wear, [0304-53](#)

### **Coefficient of friction**

*see* Friction factor

### **Combined boards**

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

Obtaining off the corrugator for use in statistical process control procedures, [0304-12](#)

Total indicated runout and its impact on combined board

quality, [0304-56](#)

### **Compression**

Corrugated caliper: why is it so important?, [0304-04](#)

### **Compression resistance**

*see* Compression strength

### **Compression strength**

Corrugated caliper: why is it so important?, [0304-04](#)

Obtaining a combined board caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

### **Computation**

Paper machine drying rate, [0404-07](#)

### **Computer-assisted**

*see* CAD/CAM

### **Concentricity**

Total indicated runout and its impact on combined board quality, [0304-56](#)

### **Condensates**

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Measurement of dryer condensing rates (continuous method), [0404-03](#)

Measurement of dryer condensing rates (vertical separator method), [0404-18](#)

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, [0416-13](#)

Yankee dryer steam condensing rates, [0404-49](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

### **Condensation**

Dryer condensing rates (batch method), [0404-02](#)

Dryer condensing rates (continuous method), [0404-03](#)

### **Condensing rates**

*see* Condensation

### **Conditioning**

Paper machine clothing cleaning and conditioning for recycled fiber use, [0404-51](#)

Testing atmospheres simulating end use conditions, [0808-05](#)

### **Conductivity**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

### **Conical refiners**

Conical refining intensity, [0508-07](#)

### **Consistency**

Drainage evaluation by mass measurement, [0502-12](#)

Generalized method for determining the pipe friction loss of flowing pulp suspensions, [0410-14](#)

Optimum for pumping pulp, [0410-15](#)

### **Construction materials**

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage, [0606-31](#)

### **Contact bearings**

*see* Bearings

### **Contact technique**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

### **Container boards**

Friction -- slide angle, [0304-34](#)

### **Contaminants**

*see* Impurities

### **Contamination**

*see* Pollution control

### **Continuous digesters**

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

### **Contraction**

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a vertical slice, [0410-02](#)

### **Control charts**

*see* Charting

### **Control systems**

Short-run statistical process control: a basic charting method, [0304-70](#)

### **Conversion factors**

Units of measurement and, [0800-01](#)

### **Converting factors**

Moisture content of paper: terminology and conversion, [0808-02](#)

### **Converting plants**

Boxplant quality measurement: why test?, [0304-02](#)

Computer-assisted machinery, [0305-02](#)

Corrugated boxplant - list of potential hazards, [0301-01](#)

Machinery considerations and selection, [0305-06](#)

### **Copper**

Role of in a printing ink, [0304-61](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

### **Copper sulfate**

Tests for corrugator roll wear, [0304-53](#)

### **Cores**

Determination of winder sets per reel, [0502-02](#)

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

### **Corrosion**

*see also* Corrosion inhibitors

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Estimating the first melting temperature of fireside

deposits in recovery boilers, [0416-12](#)

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Nozzle maintenance and clogging, [0420-15](#)

Post-fabrication cleaning of stainless steel in the pulp and paper industry, [0402-35](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

### **Corrosion inhibitors**

Keys to successful chemical cleaning of boilers, [0416-06](#)

### **Corrosion prevention**

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

### **Corrugated boards**

Copper in a printing ink, [0304-61](#)

Critical properties to consider when unitizing, [0304-72](#)

Important quality parameters of a printing ink, [0304-59](#)

Obtaining caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Proofing a flexo printing ink, [0304-60](#)

Statistical process control friction-slide angle, [0304-34](#)

Techniques to minimize twist warp, [0304-50](#)

Warp in corrugated board, [0304-07](#)

### **Corrugated boxes**

*see* Boxes, Corrugated boards

### **Corrugated containers**

*see* Boxes, Corrugated board, Folder gluers, Die cutters

### **Corrugated medium**

An alternative method for designating flute sizes, [0302-04](#)

### **Corrugating**

An alternative method for designating flute sizes, [0302-04](#)

### **Corrugating adhesives**

*see* Adhesives

### **Corrugating machines**

Checking for coating wear on corrugating rolls, [0304-73](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Checking the parallel of corrugating rolls with "NCR" paper, [0304-62](#)

Computer-assisted machinery, [0305-02](#)  
Conducting a corrugator temperature audit, [0304-65](#)  
Corrugator bearing clearance checks and their impact, [0304-47](#)  
Impact of doublebacker hot plate level on board quality and how to measure it, [0304-66](#)  
Improved techniques to measure corrugator glue machine meter gaps, [0304-68](#)  
Prevention of score cracking in a box plant, [0304-37](#)  
Starch viscosity in corrugating adhesives, [0304-15](#)  
Tests for corrugator roll wear, [0304-53](#)

### **Corrugating medium**

Causes and corrections of common corrugator bonding problems, [0304-32](#)  
Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, [0304-09](#)  
Paper machine performance guidelines, [0404-47](#)  
Paper machine drying rate, [0404-07](#)  
Procedure for setting up a raw material trial on the corrugator, [0304-01](#)  
Splicer defects and cures, [0304-31](#)

### **Corrugating plants**

*see* Operations

### **Corrugating rolls**

*see* Rolls

### **Corrugator-double backer**

*see* Corrugating machines

### **Corrugators**

*see also* Corrugating machines

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

### **Costs**

Press section economic evaluation, [0404-22](#)

### **Cotton**

In nonwovens, [1205-02](#)

### **Couch rolls**

Paper machine vacuum selection factors, [0502-01](#)

### **Counters**

Counter ejector section, [0305-44](#)

### **Cover**

Maintenance considerations in new construction and rebuilds, [0408-02](#)

### **Cracks**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

### **Crescent formers**

Paper machine vacuum selection factors, [0502-01](#)

### **Cross direction**

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Statistical process control -- procedures for charting warp, [0304-13](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Warp in corrugated board, [0304-07](#)

### **Crown**

*see* Roll crown

### **Crush**

Calibration of flexible beam crush tester, [0304-20](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

### **Cubical contents**

*see* Volumetry

### **Curing**

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

### **Curtain coating**

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

Weight test, [0304-19](#)

### **Cutters**

*see* Die cutters

### **Cutting dies**

*see* Die cutters, Rotary machines

## **D-**

### **Damage**

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

### **Dandy rolls**

Dandy roll applications, [0404-53](#)

### **Data storage**

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

### **Data tables**

Moisture content of paper: terminology and conversion, [0808-02](#)

### **Deaerators**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

### **Defects**

Addendum to *Corrugating Defect Terminology Manual* -- defects related to the use of fingerless singlefacers, [0304-17](#)

Corrugator bearing clearance checks and their impact, [0304-47](#)

### **Definitions**

*see* Nomenclature

### **Degradation**

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

### **Densified liners**

*see* Liners

## Density

Density of aqueous sodium bicarbonate solution, [0607-13](#)

Density of aqueous sodium carbonate solution, [0607-14](#)

Density of chlorine gas, [0606-03](#)

Milk of lime solution, [0607-05](#)

Physical data of calcined kaolin-water suspensions,

[0106-09](#)

Physical data of calcium carbonate-water suspensions,

[0106-01](#)

Physical data of hydrous Kaolin-water suspensions,

[0106-02](#)

Sodium sulfite solution, [0607-18](#)

Specific gravity and density of caustic soda solutions,

[0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

## Deposits

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Keys to successful chemical cleaning of boilers, [0416-06](#)

## Deterioration

*see* Degradation

## Dewatering

*see* Drainage, Water removal

## Diameter

Roll diameter for various reel spool and roll core sizes,

[0502-03](#)

## Dictionaries

*see* Nomenclature

## Die cutters

*see also* Rotary machines

Buying, storing, and handling flexo folder gluer/rotary diecutter adhesives, [0305-25](#)

Checklist: preparing die cuts for shipment, [0305-49](#)

Cleanup procedures for flexo folder gluer/rotary

diecutters, [0305-33](#)

Troubleshooting the diecutting section, [0305-39](#)

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Introduction to flexo folder gluer/rotary diecutter TIPs, [0305-04](#)

Minimizing rolling scores on lightweight and high-performance liners in diecutting operations, [0304-64](#)

Ordering cutting dies, [0305-21](#)

Project leader, [0305-13](#)

Proper use of pull bands, [0305-18](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Rotary cutting die maintenance, [0305-23](#)

Rotary diecutter urethane anvil maintenance, [0305-35](#)

Squaring flap cut (center special) boxes, [0305-45](#)

## Dieboard

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

## Diecut

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

## Differential steam pressures

*see* Pressure gradient

## Digester balance equation

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

## Digesters

Energy checklist: pulp mill, [0416-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

## Dispersions

Physical data of calcined kaolin-water suspensions,

[0106-09](#)

Physical data of calcium carbonate-water suspensions,

[0106-01](#)

Physical data of hydrous Kaolin-water suspensions,

[0106-02](#)

## Dissolved oxygen

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water,

[0416-14](#)

## Dissolving pulps

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process,

[0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions,

[0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C,

[0607-22](#)

## Doctor

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

## Doctor Blade Holder

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

## Doctor blades

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Ink metering systems for corrugated flexo presses,

[0306-09](#)

Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

## Documentation

Press fabric record book, [0404-21](#)

Suggestions for developing a box plant quality manual, [0304-49](#)

## Documents

Purchase order, [0305-07](#)

## Doublefacers

Impact of doublebacker hot plate level on board quality and how to measure it, [0304-66](#)

Splicer defects and cures, [0304-31](#)



## **Doublewall corrugated boards**

Causes and corrections of common corrugator bonding problems, [0304-32](#)

## **Downtime**

The need for planned maintenance, [0305-30](#)

Definitions of black liquor recovery furnace availability, [0416-02](#)

## **Drainage**

Drainage evaluation by mass measurement, [0502-12](#)

Fourdrinier drainage performance evaluation – blow test method, [0410-07](#)

High vacuum sheet dewatering, [0404-60](#)

Interconversion of freeness, [0809-01](#)

## **Drainage factor**

Interconversion of freeness, [0809-01](#)

## **Dry bulb temperature**

Relative humidity tables, [0808-06](#)

## **Dry ends**

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

## **Dryer bars**

*see* Dryers

## **Dryer condensing rates**

*see* Dryers

## **Dryer fabric**

Dryer fabric cleaning, [0404-38](#)

## **Dryer felts**

*see also* Felts

Methods to minimize sheet rewet in the press section, [0404-59](#)

Recommended tensions in dryer fabrics, [0404-04](#)

## **Dryer hoods**

*see* Exhaust hoods

## **Dryer pockets**

Recommended minimum dryer pocket air requirements, [0404-17](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

## **Dryer sections**

Performance of, [0404-33](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Sheet handling devices, [0404-44](#)

## **Dryers**

Application of dryer bars, [0404-35](#)

Dryer condensing rates (batch method), [0404-02](#)

Dryer condensing rates (continuous method), [0404-03](#)

Dryer condensing rates (vertical separator method), [0404-18](#)

Dryer fabric cleaning, [0404-38](#)

Dryer section performance monitoring, [0404-33](#)

Dryer surface temperature measurement, [0404-39](#)

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines for inspection and nondestructive testing of

paper machine dryers, [0402-16](#)

High-velocity dryers, [0404-05](#)

Inspection guidelines for Yankee hood systems, [0425-02](#)

Paper machine drying rate, [0404-07](#)

Papermaker's formulas, [0502-17](#)

Press fabric record book, [0404-21](#)

Recommended dryer differential pressures, [0404-31](#)

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Recommended tensions in dryer fabrics, [0404-04](#)

Steam shower applications in the forming and press section, [0404-58](#)

Thermocompressor Applications for Paper Drying, [0404-66](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Yankee dryer steam condensing rates, [0404-49](#)

## **Drying**

Dryer condensing rates (continuous method), [0404-03](#)

Dryer condensing rates (vertical separator method), [0404-18](#)

Dryer section performance monitoring, [0404-33](#)

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Paper machine drying rate, [0404-07](#)

Through drying, [0404-25](#)

## **Drying rate**

*see* Drying

## **Duplex stainless steel**

*see* Stainless steel

## **Durometer**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

## **Dust**

Paper machine room ventilation guidelines, [0404-50](#)

## **E-**

### **Economics**

Press section economic evaluation, [0404-22](#)

### **Economizers**

Guideline specification for procurement of an economizer for a recovery boiler, [0416-21](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

### **Edge crush tests (ECT)**

Calibration of flexible beam crush tester, [0304-20](#)

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, [0304-09](#)

### **Edge Fingers**

Guidelines and Procedures for Inspections and

Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

### **Efficiency**

Paper machine performance guidelines, [0404-47](#)

Press section monitoring, [0404-19](#)

Recovery boiler energy efficiency improvements, [0416-](#)

[16](#)

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, [0416-13](#)

### **Elastomers**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

### **Elliptical technique**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

### **Emissions**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

### **Employee injuries**

*see* Human factors

### **Energy**

Energy checklist: pulp mill, [0416-24](#)

Paper machine energy conservation, [0404-63](#)

Recovery boiler energy efficiency improvements, [0416-](#)

[16](#)

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, [0416-13](#)

### **Energy conservation**

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Paper machine room ventilation guidelines, [0404-50](#)

### **Enthalpy**

Relative enthalpy (heat content) of sodium hydroxide solutions, [0606-08](#)

### **Environmental factors**

*see* Environments

### **Environments**

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling,

[0606-30](#)

Gaseous ozone (O<sub>3</sub>) safe handling, [0606-28](#)

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling,

[0606-24](#)

Methanol (CH<sub>3</sub>OH) safe storage and handling, [0606-25](#)

Oxygen (O<sub>2</sub>) bulk storage and safe handling, [0606-29](#)

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage,

[0606-31](#)

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, [0606-26](#)

### **Equations**

Papermaker's formulas, [0502-17](#)

### **Equilibrium**

Relative humidities over saturated salt solutions, [0808-03](#)

### **Equipment**

Starch adhesive trial, [0304-22](#)

Quality techniques using existing equipment, [0306-11](#)

### **Ergonomics**

*see* Human factors

### **Erosion**

Nozzle maintenance and clogging, [0420-15](#)

### **Evaluation**

*see also* Performance

Drainage evaluation by mass measurement, [0502-12](#)

### **Evaporation**

*see also* Drying

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

### **Evaporators**

Energy checklist: pulp mill, [0416-24](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

### **Exhaust gas**

Paper machine room ventilation guidelines, [0404-50](#)

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

### **Exhaust hoods**

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

### **Extrusion coating**

Guidelines for web conveyance and winding tension levels, [0200-01](#)

### **F-**

#### **Fabric**

*See also* Forming fabrics, Dryer felts

Paper machine clothing performance analysis, [0404-26](#)

#### **Fabrics**

Dryer fabric cleaning, [0404-38](#)

#### **Fan pumps**

Headbox approach piping guidelines, [0404-54](#)

#### **Feed section**

*see* Feeding

#### **Feedback control**

*see* Control systems

#### **Feeders**

Material handling considerations for flexo folder gluers, [0305-54](#)

#### **Feedwater**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Design engineer decisions tree: paper mill boiler feedwater, [0416-04](#)

Evaluating reverse osmosis for treating makeup to the boiler feedwater in a pulp and paper mill, [0416-07](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

#### **Felts**

*see also* Press felts

Methods to minimize sheet rewet in the press section, [0404-59](#)

Press fabric record book, [0404-21](#)

Troubleshooting cross-machine direction moisture profile

problems, [0404-57](#)

Water permeability of press fabrics, [0404-43](#)

### **Fiber length**

Cotton in nonwovens, [1205-02](#)

### **Fiberboards**

*see* Boxes, Corrugated boards

### **Fiberglass-reinforced plastic**

*see* Plastic

### **Field tests**

*see* Test methods

### **Film**

Guidelines for web conveyance and winding tension levels, [0200-01](#)

Quality techniques using existing equipment, [0306-11](#)

### **Filters**

Paper machine room ventilation guidelines, [0404-50](#)

### **Fine papers**

Paper machine drying rate, [0404-07](#)

Paper machine performance guidelines, [0404-47](#)

### **Fingerless singlefacers**

*see* Singlefacers

### **Fingerprints**

Quality techniques using existing equipment, [0306-11](#)

### **Flaps**

Squaring flap cut (center special) boxes, [0305-45](#)

Understanding and troubleshooting hot melt adhesives,

[0304-74](#)

### **Flat boxes**

*see* Vacuum boxes

### **Flat crush tests**

Calibration of flexible beam crush tester, [0304-20](#)

### **Flexibility**

Calibration of flexible beam crush tester, [0304-20](#)

### **Flexible beam crush tester**

Calibration of flexible beam crush tester, [0304-20](#)

### **Felexible packaging**

Guidelines for web conveyance and winding tension levels, [0200-01](#)

### **Flexo folder-gluers**

*see* Folder gluers, Die cutters, Rotary machines

### **Flexo ink**

Printing section, [0305-38](#)

### **Flexography**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Cleaning anilox rolls: procedures and options, [0306-18](#)

Identifying anilox roll volume measuring equipment,

[0306-15](#)

Ink metering systems for corrugated flexo presses,

[0306-09](#)

Quality techniques using existing equipment, [0306-11](#)

Overview of the selection process for a laser engraved

ceramic anilox roll, [0306-17](#)

Viscosity reading procedure for flexographic corrugated inks, [0304-18](#)

### **Flow**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Paper machine shower recommendations, [0404-61](#)

### **Flow charts**

Introduction to the flow chart, [0305-26](#)

### **Flow measurement**

Flow determination by chemical method, [0410-09](#)

Weirs and flumes, [0410-10](#)

### **Flow rates**

*see* Flow measurement

### **Flumes**

Weirs and flumes, [0410-10](#)

### **Fluoropolymers**

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

### **Flutes**

An alternative method for designating flute sizes, [0302-04](#)

### **Fogging**

Steam shower applications in the forming and press section, [0404-58](#)

### **Folder gluers**

Buying, storing, and handling flexo folder gluer/rotary diecutter adhesives, [0305-25](#)

Cleanup procedures for flexo folder gluer/rotary

diecutters, [0305-33](#)

Counter ejector section, [0305-44](#)

Extruded glue mechanism supplement, [0305-43](#)

Folding section, [0305-42](#)

Introduction to flexo folder gluer/rotary diecutter TIPS, [0305-04](#)

Installation, [0305-12](#)

Machinery considerations and selection: yoked scoring slotting section, [0305-53](#)

Material handling considerations for flexo folder gluers, [0305-54](#)

Project leader, [0305-13](#)

Proper use of pull bands, [0305-18](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Squaring flap cut (center special) boxes, [0305-45](#)

Computer assisted mounting systems, [0306-02](#)

### **Folding**

Folding section, [0305-42](#)

### **Formaldehyde**

Understanding formaldehyde management, [0304-25](#)

### **Formation**

Dandy roll applications, [0404-53](#)

### **Forming**

Forming section monitoring, [0502-14](#)

Paper machine shower recommendations, [0404-61](#)

Steam shower applications in the forming and press section, [0404-58](#)

### **Forming fabrics**

Drainage evaluation by mass measurement, [0502-12](#)

Forming section monitoring, [0502-14](#)

Paper machine clothing cleaning and conditioning for recycled fiber use, [0404-51](#)

Paper machine vacuum selection factors, [0502-01](#)

Use of ceramics on the forming section: diagnosing and preventing forming fabric wear, [0502-19](#)

Water permeability of press fabrics, [0404-43](#)

#### **Forming sections**

Fourdrinier drainage performance evaluation – blow test method, [0410-07](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

#### **Fossil fuels**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### **Fourdrinier machines**

Control of stock activity on a fourdrinier table, [0410-08](#)

Drainage performance evaluation – blow test method, [0410-07](#)

Papermaker's formulas, [0502-17](#)

#### **Free sheet**

Paper machine drying rate, [0404-07](#)

#### **Freeness**

Interconversion of, [0809-01](#)

#### **Friction**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

#### **Friction factor**

Statistical process control friction - slide angle, [0304-34](#)

#### **Fuel oil**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

#### **Furnaces**

*see* Recovery furnaces

#### **G-**

#### **Gas**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

#### **Gauges**

*see* Measuring instruments

#### **Gel temperature**

*see* Gels

#### **Gelatinization temperature**

*see* Gels

#### **Gels**

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

#### **Gin motes**

*see* Cotton

#### **Ginning**

*see* Cotton

#### **Glass fibers**

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

#### **Glossaries**

*see* Nomenclature

#### **Glue**

Evaluating glue lap adhesive properties, [0304-16](#)

Extruded glue mechanism supplement, [0305-43](#)

Folding section, [0305-42](#)

#### **Glue lap**

*see* Glued joints

#### **Glue machine**

*see* Gluers

#### **Glue pattern**

*see* Gluing

#### **Glued joints**

Troubleshooting a glue lap problem, [0304-10](#)

#### **Gluers**

Causes and corrections of common corrugator bonding problems, [0304-32](#)

How to prevent score cracking in a box plant, [0304-37](#)

Improved techniques to measure corrugator glue machine meter gaps, [0304-68](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Troubleshooting a glue lap problem, [0304-10](#)

#### **Gluing**

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, [0304-17](#)

#### **Gluing machines**

*see* Gluers

#### **Grab truck**

*see* Lift trucks

#### **Granite**

Roll material and surface requirements, [0404-41](#)

#### **Green liquors**

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

#### **Grinders**

Grinder pulpstones – cubical contents, [0605-01](#)

Pulpstone speed chart, [0605-02](#)

#### **Grinding**

Granite roll material and surface requirements, [0404-41](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

#### **Ground calcium carbonate (GCC)**

*see* Calcium carbonate

#### **Guards**

Maintenance considerations in new construction and rebuilds, [0408-02](#)

#### **Guides**

Press fabric guiding, [0404-64](#)

#### **Guide rolls**

Press fabric guiding, [0404-64](#)

#### **H-**

#### **Halogens**

*see specific term, e.g., Chlorine*

#### **Hardness**

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

#### **Hazards**

Corrugated boxplant-list of potential hazards, [0301-01](#)

Material safety data sheets, what to look for - how to understand them, [0304-38](#)

### **Hazardous materials**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Formaldehyde management, [0304-25](#)

Material safety data sheets – what to look for, how to understand them, [0304-38](#)

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

Understanding hazardous materials warning labels, [0304-41](#)

### **Headboxes**

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a vertical slice, [0410-02](#)

Head of stock behind slice (head/jet relationships), [0410-](#)

[05](#)

Papermaker's formulas, [0502-17](#)

### **Heat**

Paper machine room ventilation guidelines, [0404-50](#)

### **Heat content**

*see* Enthalpy

### **Heat of vaporization**

Liquid chlorine, [0606-04](#)

### **Heat recovery**

Paper machine room ventilation guidelines, [0404-50](#)

### **Heat transfer**

Application of dryer bars, [0404-35](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

### **Heat transfer coefficient**

Recommended test procedure for black liquor evaporators, [0416-11](#)

### **Heating**

Conducting a corrugator temperature audit, [0304-65](#)

### **Heating equipment**

Steam shower applications in the forming and press section, [0404-58](#)

### **Heavy metals**

*see* Metals

### **High density**

High density liners... what are they? [0304-43](#)

### **High density liners**

*see* Liners

### **High intensity presses**

Terminology for high temperature pressing, [0404-48](#)

### **High performance liners**

*see* Liners

### **High temperature**

Terminology for high temperature pressing, [0404-48](#)

### **High vacuum**

High vacuum sheet dewatering, [0404-60](#)

### **Hoods**

Inspection guidelines for Yankee hood systems, [0425-02](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

### **Hot melts**

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

### **Hot pressing**

Terminology for high temperature pressing, [0404-48](#)

### **Housekeeping**

*see* Maintenance, Cleaning

### **Humidity**

Dryer section performance monitoring, [0404-33](#)

Equilibrium relative humidities over saturated salt solutions, [0808-03](#)

Psychrometric charts, [0404-45](#)

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Relative humidity tables, [0808-06](#)

Testing atmospheres simulating end use conditions, [0808-05](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

### **Humidity measurement**

Relative humidity tables, [0808-06](#)

### **Humidity rooms**

Paper test rooms: design considerations, [0808-04](#)

### **Hydrocyclones**

Introduction to centrifugal cleaners, [0508-10](#)

### **Hydrogen peroxide**

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling, [0606-24](#)

### **Hydroxides**

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

### **Hypochlorite bleaching**

*see* Hypochlorites, Bleaching

## **I-**

### **Illumination**

Basic guidelines for image analysis measurements, [0804-09](#)

### **Image analysis**

Basic guidelines for image analysis measurements, [0804-09](#)

### **Image quality**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

### **Impregnation**

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

### **Impulse drying**

*see* Drying

### **Impurities**

Dryer fabric cleaning, [0404-38](#)

Paper machine clothing cleaning and conditioning for recycled fiber use, [0404-51](#)

Stickies definition and classification, [0603-02](#)

### **In-process checklist**

*see* Production

### **Infiltration**

Paper machine room ventilation guidelines, [0404-50](#)

### **Infrared detectors**

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

### **Infrared dryers**

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

### **Ink**

Copper in a printing ink, [0304-61](#)

Guideline for direct contact printing of bar code symbols on corrugated, [0306-16](#)

Ink metering systems for corrugated flexo presses, [0306-09](#)

Proofing a flexo printing ink, [0304-60](#)

Quality parameters of a printing ink, [0304-59](#)

Quality techniques using existing equipment, [0306-11](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Viscosity reading procedure for flexographic corrugated inks, [0304-18](#)

### **Inorganic salts**

Equilibrium relative humidities over saturated salt solutions, [0808-03](#)

### **Inspection**

Guidelines for inspecting batch digesters, [0402-22](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

Inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Inspection of continuous digesters and impregnation vessels, [0402-27](#)

Inspection guidelines for Yankee hood systems, [0425-02](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

### **Installation**

Flexo folder gluers, [0305-12](#)

Project leader, [0305-13](#)

Press section monitoring, [0404-19](#)

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

### **Instruments**

Forming section monitoring, [0502-14](#)

### **Intensity**

Conical refining intensity, [0508-07](#)

### **Internal bond strength**

Troubleshooting a glue lap problem, [0304-10](#)

### **Iron**

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

### **J-**

#### **Jet dryers**

Methods of evaluating high velocity dryers, [0404-05](#)

#### **Jet velocity**

Head of stock behind slice (head/jet relationship), [0410-05](#)

#### **Jets**

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a vertical slice, [0410-02](#)

#### **Joints**

Troubleshooting a glue lap problem, [0304-10](#)

#### **Jordans**

*see* Conical refiners

#### **Journals (Documents)**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

#### **Jumbo rolls**

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

### **K-**

#### **Kaolin**

Kaolin clay pigment index, [0106-06](#)

#### **Kraft papers**

Paper machine drying rate, [0404-07](#)

#### **Kraft pulping**

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

### **L-**

#### **Labels**

Understanding hazardous materials warning labels, [0304-41](#)

#### **Laboratories**

Paper test rooms: design considerations, [0808-04](#)

#### **Laminates**

Guidelines for web conveyance and winding tension

levels, [0200-01](#)

### Languages

Common or local names for a nonwood fiber raw material, [0609-01](#)

### Lead

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

### Leakage

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Explanation of recovery boiler leak indications, [0416-23](#)

### Lignosulfonates

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

### Lime mud

*see* White liquor mud

### Lime reburning

Energy checklist: pulp mill, [0416-24](#)

### Lime-base solutions

*see* Calcium base liquors

### Linerboards

Paper machine drying rate, [0404-07](#)

### Liners

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, [0304-09](#)

High density liners... what are they?, [0304-43](#)

How to minimize rolling scores on lightweight and high-performance liners in diecutting operations, [0304-64](#)

Paper machine performance guidelines, [0404-47](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Splicer defects and cures, [0304-31](#)

Techniques for bonding of densified liners, [0304-40](#)

### Linters

Cotton in nonwovens, [1205-02](#)

### Lubrication

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

## M-

### Machine clothing

Paper machine clothing cleaning and conditioning for recycled fiber use, [0404-51](#)

Paper machine clothing performance analysis, [0404-26](#)

### Machine direction

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

### Machine operation

*see also* Maintenance

Project leader, [0305-13](#)

### Machine rooms

Paper machine room ventilation guidelines, [0404-50](#)

### Machine speed

Pulpstone speed chart, [0605-02](#)

### Machinery

Computer-assisted machinery, [0305-02](#)

Machinery considerations and selection, [0305-06](#)

Project leader, [0305-13](#)

### Magnesia

*see* Magnesium oxide

### Magnesium bisulfite

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

### Magnesium bisulfite liquor

*see* Magnesium base liquors

### Magnesium oxide

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

### Maintenance

Burst testers, [0304-24](#)

Calibration and maintenance of the manually operated micrometer, [0304-30](#)

Checking for coating wear on corrugating rolls, [0304-73](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Checking the parallel of corrugating rolls with "NCR" paper, [0304-62](#)

Cleaning anilox rolls: procedures and options, [0306-18](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Computer-assisted machinery, [0305-02](#)

Counter ejector section, [0305-44](#)

Daily, weekly, and monthly maintenance checklists, [0305-34](#)

Extruded glue mechanism supplement, [0305-43](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Housekeeping at order and shift change and weekly, [0305-32](#)

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Need for planned maintenance, [0305-30](#)

Nozzle maintenance and clogging, [0420-15](#)

Rotary cutting die maintenance, [0305-23](#)

Rotary diecutter urethane anvil maintenance, [0305-35](#)

Tests for corrugator roll wear, [0304-53](#)

Troubleshooting a glue lap problem, [0304-10](#)

Weld repairs on new suction roll shells, [0402-17](#)

### Management

Project leader, [0305-13](#)

## Manuals

Suggestions for developing a box plant quality manual, [0304-49](#)

## Manufacturers joints

Evaluating glue lap adhesive properties, [0304-16](#)

Folding section, [0305-42](#)

Go/no go gauge devices for the boxplant, [0304-42](#)

## MAP

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

## Mass

Drainage evaluation by mass measurement, [0502-12](#)

## Material safety data sheets

*see* Safety

## Materials

Oxygen (O<sub>2</sub>) bulk storage and safe handling, [0606-29](#)

## Materials balance

Paper machine room ventilation guidelines, [0404-50](#)

## Materials handling

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Gaseous ozone (O<sub>3</sub>) safe handling, [0606-28](#)

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling, [0606-24](#)

Material safety data sheets – what to look for, how to understand them, [0304-38](#)

Methanol (CH<sub>3</sub>OH) safe storage and handling, [0606-25](#)

Oxygen (O<sub>2</sub>) bulk storage and safe handling, [0606-29](#)

## McKee equation

*see* Edge crush tests

## Measurement

Conducting a corrugator temperature audit, [0304-65](#)

Drainage evaluation by mass measurement, [0502-12](#)

Dryer condensing rates (batch method), [0404-02](#)

Dryer condensing rates (continuous method), [0404-03](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Units of and conversion factors, [0800-01](#)

Utilizing statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

## Measuring instruments

Gauge repeatability and reproducibility study, [0304-71](#)

## Mechanical papers

Paper machine drying rate, [0404-07](#)

## Mechanical Stop

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

## Medium

*see* Corrugating medium

## Melting point

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

## Mercury

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

## Metals

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

Field welding of pin studs in black liquor recovery

boilers, [0402-15](#)

## Metering equipment

Ink metering systems for corrugated flexo presses, [0306-09](#)

## Methanol

Methanol (CH<sub>3</sub>OH) safe storage and handling, [0606-25](#)

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Stripping of kraft pulping process condensates:

regulations, design and operation, [0416-10](#)

## Microbes

*see* Bacteria

## Micrometers

Calibration and maintenance of the manually operated micrometer, [0304-30](#)

## Milk of lime solution

*see* Calcium hydroxide

## Moisture

Determination of water removal by wet presses, [0404-01](#)

Moisture content of paper: terminology and conversion, [0808-02](#)

Steam shower applications in the forming and press section, [0404-58](#)

## Moisture content

Determination of water removal by wet presses, [0404-01](#)

Psychrometric charts, [0404-45](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

## Moisture control

Cotton in nonwovens, [1205-02](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Warp in corrugated board, [0304-07](#)

## Moisture regain

*see* Moisture content, Sorption

## Monitoring

Press section monitoring, [0404-19](#)

## Monitors

Forming section monitoring, [0502-14](#)

Paper test rooms: design considerations, [0808-04](#)

## Monoammonium Phosphate

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

## Monosulfite

*see* Neutral sulfite pulping

## Motors

Paper machine room ventilation guidelines, [0404-50](#)

## Mounting

Computer assisted mounting systems, [0306-02](#)

## Mullen

*see* Burst strength

## Multistage process

*see* Bleaching

## N-

### Natural gas

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

### Needle punched



*see* Needling

## **Needling**

Cotton in nonwovens, [1205-02](#)

## **Neutral sulfite liquors**

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

## **Neutral sulfite pulping**

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

## **Newsprint**

Paper machine drying rate, [0404-07](#)

Paper machine performance guidelines, [0404-47](#)

Weight of newsprint rolls, [0502-11](#)

## **Nip**

Methods to minimize sheet rewet in the press section, [0404-59](#)

Techniques for nip impressions, [0404-46](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

## **Nip pressure**

*see* Nip

## **Nitrogen oxides**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

## **Nomenclature**

Common or local names for a nonwood fiber raw material, [0609-01](#)

Recommended pulp bleaching stage designation method, [0606-21](#)

Retention definitions, [0402-13](#)

Moisture content of paper: terminology and conversion, [0808-02](#)

Sulfite pulping process, [0607-25](#)

Terminology for high temperature pressing, [0404-48](#)

## **Noncondensibles**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

## **Nondestructive tests**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for inspection and nondestructive testing of

paper machine dryers, [0402-16](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

Drainage evaluation by mass measurement, [0502-12](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Inspection of continuous digesters and impregnation vessels, [0402-27](#)

Liquid penetrant testing of new suction roll shells, [0402-11](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

## **Nonwood fibers**

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Common or local names for a nonwood fiber raw material, [0609-01](#)

## **Nonwood plants**

Common or local names for a nonwood fiber raw material, [0609-01](#)

## **Nonwovens**

Cotton in, [1205-02](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

## **Nonwovens machines**

Pilot paper and wet laid nonwoven machines, [0502-16](#)

## **Nozzles**

Nozzle maintenance and clogging, [0420-15](#)

Paper machine shower recommendations, [0404-61](#)

## **NSSC pulping**

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

## **O-**

### **OEM Tolerances**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

### **Opacifiers**

Physical data of calcium carbonate-water suspensions, [0106-01](#)

### **Open time**

Troubleshooting a glue lap problem, [0304-10](#)

### **Openings**

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

### **Operations**

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Machinery considerations and selection, [0305-06](#)

### **Optical measurement**

Basic guidelines for image analysis measurements, [0804-09](#)

## **Optimization**

Press section optimization, [0404-52](#)

## **Orifices**

*see* Openings

## **Osmosis**

Evaluating reverse osmosis for treating makeup to the boiler feedwater in a pulp and paper mill, [0416-07](#)

## **Overfire air**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

## **Overlays**

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for inspecting batch digesters, [0402-22](#)

## **Oxidation**

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

## **Oxygen**

Bulk storage and safe handling of, [0606-29](#)

## **Ozone**

Safe handling of gaseous, [0606-28](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

## **P-**

### **Packaging**

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

### **Palletization**

Checklist: preparing die cuts for shipment, [0305-49](#)

Material handling considerations for flexo folder gluers, [0305-54](#)

### **Paper**

Guidelines for web conveyance and winding tension levels, [0200-01](#)

Moisture content of paper: terminology and conversion, [0808-02](#)

Paper grade classifications, [0404-36](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Through drying, [0404-25](#)

### **Paper grades**

Paper grade classifications, [0404-36](#)

### **Paper machines**

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Paper machine clothing performance analysis, [0404-26](#)

Paper machine energy conservation, [0404-63](#)

Paper machine performance guidelines, [0404-47](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Papermaker's formulas, [0502-17](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Press section monitoring, [0404-19](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Water permeability of press fabrics, [0404-43](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

### **Paper mills**

Design engineer decisions tree: paper mill boiler feedwater, [0416-04](#)

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

### **Paper rolls**

*see* Rolls, Wound rolls

### **Paper stock**

Guidelines for side-entering stock agitators, [0420-13](#)

### **Paperboard**

Guidelines for web conveyance and winding tension levels, [0200-01](#)

### **Papermakers alum**

*see* Aluminum sulfate

### **Paraffin wax**

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

### **Papermaking**

Papermaker's formulas, [0502-17](#)

### **Parallelism**

*see* Alignment

### **Parameters**

Paper machine performance guidelines, [0404-47](#)

### **Penetrants**

Liquid penetrant testing of new suction roll shells, [0402-11](#)

### **Performance**

Dryer section performance monitoring, [0404-33](#)

Paper machine clothing performance analysis, [0404-26](#)

Paper machine room ventilation guidelines, [0404-50](#)

Press fabric record book, [0404-21](#)

Press section economic evaluation, [0404-22](#)

Press section optimization, [0404-52](#)

Recovery boiler performance calculation – short form, [0416-01](#)

### **Performance evaluation**

Methods of evaluating high velocity dryers, [0404-05](#)

Paper machine performance guidelines, [0404-47](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

### **Performance tests**

Performance test procedure for boilers using biomass as fuel, [0416-18](#)

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

## Permeability

Water permeability of press fabrics, [0404-43](#)  
Chemical cleaning guide for press fabrics, [0404-65](#)

## Personnel

Project leader, [0305-13](#)

## Petroleum wax

*see* Paraffin wax

## pH

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

## Phosphates

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

## Physical properties

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling, [0606-30](#)

Chlorine gas curve, [0606-02](#)

Density of chlorine gas, [0606-03](#)

Heat of vaporization of liquid chlorine, [0606-04](#)

Magnesia-base pulping solutions, [0607-04](#)

Relative enthalpy (heat content) of sodium hydroxide solutions, [0606-08](#)

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage, [0606-31](#)

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

Viscosity of liquid chlorine, [0606-05](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

## Pigment

Kaolin clay pigment index, [0106-06](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

## Pilot paper machines

*see* Paper machines

## Pilot plants

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

## Pin adhesion tests

Statistical process control pin adhesion, [0304-23](#)

## Pin register

*see* Register

## Pin register mounting

*see* Register, Mounting

## Pin studs

*see* Welding

## Pipelines

Optimum consistency for pumping pulp, [0410-15](#)

## Piping

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Headbox approach piping guidelines, [0404-54](#)

## Planning

Checklist for a properly planned project, [0408-01](#)

Installation, [0305-12](#)

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Project leader, [0305-13](#)

## Plastics

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Refiner systems, their inspection and maintenance, [0508-](#)

## 06

## Plates

*see also* Printing plates, Refiner disks

Conducting a corrugator temperature audit, [0304-65](#)

Impact of doublebacker hot plate level on board quality and how to measure it, [0304-66](#)

## Plugging

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

## Pocket humidity

*see* Humidity

## Polishing

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

## Polymers

Guidelines for web conveyance and winding tension levels, [0200-01](#)

## Porosity

Water permeability of press fabrics, [0404-43](#)

## Potassium

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

## Power plants

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, [0416-13](#)

## Precipitated calcium carbonate (PCC)

*see* Calcium carbonate

## Precipitators

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

## Prefeeder

*see* Feeders

## Preservatives

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

## Press

Methods to minimize sheet rewet in the press section,

## [0404-59](#)

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

## **Press drying**

*see also* Drying

Terminology for high temperature pressing, [0404-48](#)

## **Press fabric**

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements, [0404-27](#)

## **Press fabrics**

Press fabric guiding, [0404-64](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

Press section optimization, [0404-52](#)

## **Press felts**

*see also* Felts

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

Press fabric guiding, [0404-64](#)

Press fabric record book, [0404-21](#)

Thickness of wet press fabrics, [0404-28](#)

Water permeability of press fabrics, [0404-43](#)

## **Press rolls**

Granite roll material and surface requirements, [0404-41](#)

Weld repairs on new suction roll shells, [0402-17](#)

## **Press sections**

Determination of water removal by wet presses, [0404-01](#)

Press section economic evaluation, [0404-22](#)

Press section monitoring, [0404-19](#)

Press section optimization, [0404-52](#)

Sheet handling devices, [0404-44](#)

Steam shower applications in the forming and press section, [0404-58](#)

Water permeability of press fabrics, [0404-43](#)

## **Presses**

Papermaker's formulas, [0502-17](#)

## **Pressing**

Methods to minimize sheet rewet in the press section, [0404-59](#)

Paper machine shower recommendations, [0404-61](#)

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

## **Pressure**

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Techniques for nip impressions, [0404-46](#)

## **Pressure gradient**

Recommended dryer differential pressures, [0404-31](#)

Thermocompressor Applications for Paper Drying, [0404-66](#)

## **Pressure roll**

Paper machine vacuum selection factors, [0502-01](#)

## **Preventative maintenance**

*see* Maintenance

## **Print section**

Printing section, [0305-38](#)

## **Printing**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Copper in a printing ink, [0304-61](#)

Guideline for direct contact printing of bar code symbols on corrugated, [0306-16](#)

Important quality parameters of a printing ink, [0304-59](#)

Proofing a flexo printing ink, [0304-60](#)

Proper use of pull bands, [0305-18](#)

Quality techniques using existing equipment, [0306-11](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

## **Printing cylinders**

Cleaning anilox rolls: procedures and options, [0306-18](#)

Identifying anilox roll volume measuring equipment, [0306-15](#)

Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

## **Printing ink**

*see* Ink

## **Printing papers**

Paper machine drying rate, [0404-07](#)

## **Printing plates**

Guideline for direct contact printing of bar code symbols on corrugated, [0306-16](#)

Quality techniques using existing equipment, [0306-11](#)

Printing section, [0305-38](#)

Computer assisted mounting systems, [0306-02](#)

## **Printing proofs**

Method to proof a flexo printing ink, [0304-60](#)

## **Process control**

Obtaining combined board caliper off the corrugator for use in statistical procedures, [0304-12](#)

Short-run statistical process control: a basic charting method, [0304-70](#)

Starch viscosity in corrugating adhesives, [0304-15](#)

Statistical of starch gelatinization temperature, [0304-14](#)

Statistical process control friction-slide angle, [0304-34](#)

Statistical process control -- procedures for charting warp, [0304-13](#)

## **Processes**

Introduction to the flow chart, [0305-26](#)

## **Product codes**

Guideline for direct contact printing of bar code symbols on corrugated, [0306-16](#)

## **Production**

Papermaker's formulas, [0502-17](#)

## **Profile**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

## **Profiles**

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Steam shower applications in the forming and press section, [0404-58](#)

### **Profiling Screws**

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

### **Project planning**

*see* Planning

### **Projects**

*see* Planning

### **Protective coatings**

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

### **Psychrometric charts**

*see also* Humidity

Psychrometric charts, [0404-45](#)

### **Pull collars**

Troubleshooting the diecutting section, [0305-39](#)

### **Pull rolls**

Printing section, [0305-38](#)

### **Pulp mill equipment**

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

### **Pulp mills**

Energy checklist: pulp mill, [0416-24](#)

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

### **Pulpers**

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

### **Pulping**

Density of chlorine gas, [0606-03](#)

### **Pulpstones**

Grinder pulpstones: cubical contents, [0605-01](#)

Pulpstone speed chart, [0605-02](#)

### **Pulps**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Optimum consistency for pumping, [0410-15](#)

Paper machine drying rate, [0404-07](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

### **Pumping**

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Pulp, optimum consistency for, [0410-15](#)

### **Pumps**

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

### **Purchase**

Buying, storing, and handling flexo folder gluer/rotary diecutter adhesives, [0305-25](#)

### **Purchase orders**

Purchase order, [0305-07](#)

### **Pyrometry**

Dryer surface temperature measurement, [0404-39](#)

## **Q-**

### **Qualification**

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

## **Quality**

Box plant quality measurement: why test?, [0304-02](#)

Important quality parameters of a printing ink, [0304-59](#)

Quality techniques using existing equipment, [0306-11](#)

Starch adhesive trial, [0304-22](#)

Suggestions for developing a box plant quality manual, [0304-49](#)

### **Quality control**

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Guideline for direct contact printing of bar code symbols on corrugated, [0306-16](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

Liquid penetrant testing of new suction roll shells, [0402-11](#)

### **Quality manual**

*see* Quality

## **R-**

### **Radiography**

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

### **Raw materials**

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

### **Raw Yankee**

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

### **Recausticizing**

*see* Causticizing

### **Reclaimed fibers**

Paper machine clothing cleaning and conditioning for recycled fiber use, [0404-51](#)

### **Record books**

*see* Documentation

### **Recovery**

Energy checklist: pulp mill, [0416-24](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

### **Recovery boilers**

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Explanation of recovery boiler leak indications, [0416-23](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Guideline specification for procurement of an economizer for a recovery boiler, [0416-21](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Recovery boiler energy efficiency improvements, [0416-16](#)

Recovery boiler performance calculation – short form, [0416-01](#)

Recovery boiler sootblowers: practical guidelines, [0416-20](#)

Recovery boiler sootblowers: the basics, [0416-19](#)

Ultrasonic technician performance test for boiler tube

thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Definitions of black liquor recovery furnace availability, [0416-02](#)

### **Recovery furnaces**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Explanation of recovery boiler leak indications, [0416-23](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Recovery boiler performance calculation – short form, [0416-01](#)

### **Recycled fibers**

*see* Reclaimed fibers

### **Recycled paperboard**

Paper machine performance guidelines, [0404-47](#)

### **Recycled papers**

Paper machine performance guidelines, [0404-47](#)

### **Recycling**

Stickies definition and classification, [0603-02](#)

### **Reels**

Determination of winder sets per reel, [0502-02](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

TAPPI Roll number for inventory/tracking systems and bar codes, [1004-01](#)

### **Refiner plates**

*see* Refiner disks

### **Refiners**

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Conical refining intensity, [0508-07](#)

Refiner systems, their inspection and maintenance, [0508-](#)

[06](#)

### **Refining**

Conical refining intensity, [0508-07](#)

Refiner systems, their inspection and maintenance, [0508-](#)

[06](#)

### **Register**

Computer assisted mounting systems, [0306-02](#)

### **Regulating systems**

*see* Control systems

### **Regulations**

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

### **Relative enthalpy**

*see* Enthalpy

### **Relative humidity**

*see* Humidity

### **Relief**

Water quality and monitoring requirements for paper mill boilers, operating on high purity feedwater, [0416-03](#)

### **Removal**

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

### **Repair**

*see* Maintenance

### **Repeatability**

How to perform a gauge repeatability and reproducibility study, [0304-71](#)

### **Reporting**

Press fabric record book, [0404-21](#)

### **Replacement**

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

### **Reproducibility**

How to perform a gauge repeatability and reproducibility study, [0304-71](#)

### **Resolution**

Basic guidelines for image analysis measurements, [0804-09](#)

### **Retention**

Definitions, [0502-13](#)

Fourdrinier drainage performance evaluation – blow test method, [0410-07](#)

### **Reverse osmosis**

Evaluating reverse osmosis for treating makeup to the boiler feedwater in a pulp and paper mill, [0416-07](#)

### **Reverse warp**

*see* Warpage

### **Rewetting**

Methods to minimize sheet rewet in the press section, [0404-59](#)

### **Rider rolls**

Total indicated runout and its impact on combined board quality, [0304-56](#)

### **Ring crush resistance**

Techniques for bonding of densified liners, [0304-40](#)

### **Ring crush tests**

Calibration of flexible beam crush tester, [0304-20](#)

Techniques for bonding of densified liners, [0304-40](#)

### **Rod coaters**

*see also* Coaters

In-line coating at the corrugator, [0304-39](#)

### **Roll coaters**

*see also* Coaters

In-line coating at the corrugator, [0304-39](#)

### **Roll core**

*see* Cores

### **Roll Cover Selection**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

### **Roll crown**

Techniques for nip impressions, [0404-46](#)

### **Roll density**

*see* Rolls

### **Roll handling**

*see* Materials handling, Jumbo rolls

### **Roll identification**

*see* Rolls

### **Roll length**

*see* Rolls

**Roll number**

*see* Rolls

**Roll stands**

Splicer defects and cures, [0304-31](#)

**Roll tracking**

*see* Rolls

**Roll weight**

*see* Rolls

**Rolling contact bearings**

*see* Bearings

**Rolling scores**

*see* Scores

**Roller bearings**

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

**Rolls**

An alternative method for designating flute sizes, [0302-04](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Checking for coating wear on corrugating rolls, [0304-73](#)

Corrugator temperature audit, [0304-65](#)

Granite roll material and surface requirements, [0404-41](#)

Parallel of corrugating rolls with "NCR" paper, [0304-62](#)

TAPPI Roll number for inventory/tracking systems and bar codes, [1004-01](#)

Techniques for nip impressions, [0404-46](#)

Tests for corrugator roll wear, [0304-53](#)

Total indicated runout and its impact on combined board quality, [0304-56](#)

Weight of newsprint rolls, [0502-11](#)

**Rotary diecutter**

*see* Rotary machines, Die cutters; *see also* Folder gluers

**Rotary filters**

Bleaching plant washer efficiency guide, [0606-23](#)

**Rotary machines**

Buying, storing, and handling flexo folder gluer/rotary diecutter adhesives, [0305-25](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Introduction to flexo folder gluer/rotary diecutter TIPS, [0305-04](#)

Ordering cutting dies, [0305-21](#)

Project leader, [0305-13](#)

Proper use of pull bands, [0305-18](#)

Rotary cutting die maintenance, [0305-23](#)

Rotary diecutter urethane anvil maintenance, [0305-35](#)

**Rotation**

Pulpstone speed chart, [0605-02](#)

**Roundness**

*see* Shape

**Rubbing**

*see also* Abrasion resistance

**Runnability**

Sheet handling devices, [0404-44](#)

**S-****Safety**

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling, [0606-30](#)

Corrugated boxplant-list of potential hazards, [0301-01](#)

Gaseous ozone (O<sub>3</sub>) safe handling, [0606-28](#)

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling, [0606-24](#)

Material safety data sheets, [0304-38](#)

Methanol (CH<sub>3</sub>OH) safe storage and handling, [0606-25](#)

Oxygen (O<sub>2</sub>) bulk storage and safe handling, [0606-29](#)

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage, [0606-31](#)

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, [0606-26](#)

**Safety equipment**

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling, \*0606-33

**Salt**

*see* Sodium chloride

**Sampling**

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

**Saturated solutions**

*see* Solutions

**Scanners**

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

**Scheduling**

Checklist for a properly planned project, [0408-01](#)

Housekeeping at order and shift change and weekly, [0305-32](#)

Maintenance considerations in new construction and rebuilds, [0408-02](#)

**Schopper Riegler freeness**

Interconversion of freeness, [0809-01](#)

**Score breaks**

How to prevent score cracking in a box plant, [0304-37](#)

**Score cracking**

Troubleshooting the diecutting section, [0305-39](#)

**Score cracks**

*see* Score breaks

**Scores**

Minimizing rolling scores on lightweight and high-performance liners in diecutting operations, [0304-64](#)

Preventing score cracking in a box plant, [0304-37](#)

**Scoring**

Machinery considerations and selection: yoked scoring slotting section, [0305-53](#)

**Screens**

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

**Seal water**

*see* Sealants, Water

**Seals**

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

**Sealants**

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

**Seamless materials**

Guide to the use of stainless steel pipe specifications, [0402-24](#)

## Secondary fibers

Stickies definition and classification, [0603-02](#)

## Selection

Machinery considerations and selection, [0305-06](#)

## Selective catalytic reduction

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

## Selective noncatalytic reduction

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

## Semichemical pulps

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C and other temperatures, [0607-22](#)

## Sensitivity

Basic guidelines for image analysis measurements, [0804-09](#)

## Sensors

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

## Servicing

Maintenance considerations in new construction and rebuilds, [0408-02](#)

## Setting time

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

## Shafts

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

## Shape

Total indicated runout and its impact on combined board quality, [0304-56](#)

## Sheet water content

*see* Moisture content

## Shells

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Weld repairs on new suction roll shells, [0402-17](#)

## Shipping containers

Guideline for direct contact printing of bar code symbols on corrugated, [0306-16](#)

## Shock drying

Terminology for high temperature pressing, [0404-48](#)

## Showers

Paper machine clothing cleaning and conditioning for recycled fiber use, [0404-51](#)

Paper machine shower recommendations, [0404-61](#)

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements [0404-27](#)

Steam shower applications in the forming and press section, [0404-58](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

## Silica

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

## Single Facers

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

## Singlefacers

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, [0304-17](#)

Alternative method for designating flute sizes, [0302-04](#)

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Checking for coating wear on corrugating rolls, [0304-73](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Parallel of corrugating rolls with “NCR” paper, [0304-62](#)

Preventing score cracking in a box plant, [0304-37](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Splicer defects and cures, [0304-31](#)

Recommended dryer differential pressures, [0404-31](#)

## Siphons

Thermocompressor Applications for Paper Drying, [0404-66](#)

## Skid

Material handling considerations for flexo folder gluers, [0305-54](#)

## Slabbing

Broke loss calculations, [0502-10](#)

## Slices

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a stock behind slice (head/jet relationship), [0410-05](#)

Flow from a vertical slice, [0410-02](#)

## Slide angle

Statistical process control, friction, [0304-34](#)

## Slotting

Machinery considerations and selection: yoked scoring slotting section, [0305-53](#)

## Slurry

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

## Slushed paper stock

*see* Paper stock

## Smearing

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

## Smog



Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

### **Sodium**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

### **Sodium bicarbonate**

Density of aqueous sodium bicarbonate solution, [0607-13](#)

### **Sodium bisulfite**

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

### **Sodium borate**

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

### **Sodium carbonate**

Density of aqueous sodium carbonate solution, [0607-14](#)

Specific heat of sodium carbonate solution, [0607-15](#)

Vapor pressure of sodium carbonate solution, [0607-16](#)

Viscosity of sodium carbonate solution, [0607-17](#)

### **Sodium chlorate**

Safe storage of, [0606-31](#)

### **Sodium chloride**

Specific gravity of sodium chloride solutions, [0606-10](#)

### **Sodium hydroxide**

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Relative enthalpy of solution, [0606-08](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific heat of caustic soda solutions, [0606-07](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

### **Sodium sulfite**

Density of aqueous sodium sulfite solution, [0607-18](#)

### **Solids content**

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

### **Solubility**

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

### **Solutions**

Equilibrium relative humidities over saturated salt solutions, [0808-03](#)

Specific heat of caustic soda solutions, [0606-07](#)

### **Sorption**

Cotton in nonwovens, [1205-02](#)

### **Soot blowers**

Recovery boiler sootblowers: practical guidelines, [0416-](#)

### [20](#)

Recovery boiler sootblowers: the basics, [0416-19](#)

### **SPC techniques**

*see* Statistical methods

### **Specialty coating pigment**

*see* Pigment

### **Specific gravity**

*see* Density

### **Specific heat**

Specific heat of caustic soda solutions, [0606-07](#)

Specific heat of sodium carbonate solution, [0607-15](#)

### **Specifications**

Guideline specification for procurement of an economizer for a recovery boiler, [0416-21](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

### **Speed**

*see* Velocity

### **Spent sulfite liquors**

Density of aqueous sodium sulfite solution, [0607-18](#)

### **Splicers**

Splicer defects and cures, [0304-31](#)

### **Spools**

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

### **Spunlaced fabric**

Cotton in nonwovens, [1205-02](#)

### **Spray coaters**

*see also* Coaters

In-line coating at the corrugator, [0304-39](#)

### **Squared paper**

Squaring flap cut (center special) boxes, [0305-45](#)

### **Squaring**

*see* Squared papers, Trimming

### **Stackers**

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

### **Stacking**

Corrugated caliper: why is it so important?, [0304-04](#)

### **Stacking strength**

*see* Compression strength

### **Stainless steel**

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Post-fabrication cleaning of stainless steel in the pulp and paper industry, [0402-35](#)

Weld repairs on new suction roll shells, [0402-17](#)

## Standard conditions

Testing atmospheres simulating end use conditions,

[0808-05](#)

## Starch

Proper methods of measuring starch adhesive viscosity,

[0304-33](#)

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Starch adhesive trial, [0304-22](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Techniques for running "WRA" (water resistant starch adhesive), [0304-46](#)

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

Using washup water as the vehicle in starch-based corrugating adhesive, [0304-44](#)

## Starch conversion

Statistical process control of starch gelatinization temperature, [0304-14](#)

## Statistical analysis

How to perform a gauge repeatability and reproducibility study, [0304-71](#)

Obtaining combined board caliper off the corrugator for use statistical process control procedures, [0304-12](#)

Starch viscosity in corrugating adhesives, [0304-15](#)

## Statistical distribution

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

## Statistical methods

Boxplant quality measurement: why test?, [0304-02](#)

Obtaining combined board caliper off the corrugator, [0304-12](#)

Procedures for charting warp, [0304-13](#)

Procedures for utilizing statistical control techniques to monitor the tare weight of a run of boxes, [0304-35](#)

Short-run statistical process control: a basic charting method, [0304-70](#)

Statistical process control: friction - slide angle, [0304-34](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Statistical process control pin adhesion, [0304-23](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

## Statistical process control

*see* Statistical methods

## Statistical quality control

*see* Statistical methods

## Statistics

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Obtaining combined board caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Starch viscosity in corrugating adhesives, [0304-15](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

## Status reports

*see* Reporting

## Steam

Application of dryer bars, [0404-35](#)

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Steam shower applications in the forming and press section, [0404-58](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

Water quality guidelines and monitoring requirements for paper mill boilers operating with softened makeup water, [0416-14](#)

Yankee dryer steam condensing rates, [0404-49](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

## Steam chests

Terminology for high temperature pressing, [0404-48](#)

## Steam pressure

*see* Pressure gradient

## Step-Up Strip

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

## Sterilization

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

## Stickies

Stickies definition and classification, [0603-02](#)

## Stitch bonding

Cotton in nonwovens, [1205-02](#)

## Stock flow

Optimum consistency for pumping pulp, [0410-15](#)

## Stock (pulp)

Control of stock activity on a fourdrinier table, [0410-08](#)

Head of stock behind slice (head/jet relationships), [0410-05](#)

## Stock flow

Control of stock activity on a fourdrinier table, [0410-08](#)

## Stock preparation

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

## Stones

*see* Pulpstones

## Storage

Buying, storing, and handling flexo folder gluer/rotary diecutter adhesives, [0305-25](#)

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Chlorine dioxide (ClO<sub>2</sub>) safe storage and handling, [0606-30](#)

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) safe storage and handling, [0606-24](#)

Methanol (CH<sub>3</sub>OH) safe storage and handling, [0606-25](#)

Oxygen (O<sub>2</sub>) bulk storage and safe handling, [0606-29](#)

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage, [0606-31](#)

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, [0606-26](#)

### Strapping

Critical properties to consider when unitizing, [0304-72](#)

Material handling considerations for flexo folder gluers, [0305-54](#)

### Stress

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

### Stress assisted corrosion

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

### Stress corrosion

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

### Strippers

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

### Stripping

Troubleshooting the diecutting section, [0305-39](#)

### Stuff boxes

Headbox approach piping guidelines, [0404-54](#)

### Suction

*see* Vacuum

### Suction press rolls

*see* Press rolls, Vacuum rolls

### Suction presses

Paper machine vacuum selection factors, [0502-01](#)

### Suction rolls

*see* Vacuum rolls

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

### Sulfite liquors

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

### [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

### [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C and other temperatures, [0607-22](#)

### Sulfite pulping

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

### [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

### [0607-07](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Sulfur burner gas strength volume, [0607-01](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

### Sulfite waste liquor

*see* Spent sulfite liquors

### Sulfur burners

Sulfur burner gas strength volume, [0607-01](#)

### Sulfur dioxide

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide, Ca(HSO<sub>3</sub>)<sub>2</sub> solutions, [0607-07](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Sulfur burner gas strength volume, [0607-01](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

### Sulfuric acid

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, [0606-26](#)

### Supervision

Project leader, [0305-13](#)

### Surface properties

Granite roll material and surface requirements, [0404-41](#)

### Surface speed

*see* Retention, Machine speed

### Suspended solids

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

### Symbols

Guideline for direct contact printing of bar code symbols on corrugated, [0306-16](#)

### Systems

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

## T-

### **Tare weight**

Statistical control techniques to monitor the tare weight of a run of boxes, [0304-35](#)

### **Task time**

*see* Time

### **Technical nomenclature**

*see* Nomenclature

### **Temperature**

Conducting a corrugator temperature audit, [0304-65](#)

Density of aqueous sodium bicarbonate solution, [0607-13](#)

Density of aqueous sodium carbonate solution, [0607-14](#)

Dryer section performance monitoring, [0404-33](#)

Dryer surface temperature measurement, [0404-39](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Specific heat of sodium carbonate solution, [0607-15](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Testing atmospheres simulating end use conditions, [0808-05](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Vapor pressure of sodium carbonate solution, [0607-16](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

Viscosity of sodium carbonate solution, [0607-17](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

### **Tension**

Recommended tensions in dryer fabrics, [0404-04](#)

### **Terminology**

*see* Nomenclature

### **Test conditions**

Testing atmospheres simulating end use conditions, [0808-05](#)

### **Test equipment**

Paper test rooms: design considerations, [0808-04](#)

### **Test facilities**

Paper test rooms: design considerations, [0808-04](#)

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

### **Test methods**

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

### **Testing**

Basic guidelines for image analysis measurements, [0804-09](#)

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Drainage evaluation by mass measurement, [0502-12](#)

Forming section monitoring, [0502-14](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Paper test rooms: design considerations, [0808-04](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

Water removal by wet presses, [0404-01](#)

### **Thermal measurement**

Recovery boiler performance calculation – short form, [0416-01](#)

### **Thermal spray**

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Guidelines for inspecting batch digesters, [0402-22](#)

### **Thermobonding**

Cotton in nonwovens, [1205-02](#)

### **Thermocompressors**

Thermocompressor Applications for Paper Drying, [0404-66](#)

### **Thermography**

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

### **Thermoplastics**

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

### **Thick stock**

*see* High consistency

### **Thickness**

Corrugated caliper: why is it so important?, [0304-04](#)

Method for evaluating thickness of wet press fabrics, [0404-28](#)

Obtaining combined board caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

### **Through drying**

Through drying, [0404-25](#)

### **Tissue**

Inspection guidelines for Yankee hood systems, [0425-02](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

### **Tolerance**

Corrugator bearing clearance checks and their impact, [0304-47](#)

### **Total indicated runout**

*see also* Combined boards

Total indicated runout and its impact on combined board quality, [0304-56](#)

### **Total reduced sulfur**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

### **Transport**

Checklist: preparing die cuts for shipment, [0305-49](#)

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage, [0606-31](#)

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, [0606-26](#)

### **Trim**

Broke loss calculations, [0502-10](#)

Paper machine room ventilation guidelines, [0404-50](#)

### **Trimming**

Machinery considerations and selection: yoked scoring slotting section, [0305-53](#)

Squaring flap cut (center special) boxes, [0305-45](#)

### **Troubleshooting**

Forming section monitoring, [0502-14](#)

Glue lap problem, [0304-10](#)

Press section monitoring, [0404-19](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

Steam shower applications in the forming and press section, [0404-58](#)

### **Tubes**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Keys to successful chemical cleaning of boilers, [0416-06](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

### **Tungsten carbide**

Tests for corrugator roll wear, [0304-53](#)

### **Tuning**

*see* Control

### **Turpentine**

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

### **Twisting**

Techniques to minimize twist warp, [0304-50](#)

## **U-**

### **Uhle box**

*See also* Vacuum boxes

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements. [0404-27](#)

### **Ultrafine ground limestone**

*see* Limestone

### **Ultraviolet radiation**

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

### **Ultrasonic tests**

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

### **Unitized handling**

Critical properties to consider when unitizing, [0304-72](#)

### **Units of measurement**

Units of measurement and conversion factors, [0800-01](#)

### **Unloading**

Sodium chlorate (NaClO<sub>3</sub>) safe handling and storage, [0606-31](#)

Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) safe storage and handling, [0606-26](#)

### **U.P.C.**

*see* Product codes

### **Urethanes**

Rotary diecutter urethane anvil maintenance, [0305-35](#)

## **V-**

### **Vacuum**

High vacuum sheet dewatering, [0404-60](#)

Paper machine vacuum selection factors, [0502-01](#)

Papermaker's formulas, [0502-17](#)

Steam shower applications in the forming and press section, [0404-58](#)

### **Vacuum boxes**

High vacuum sheet dewatering, [0404-60](#)

Paper machine vacuum selection factors, [0502-01](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

### **Vacuum equipment**

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements [0404-27](#)

### **Vacuum filters**

Bleaching plant washer efficiency guide, [0606-23](#)

### **Vacuum pumps**

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements. [0404-27](#)

### **Vacuum rolls**

Liquid penetrant testing of new suction roll shells, [0402-11](#)

Paper machine vacuum selection factors, [0502-01](#)

Techniques for nip impressions, [0404-46](#)

Weld repairs on new suction roll shells, [0402-17](#)

### **Vacuum washers**

Bleaching plant washer efficiency guide, [0606-23](#)

### **Valves**

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Headbox approach piping guidelines, [0404-54](#)

### **Vapor pressure**

Chlorine gas curve, [0606-02](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Vapor pressure of sodium carbonate solution, [0607-16](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

### **Variance**

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

### **Varnish**

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

**Velocity**

*see also* Machine speed

Pulpstone speed chart, [0605-02](#)

**Ventilation**

Paper machine room ventilation guidelines, [0404-50](#)

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

**Viscosity**

Density of aqueous sodium sulfite solution, [0607-18](#)

Liquid chlorine, [0606-05](#)

Proper methods of measuring starch adhesive viscosity, [0304-33](#)

Quality techniques using existing equipment, [0306-11](#)

Statistical process control of starch viscosity, [0304-15](#)

Viscosities of spent sulfite liquors at 26.7° C (Oswalt capillary viscometer), [0607-22](#)

Viscosity of a neutral sulfite spent liquor (Oswalt capillary viscometer), [0607-23](#)

Viscosity of sodium carbonate solution, [0607-17](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

Viscosity reading procedure for flexographic corrugated inks, [0304-18](#)

**Vision**

Basic guidelines for image analysis measurements, [0804-09](#)

**Volume**

Grinder pulpstones – cubical contents, [0605-01](#)

Identifying anilox volume measuring equipment, [0306-15](#)

**W-****Warning labels**

*see* Hazardous materials

**Warpage**

Go/no go gauge devices for the boxplant, [0304-42](#)

Statistical process control -- procedures for charting warp, [0304-13](#)

Techniques to minimize twist warp, [0304-50](#)

Warp in corrugated board, [0304-07](#)

**Wash waters**

Using washing water as the vehicle in starch based corrugating adhesive, [0304-44](#)

**Washers**

Energy checklist: pulp mill, [0416-24](#)

Bleaching plant washer efficiency guide, [0606-23](#)

**Washing**

Bleaching plant washer efficiency guide, [0606-23](#)

Recommended pulp bleaching stage designation method, [0606-21](#)

**Wastewater treatment equipment**

*see* Effluent treatment

**Water**

*see also* Solubility

Design engineer decisions tree: paper mill boiler feedwater, [0416-04](#)

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Vapor pressure of water and sulfur dioxide above

sodium bisulfite solutions (25°C), [0607-12](#)

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, [0416-13](#)

**Water content**

*see* Moisture content

**Water hardness**

Water quality and monitoring requirements for paper mill boilers operating on high purity feedwater, [0416-03](#)

**Water permeability**

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

**Water removal**

Determination of water removal by wet presses, [0404-01](#)

High vacuum sheet dewatering, [0404-60](#)

Methods to minimize sheet rewet in the press section, [0404-59](#)

Paper machine drying rate, [0404-07](#)

**Water resistance**

Techniques for running “WRA” (water resistant starch adhesive), [0304-46](#)

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

**Water treatment**

Design engineer decisions tree: paper mill boiler feedwater, [0416-04](#)

Water treatment-related opportunities for energy conservation in a paper mill powerhouse, [0416-13](#)

**Water vapor**

Paper machine room ventilation guidelines, [0404-50](#)

**Waterside cracking**

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

**Wax**

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

Curtain coating weight test, [0304-19](#)

**Wear resistance**

*see* Abrasion resistance

**Web tension**

Guidelines for web conveyance and winding tension levels, [0200-01](#)

**Webs**

*see also* Paper webs

Guidelines for web conveyance and winding tension levels, [0200-01](#)

**Weight**

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

Procedure for utilizing statistical control techniques to monitor the tare weight of a run of boxes, [0304-35](#)

Weight of newsprint rolls, [0502-11](#)

**Weirs**

Weirs and flumes, [0410-10](#)

**Welding**

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of

digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

#### **Wet bulb temperature**

Relative humidity tables, [0808-06](#)

#### **Wet ends**

Drainage evaluation by mass measurement, [0502-12](#)

Forming section monitoring, [0502-14](#)

How to prevent score cracking in a box plant, [0304-37](#)

Selection criteria for wet end ceramics, [0502-15](#)

#### **Wet felts**

*see also* Felts

#### **Wet presses**

Determination of water removal by, [0404-01](#)

#### **Wet pressing**

Terminology for high temperature pressing, [0404-48](#)

#### **Wet strength**

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

#### **Wet-laid nonwovens**

Pilot paper and wet laid nonwoven machines, [0502-16](#)

#### **White liquors**

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

#### **White water**

Drainage evaluation by mass measurement, [0502-12](#)

Flow determination by chemical method, [0410-09](#)

Weirs and flumes, [0410-10](#)

#### **Width**

Weight of newsprint rolls, [0502-11](#)

#### **Winding**

Guidelines for web conveyance and winding tension levels, [0200-01](#)

#### **Wire**

Use of ceramics on the forming section: diagnosing and preventing forming fabric wear, [0502-19](#)

#### **Williams freeness**

Interconversion of freeness, [0809-01](#)

#### **Winders**

Determination of winder sets per reel, [0502-02](#)

#### **Wiper Roll**

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

#### **Wiperroll**

*see* Flexography

#### **Wood chips**

*see* Chips

#### **Wood containing papers**

*see* Mechanical papers

#### **Wood free papers**

Paper machine drying rate, [0404-07](#)

#### **Work place**

*see* Human factors

#### **Working conditions**

*see* Environments

#### **Wound rolls**

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

TAPPI Roll number for inventory/tracking systems and bar codes, [1004-01](#)

#### **Writing papers**

Paper machine drying rate, [0404-07](#)

#### **X-Y-Z-**

#### **Yankee cylinders**

*see* Yankee dryers

#### **Yankee dryers**

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Inspection guidelines for Yankee hood systems, [0425-02](#)

Techniques for nip impressions, [0404-46](#)

Yankee dryer steam condensing rates, [0404-49](#)