

Standards Subject Index

NOTE: This list was updated June 22, 2021

A

ABC test

see Sulfide-free reducing compounds, Total reducing compounds

Abrasion

Loss of paper and paperboard, [T 476](#)

Abrasion resistance

Paper and paperboard, [T 476](#)

Absorbance/absorbency

see Absorptivity

Absorbent papers

see also Absorptivity

Water absorbency of bibulous papers, [T 432](#)

Absorption

Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

Interrelation of reflectance, R_0 ; reflectivity, R_∞ ; TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)

Opacity of paper (15/d geometry, illuminant A/2°, 89% reflectance backing and paper backing), [T 425](#)

Absorptiveness

see Absorptivity

Absorptivity

Water absorbency of bibulous papers, [T 432](#)

Blotting paper, to ink, [T 431](#)

Castor-oil penetration test for paper, [T 462](#)

Water absorption of corrugating medium: water drop absorption test, [T 835](#)

Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)

Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)

Water absorption of corrugating medium: water drop penetration test, [T 831](#),

Water absorption of corrugating medium: float curl method, [T 832](#)

Accelerated aging

see Aging

Accelerated tests

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)

Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

Aging of paper and board with moist heat, [T 544](#)

Effect of dry heat on properties of paper and board, [T 453](#)

Acceptability

Sampling and accepting a single lot of paper, paperboard, containerboard, or related product, [T 400](#)

Acetate

Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

Acetone

Solvent extractives of wood and pulp, [T 204](#)

Acid groups

Hexeneuronic acid content of chemical pulp, [T 282](#)

Acid insolubles

Ash in wood, pulp, paper, and paperboard, [T 244](#)

Wood and pulp, [T 222](#)

Acid number

see Saponification number

Acid solubles

Acid-soluble iron in paper, [T 434](#)

Acidity

see also Saponification number

Analysis of salt cake, [T 619](#)

Analysis of sulfuric acid, [T 602](#)

Hot water extractable of paper, [T 428](#)

Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)

Hydrogen ion concentration of paper extracts (hot extraction method), [T 435](#)

Active alkali

Analysis of soda and sulfate black liquor, [T 625](#)

Active chlorine

Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)

Added fluorescence

see Fluorescent dyes

Additives

see also Fillers, Pigments

Adhesion

Curl of flat gummed papers, [T 520](#)

Envelope seal, seam, and window patch testing, [T 516](#)

Internal bond strength of paperboard (z-direction tensile), [T 541](#)

Pin adhesion of corrugated board by selective separation, [T 821](#)

Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)

Water absorption of corrugating medium: float curl method, [T 832](#)

Wet pin adhesion of corrugated board by selective separation, [T 845](#)

Adhesives

see also Adhesion

Adsorption

Surface wettability of sheeted materials using an automated contact angle tester, [T 558](#)

Aging

Effect of dry heat on properties of paper and board, [T 453](#)

Aging of paper and board with moist heat, [T 544](#)

- Aging tests
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Air flow (through paper)
see also Air permeability
Roughness of paper and paperboard (Print-Surf method), [T 555](#)
- Air permeability
Paper, [T 460](#)
Air permeance of paper and paperboard (Sheffield method), [T 547](#)
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Air permeance
see also Air permeability
Air resistance of paper (Gurley method), [T 460](#)
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Air pollution
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
- Air resistance
see Air permeability
Air resistance of paper (Gurley method), [T 460](#)
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Alcohol-benzene
see Benzene
- Alexander's stain
see Fiber analysis, Staining
- Alkali
Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
Analysis of rosin size, [T 628](#)
- Alkali solubles/solubility
see Caustic solubles
- Alkaline papers
Alkalinity of paper as calcium carbonate (alkaline reserve of paper), [T 553](#)
- Alkaline pulp
see Pulp
- Alkaline reserve
see Alkalinity
- Alkalinity
Analysis of soda and sulfate white and green liquors, [T 624](#)
Caustic soda, [T 613](#)
Hot water extractable of paper, [T 428](#)
Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)
Hydrogen ion concentration of paper extracts (hot extraction method), [T 435](#)
Paper as calcium carbonate (alkaline reserve), [T 553](#)
- Sodium silicate, [T 632](#)
- Alpha-cellulose
In paper, [T 429](#)
In pulp, [T 203](#)
- Alumina
see Aluminum oxide
- Alumina hydrate
see Aluminum hydroxide
- Aluminum
Analysis of soda and sulfate black liquor, [T 625](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Aluminum oxide (alumina)
Analysis of limestone, [T 618](#)
Analysis of salt cake, [T 619](#)
- Amides
Organic nitrogen in paper and paperboard, [T 418](#)
- Amines
Organic nitrogen in paper and paperboard, [T 418](#)
- Ammonium hydroxide
Analysis of talc, [T 665](#)
- Ammonium thiocyanate
Preparation of indicators and standard solutions, [T 610](#)
- Analysis
Determination of equilibrium moisture in pulp, paper, and paperboard for chemical analysis, [T 550](#)
Glue in paper (qualitative and quantitative determination), [T 504](#)
Preparation of wood for chemical analysis, [T 264](#)
Sampling and preparing wood for analysis, [T 257](#)
- Anatase titanium dioxide
see Pigments
- Angle of contact
see Contact angle
- Angle of slide
see Slide angle
- Animal glue
see Glue
Glue in paper (qualitative and quantitative determination), [T 504](#)
- Anomalies
Dealing with suspect (outlying) test determinations, [T 1205](#)
- Apparent viscosity
see Viscosity
- Arabinan
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)
- Area
see Specific surface
- Arsenic
Analysis of sulfuric acid, [T 602](#)
- Ash
see Ash content
Analysis of rosin, [T 621](#)
Analysis of rosin size, [T 628](#)
- Ash content
Acid-insoluble, in wood, pulp, paper and paperboard, [T 244](#)

Ash in wood, pulp, paper and paperboard:
combustion at 525°C, [T 211](#)
Qualitative (including optical microscopic) analysis
of mineral filler and mineral coating of paper, [T 421](#)
Wood, pulp, paper and paperboard, combustion at
900°C, [T 413](#)
Atmospheres
Standard conditioning and testing atmospheres for
paper, board, pulp handsheets, and related products
[T 402](#)
Test conditions for fiber glass mat test methods,
[T 1008](#)
Atomic absorption spectroscopy
Determination of sodium, calcium, copper, iron and
manganese in pulp and paper by atomic absorption
spectroscopy, [T 266](#)
Zinc and cadmium in paper, [T 438](#)
Available chlorine
see Active chlorine

B

Babcock method
see Casein, analysis of
Bacteria
see Bacteriology
Bacteriological examination
see Bacteriology
Bacteriology
Bacteriological examination of paper and
paperboard, [T 449](#)
Microbiological enumeration of process water and
slush pulp, [T 631](#)
Bag papers
see Shipping sack papers
Bagasse
Species identification of nonwood plant fibers,
[T 259](#)
Baled pulp
Sampling and testing wood pulp shipments for
moisture, [T 210](#)
Bamboo
Species identification of nonwood plant fibers,
[T 259](#)
Barium
Qualitative (including optical microscopic) analysis
of mineral filler and mineral coating of paper, [T 421](#)
Bark
Analysis of rosin, [T 621](#)
Weight-volume measurement of pulpwood, [T 268](#)
Barley straw
Species identification of nonwood plant fibers,
[T 259](#)
Barrier films
see Vapor barriers
Barrier properties
see Absorptivity, Permeability
Basic density
see Density
Basis weight
Cross-machine grammage profile measurement

(gravimetric method), [T 545](#)
Determining construction (nominal basis weight) of
corrugated board, [T 844](#)
Grammage of paper and paperboard (weight per
unit area), [T 410](#)
Fiber glass mats, [T 1011](#)
Machine direction grammage variation
measurement (gravimetric method), [T 546](#)
Bauer-McNett classifier
Fiber length of pulp by classification, [T 233](#)
Baumé gravity
see Density
Beaten pulps
see Pulp, Beaters
Beater method
see Beaters
Beater tests
see Beaters
Beaters
Drainage time, [T 221](#)
Laboratory beating of pulp (PFI mill method),
[T 248](#)
Laboratory beating of pulp (Valley beater method),
[T 200](#)
Beating
Laboratory beating of pulp (PFI mill method),
[T 248](#)
Pulp quality analyzed by, [T 200](#)
Specific external strength of pulp, [T 226](#)
Beating degree
Laboratory beating of pulp (Valley beater method),
[T 200](#)
Beating time
Laboratory beating of pulp (Valley beater method),
[T 200](#)
Bekk testers
Smoothness of paper (Bekk Method), [T 479](#)
Bend strength
Bending resistance of paper (Gurley-type tester),
[T 543](#)
Bending resistance of paper and paperboard by
single-point bending methods, [T 556](#)
Corrugated board stiffness, four point method,
[T 836](#)
Flexural stiffness of corrugated board, [T 820](#)
Score bend test, [T 577](#)
Testing of fiber glass mats: use of modified TAPPI
procedures for sampling and lot acceptance,
stiffness, tear resistance, and thickness, [T 1006](#)
Bending
Bending number of paperboard, [T 495](#)
Bending resistance (stiffness) of paper (Taber-type
tester in 0 to 10 Taber stiffness unit configuration),
[T 566](#)
Bending resistance (stiffness) of paper and
paperboard (Taber-type tester in basic
configuration), [T 489](#)
Corrugated board stiffness, four point method,
[T 836](#)
Flexural stiffness of corrugated board, [T 820](#)
Puncture test of containerboard, [T 803](#)

- Bending number
see Bending
- Bending resistance
see Bend strength
Bending resistance of paper (Gurley-type tester), [T 543](#)
- Benzene
Use of in determining solubles in wood and pulp, [T 204](#)
Use of in preparing wood for chemical analysis, [T 264](#)
- Beta-cellulose
In pulp, [T 203](#)
- Bibulous papers
see Absorbent papers
- Biochemical oxygen demand
see BOD
- Biological control
Bacteriological examination of paper and paperboard, [T 449](#)
Microbiological enumeration of process water and slush pulp, [T 631](#)
- Bisulfite cooking liquor
see Sulfur dioxide
- Black liquor
Analysis of soda and sulfate black liquor, [T 625](#)
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
Gross heating value, [T 684](#)
Solids concentration of, [T 650](#)
- Blanks
Box blank dimensioning, [T 827](#)
- Bleach
Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
- Bleach liquor
Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
- Bleach sludge
see Bleach, Sludge
- Bleached pulps
see also Pulps
Alpha-, beta-, gamma-cellulose in pulp, [T 203](#)
Carboxyl content of pulp, [T 237](#)
Copper number of pulp, [T 430](#)
- Bleaching agents
see Bleach
- Bleaching powder
see Calcium hypochlorite
- Blister resistance
see Blistering
- Blistering
Coated paper in heatset printing, [T 526](#)
Internal bond strength (Scott type), [T 569](#)
- Blotting papers
see also Absorptivity
Ink absorbency, [T 431](#)
Forming handsheets for physical tests of pulp, [T 205](#)
Water absorbency of bibulous papers, [T 432](#)
- Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
- Board
see Corrugated board, Fiberboard, Containers, Insulating board, Linerboard, Paperboard
- Boat method
see Corrugating medium
- BOD
Measuring, sampling, and analyzing white waters, [T 656](#)
- Bond strength
see also Adhesion
Internal bond strength of paperboard (z-direction tensile), [T 541](#)
Pin adhesion of corrugated board by selective separation, [T 821](#)
- Bonding strength
Abrasion loss of paper and paperboard (Taber-type method), [T 476](#)
Internal bond strength (Scott type), [T 569](#)
Ply separation of solid and corrugated fiberboard (wet), [T 812](#)
Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Bone glue
see Glue
- Book bulk
see Bulk number
- Book paper
see Bulk number
- Books
Book bulk and bulking number of paper, [T 500](#)
- Boring method
see Baled pulp
- Boxboard
see Linerboard
- Boxes
see also Containers
Box blank dimensioning, [T 827](#)
Bursting strength of corrugated board, [T 810](#)
Drop test for fiberboard shipping containers, [T 802](#)
- Breaking length
see Tensile strength
- Breaking strength
see Tensile strength
- Brightness
see also Reflectance
Brightness of clay and other mineral pigments (45/0), [T 646](#)
Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)
CIE whiteness and tint of paper and paperboard (d/0 geometry, C/2 illuminant/observer), [T 560](#)
Diffuse brightness of paper, paperboard and pulp (d/0) (ultraviolet level D65), [T 579](#)
Diffuse brightness of paper, paperboard and pulp (d/0) – Ultraviolet Level C, [T 525](#)

Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)
Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)
Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
Pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)
Bromophenol blue
see Indicators, preparation of
Bulk
Book bulk and bulking number of paper, [T 500](#)
Bulk density
Basic density and moisture content of pulp wood, [T 258](#)
Bulk number
Of paper, [T 500](#)
Burst factor
see Burst strength
Burst index
see Burst strength
Burst ratio
see Burst strength
Burst strength
Corrugated and solid fiberboard, [T 810](#)
Linerboard, [T 807](#)
Paper, [T 403](#)

C

Cadmium
Zinc and cadmium in paper, [T 438](#)
Calcium
Analysis of soda and sulfate black liquor, [T 625](#)
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Calcium carbonate
Alkalinity of paper as (alkaline reserve), [T 553](#)
Calcium hypochlorite
Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
Calcium oxide
Analysis of lime, [T 617](#)
Analysis of limestone, [T 618](#)
Analysis of talc, [T 665](#)
Calibration
Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)
Calibration of reflectance standards for hemispherical geometry, [T 1218](#)
Caliper
see Thickness

Calorimetry
Gross heating value of black liquor, [T 684](#)
Canadian Standard Method
Freeness of pulp, [T 227](#)
Capillarity
Viscosity of pulp (capillary viscometer method), [T 230](#)
Capillary viscometer
see Capillarity
Carbohydrates
Alkali solubility of pulp at 25°C, [T 235](#)
Composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)
Extraction of by hot alkali, [T 212](#)
Carbonates
Analysis of caustic soda, [T 613](#)
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Carboxyl content
see Carboxyl groups
Carboxyl groups
Carboxyl content of pulp, [T 237](#)
Carton adhesive
see Adhesion, Bond strength
Casein
Organic nitrogen in paper and paperboard, [T 418](#)
Castor oil
Penetration test for paper, [T 462](#)
Caustic soda
see Sodium hydroxide
Caustic solubles
Alkali solubility of pulp at 25°C, [T 235](#)
One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
Cellulose
Alkali solubility of pulp at 25°C, [T 235](#)
Alpha-, beta-, gamma-cellulose in pulp, [T 203](#)
Alpha-cellulose in paper, [T 429](#)
Carboxyl content, [T 237](#)
Cupriethylenediamine disperse viscosity of pulp, [T 254](#)
Indication of degradation during pulping and bleaching processes, [T 212](#)
Viscosity of pulp (capillary viscometer method), [T 230](#)
Centrifugal pump
see Sample preparation
Chemical analysis
Determination of equilibrium moisture in pulp, paper and paperboard analysis, [T 550](#)
Preparation of wood for, [T 264](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Chemical properties
See also specific properties, e.g., pH
Chemical pulps
See also Pulp
Hexeneuronic acid content of chemical pulp, [T 282](#)

- Pulp screening (Valley-type screening device), [T 278](#)
- Chemical reactions
 - Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
- Chips
 - see also* Wood
 - Analysis of rosin, [T 621](#)
 - Basic density and moisture content of pulp wood, [T 258](#)
 - Natural dirt in wood chips, [T 265](#)
 - Sampling and preparing wood for analysis, [T 257](#)
- Chlorides
 - Analysis of caustic soda, [T 613](#)
 - Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
 - Analysis of salt cake, [T 619](#)
 - Water-soluble chlorides in pulp and paper, [T 256](#)
- Chlorine
 - Analysis of salt cake, [T 619](#)
- Chlorine sludge
 - Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
- Chromaticity coordinates
 - Color of paper and paperboard (d/0, C/2), [T 527](#)
- Chromatography
 - Suppressed ion analysis of pulping liquors, [T 699](#)
- Chromium oxide
 - Analysis of salt cake, [T 619](#)
- Chromium trioxide
 - Analysis of salt cake, [T 619](#)
- C.I.V. test
 - see* Viscosity
- Clark classifier
 - Fiber length of pulp, [T 233](#)
- Clark stiffness
 - see* Stiffness
- Classification
 - Fiber length of pulp, [T 233](#)
- Classifiers
 - Fiber length of pulp, [T 233](#)
- Clay
 - Accelerated test for viscosity stability of clay slurries, [T 697](#)
 - Brightness of clay and other mineral pigments (45/0), [T 646](#)
 - Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
 - Viscosity of coating clay slurry, [T 648](#)
- CMT test
 - see* Corrugating medium
- Coarseness
 - see* Fineness
- Coated board
 - Blister resistance in heat set printing, [T 526](#)
 - Surface strength of paper (wax pick test), [T 459](#)
- Coated paper
 - Blister resistance of in heatset printing, [T 526](#)
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Coating clay
 - see* Clay
- Coating clay slurry
 - see* Clay, Slurry
- Coating color
 - Titanium dioxide content in, [T 627](#)
- Coating fillers
 - see* Fillers
- Coating pigments
 - see* Pigments
- Coatings
 - see also* Fillers, Pigments
 - Abrasion loss of paper and paperboard (Taber-type method), [T 476](#)
 - Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
 - Viscosity of coating clay slurry, [T 648](#)
 - Zinc and cadmium in paper, [T 438](#)
- Cobb tests
 - Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
- COD
 - Open drum washer mat sampling technique, [T 281](#)
- Coefficient of friction
 - see* Friction
- Coefficient of kinetic friction
 - see* Friction
- Coefficient of static friction
 - see* Friction
- Cohesion
 - Internal bond strength of paperboard (z-direction tensile), [T 541](#)
- Cohesiveness of fibers
 - see* Tensile strength
- Cold extraction method
 - see* Extraction
- Cold storage
 - Storage of paper samples for optical measurements and color matching, [T 1219](#)
- Cold water solubles
 - see* Water solubles
- Color
 - Analysis of rosin, [T 621](#)
 - CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)
 - CIE whiteness and tint of paper and paperboard (d/0 geometry, C/2 illuminant/observer), [T 560](#)
 - Color of paper and paperboard (45/0, C/2), [T 524](#)
 - Color of paper and paperboard (d/0, C/2), [T 527](#)
 - Storage of paper samples for optical measurements and color matching, [T 1219](#)
 - The determination of instrumental color differences, [T 1215](#)
 - Visual grading and color matching of paper, [T 515](#)
- Color grade
 - see* Color

Color matching
Storage of paper samples for optical measurements and color matching, [T 1219](#)
Visual grading and color matching of paper, [T 515](#)

Colorimetric determination
see Color, Colorimetry

Colorimetry
Color of paper and paperboard (45/0, C/2), [T 524](#)
Color of paper and paperboard (d/0, C/2), [T 527](#)
Visual grading and color matching of paper, [T 515](#)

Combined board
see also Corrugated board
Thickness (caliper) of paper, paperboard, and combined board, [T 411](#)

Combustion
Ash in wood, pulp, paper and paperboard, [T 211](#), [T 413](#)
Gross heating value of black liquor, [T 684](#)

Combustion products
Ash in wood, pulp, paper and paperboard, [T 211](#)
Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)

Composition
see Fiber analysis

Compressibility
Compression test of fiberboard shipping containers, [T 804](#)
Edge crush using neckdown, [T 838](#)
Flat crush of corrugating medium (CMT test), [T 809](#)
Flat crush test of corrugated board (flexible beam method), [T 808](#)
Ring crush of paperboard (flexible beam method), [T 818](#)

Compression resistance
see Compressibility, Compression strength

Compression strength
Compression test of fiberboard shipping containers, [T 804](#)
Edgewise compressive strength of corrugated fiberboard (short column test), [T 811](#)
Flat crush of corrugating medium (CMT test), [T 809](#)
Flat crush test of corrugated board (flexible beam method), [T 808](#)
Short span compressive strength of containerboard, [T 826](#)

Compression tests
Compression test of fiberboard shipping containers, [T 804](#)
Edge crush using neckdown, [T 838](#)
Flat crush test of corrugated board (rigid support method), [T 825](#)
Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
Ring crush of paperboard (flexible beam method), [T 818](#)
Ring crush of paperboard (rigid support method), [T 822](#)

Compression wood
Identification of in pulpwood, [T 267](#)

Compressive strength
see Compression tests

Concentration (pulp)
Consistency (concentration) of pulp suspensions, [T 240](#)

Conditioning
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products [T 402](#)

Conifers
see Softwoods

Consistency
see also Viscosity
Open drum washer mat sampling technique, [T 281](#)
Consistency (concentration) of pulp suspensions, [T 240](#)

Constant rate of elongation
see Elongation

Construction
Determining construction (nominal basis weight) of corrugated board, [T 844](#)

Contact angle
Surface wettability of paper (angle of contact method), [T 458](#)

Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)

Container boards
see also Corrugated boards, Fiberboard
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
Determination of containerboard roll hardness, [T 834](#)
Drum test for fiberboard shipping containers, [T 800](#)
Ink rub, [T 830](#)
Puncture test of containerboard, [T 803](#)
Sampling and accepting a single lot of paper, paperboard, containerboard, or related product, [T 400](#)
Score quality test, [T 829](#)
Short span compressive strength of containerboard, [T 826](#)
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)

Container testing
see Containers, Container board

Containers
Box blank dimensioning, [T 827](#)
Compression test of fiberboard shipping containers, [T 804](#)
Drum test for fiberboard shipping containers, [T 800](#)
Macro stickies content in pulp: the “pick-up” method, [T 277](#)

Contaminants
see Impurities

- Contraries
- Dirt in paper and paperboard, [T 437](#)
- Contrast ratio
- Opacity of paper (15/d geometry, illuminant A/2°, 89% reflectance backing and paper backing), [T 425](#)
- Controlled atmospheres
- Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
 - Test conditions for fiber glass mat test methods, [T 1008](#)
- Conversion
- Bending number of paperboard, [T 495](#)
- Conversion factors
- For units of measurement, [T 1210](#)
- Cooking liquor
- See also* Liquors, Kraft liquor, Soda liquors, Sulfite liquor, Bleach liquor, Green liquors, White liquors
 - Sulfur dioxide in sulfite cooking liquor, [T 604](#)
- Copper
- Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
- Copper number
- Pulp, paper, and paperboard, [T 430](#)
- Cord weight
- see* Weight
- Corn
- Species identification of nonwood plant fibers, [T 259](#)
- Corrugated boards
- see also* Containers, Corrugating medium, Fiberboard, Linerboard
 - Box blank dimensioning, [T 827](#)
 - Flat crush test of corrugated board (rigid support method), [T 825](#)
 - Bursting strength, [T 810](#)
 - Determining construction (nominal basis weight) of corrugated board, [T 844](#)
 - Edge crush using neckdown, [T 838](#)
 - Edgewise compressive strength of corrugated fiberboard (short column test), [T 811](#)
 - Edgewise compressive strength of corrugated fiberboard using the clamp method (short column test), [T 839](#)
 - Flat crush of corrugating medium (CMT test), [T 809](#)
 - Flat crush test (flexible beam method), [T 808](#)
 - Flexural stiffness, [T 820](#)
 - Ink rub, [T 830](#)
 - Pin adhesion by selective separation, [T 821](#)
 - Puncture resistance of, [T 803](#)
 - Ply separation of, [T 812](#)
 - Ring crush of paperboard (flexible beam method), [T 818](#)
 - Ring crush of paperboard (rigid support method), [T 822](#)
 - Score quality test, [T 829](#)
 - Stiffness, four point method, [T 836](#)
 - Thickness (caliper) of paper, paperboard, and combined board, [T 411](#)
 - Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
 - Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Corrugated boxes
- see also* Boxes, Corrugated board, Containers
 - Drop test for fiberboard shipping containers, [T 802](#)
 - Score quality test, [T 829](#)
 - Short span compressive strength of containerboard, [T 826](#)
- Corrugated containers
- see* Containers
- Corrugated fiberboard
- see* Fiberboard, Corrugated board
- Corrugated fluted crush test
- Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
 - Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
- Corrugating adhesives
- see* Adhesion
- Corrugating medium
- see also* Corrugated boards, Fiberboard
 - Determining construction (nominal basis weight) of corrugated board, [T 844](#)
 - Flat crush (CMT-test), [T 809](#)
 - Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
 - Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
 - Pin adhesion of corrugated board by selective separation, [T 821](#)
 - Water absorption of corrugating medium: water drop penetration test, [T 831](#)
 - Water absorption of corrugating medium: float curl method, [T 832](#)
 - Water absorption of corrugating medium: water drop absorption test, [T 835](#)
 - Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Cotton
- Species identification of nonwood plant fibers, [T 259](#)
- Cracking
- see* Fracture
- Creasing
- see also* Folding endurance
 - Creasing of flexible packaging material paper specimens for testing, [T 512](#)
 - Static creasing of paper for water vapor transmission tests, [T 465](#)
- Critical wax strength number (CWSN)
- see* Wax pick tests
- Cross direction
- Cross-machine grammage profile measurement (gravimetric method), [T 545](#)
- Cross direction tear
- Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

Crude tall oil
 see Tall oil
Crush resistance
 see Edge crush resistance, Ring crush tests, Flat crush tests
Cuene
 Cupriethylenediamine disperse viscosity of pulp (falling ball method), [T 254](#)
 Viscosity of pulp (capillary viscometer method), [T 230](#)
Cupriethylene diamine
 see Cuene
Curl
 Gummed flat papers, [T 520](#)
 Preparation of mechanical pulps for testing, [T 262](#)

D

Dairyman's standard
 Bacteriological examination of paper and paperboard, [T 449](#)
Debris
 Pulp screening (Valley-type screening device), [T 278](#)
Defect area
 Transparent chart for the estimation of defect size, [T 564](#)
Defect size
 Transparent chart for the estimation of defect size, [T 564](#)
Defects
 Fiber glass mat uniformity (visual defects), [T 1015](#)
 Transparent chart for the estimation of defect size, [T 564](#)
Defibering
 Pulp screening (Valley-type screening device), [T 278](#)
Defibrator
 see Disintegrators
Degradation/Degraded cellulose
 see Cellulose
Degree of adhesion
 see Adhesion
Degree of curl
 see Curl
Degree of defibering
 see Disintegrators
Degree of delignification
 see Delignification
Degree of sizing
 see Sizing
Delamination
 Internal bond strength (Scott type), [T 569](#)
Delignified pulps
 see Pulps
Densitometer
 Air resistance of paper (Gurley method), [T 460](#)
 Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)

Density
 Air resistance of paper (Gurley method), [T 460](#)
 Analysis of rosin size, [T 628](#)
 Analysis of soda and sulfate black liquor, [T 625](#)
 Analysis of sulfuric acid, [T 602](#)
 Basic density and moisture content of pulp wood, [T 258](#)
 Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
 Sodium silicate, [T 632](#)
 Weight-volume measurement of pulpwood, [T 268](#)
Diatomaceous earth
 see Silica
Dichloromethane
 Solubles in wood and pulp, [T 204](#)
Diffuse blue reflectance
 see Diffuse reflection
Diffuse brightness
 see Diffuse reflection
Diffuse ISO brightness
 see Diffuse reflection
Diffuse luminous reflectance
 see Diffuse reflection
Diffuse opacity
 see Diffuse reflection
Diffuse reflectance
 Diffuse brightness of paper, paperboard and pulp ($d/0$) – Ultraviolet Level C, [T 525](#)
 Diffuse brightness of paper, paperboard and pulp ($d/0$) (ultraviolet level D65), [T 579](#)
Diffuse reflection
 Brightness of clay and other mineral pigments ($d/0$ diffuse), [T 534](#)
 Diffuse opacity of paper ($d/0$ paper backing), [T 519](#)
 Opacity of paper ($15/d$ geometry, illuminant $A/2^\circ$, 89% reflectance backing and paper backing), [T 425](#)
Diffuse reflection factor
 see Diffuse reflection
Dimensional measurement
 Transparent chart for the estimation of defect size, [T 564](#)
Dimensioning
 see Boxes
Directional brightness
 Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)
Directional measurement
 Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
Directional reflectance
 see Reflectance
 Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)
Dirt
 see also Defects
 Analysis of rosin, [T 621](#)
 Equivalent black area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
 Dirt in paper and paperboard, [T 437](#)
 In pulp, [T 213](#)

Natural dirt in wood chips, [T 265](#)
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)

Dirt count
see also Dirt
Dirt count in paper and paperboard (optical character recognition – OCR), [T 537](#)
Dirt in paper and paperboard, [T 437](#)
Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
Natural dirt in wood chips, [T 265](#)
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)

Dirt index
see Dirt

Discoloration
Envelope seal, seam, and window patch testing, [T 516](#)

Disintegration
Preparation of mechanical pulps for testing, [T 262](#)

Disintegrators
Use of in determining drainage time of pulp, [T 221](#)
Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)

Disperse viscosity
see Viscosity

Dispersions
Consistency (concentration) of pulp suspensions, [T 240](#)
Microbiological enumeration of process water and slush pulp, [T 631](#)

Dissolved solids
Measuring, sampling, and analyzing white waters, [T 656](#)
Open drum washer mat sampling technique, [T 281](#)

Dominant wavelength
Color of paper and paperboard ($d/0$, $C/2$), [T 527](#)
Color of paper and paperboard ($45/0$, $C/2$), [T 524](#)

Drainage
Of pulp, [T 221](#)

Drainage rate
Freeness of pulp, [T 227](#)

Drop test
see Impact tests

Drum tests
see Impact tests

Drums
Open drum washer mat sampling technique, [T 281](#)

Dry abrasion test
see Abrasion

Dry curl
see Curl

Dry heat
see Heat

Dry indicator method
see Water resistance

Dry indicator tests
Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)

Dry size
see Rosin size

Dryness
see Moisture content

Dupont stain
see Fiber analysis, Staining

Durability
see also Permanence
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

E

ERIC (Effective residual ink concentration)
see Ink

Edge crush resistance
see also Edge crush tests
Edge crush using neckdown, [T 838](#)
Edgewise compressive strength of corrugated fiberboard using the clamp method (short column test), [T 839](#)
Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
Ring crush of paperboard (flexible beam method), [T 818](#)
Ring crush of paperboard (rigid support method), [T 822](#)

Edge crush tests
see also Edge crush resistance
Edgewise compressive strength of corrugated fiberboard (short column test), [T 811](#)

Edgewise compression strength
see Edge crush resistance

Education
Training standard for paper machine tender, [T 1501](#)

Ehrlich's reagent
Glue in paper (qualitative and quantitative determination), [T 504](#)

Electrical conductivity
see Conductivity
pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)

Elemental sulfur
see Sulfur

Elmendorf-type tests
see Tear strength

Elongation
Tensile strength and elongation at break for fiber glass mats, [T 1009](#)

Energy absorption
see Tensile energy absorption

Envelopes
Seal, seam, and window patch testing, [T 516](#)
Enzymatic/colorimetric method
see Starch
Enzymatic/gravimetric method
see Starch
Equilibrium moisture
Determination of in pulp, paper and paperboard for chemical analysis, [T 550](#)
Equilibrium relative humidity
see Humidity
Equivalent black area (EBA)
Equivalent black area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
Dirt in pulp, [T 213](#)
Errors
Dealing with suspect (outlying) test determinations, [T 1205](#)
Esparto
Fiber analysis of paper and paperboard, [T 401](#)
Ethanol
Use of in determining solubles in wood and pulp, [T 204](#)
Use of in preparing wood for chemical analysis, [T 264](#)
Excitation purity
see Dominant wavelength
External compressive forces
see Compression tests
External surface
see Specific surface
Extractable material
Water solubility of wood and pulp, [T 207](#)
Extractable resin
see Rosin
Extraction
Hydrogen ion concentration (pH) of paper extracts (cold extraction method), [T 509](#)
Hydrogen ion concentration (pH) of paper extracts (hot extraction method), [T 435](#)
Solvent extractives of wood and pulp, [T 204](#)
Extraction apparatus
see Rosin
Extractive-free wood
see Wood
Extractives
Hot water extractable acidity or alkalinity of paper, [T 428](#)
Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)
Solvent extractives of wood and pulp, [T 204](#)
Extracts
see Extractives
Extrusion coating
Rheological measurements for characterization of polyolefins: low-density polyethylene (LDPE) for extrusion coating, [T 702](#)

F

Facial tissues
Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)
Falling ball method
see Viscosity
Fats
Determination of in wood and pulp, [T 204](#)
Feathering
Surface wettability of paper (angle of contact method), [T 458](#)
Felt side
Identification of wire side in paper, [T 455](#)
Ferric iron
see Iron
Ferrous iron
see Indicators, preparation of
Ferrous ammonium sulfate
Preparation of indicators and standard solutions, [T 610](#)
Ferrous iron
see Iron
Fiber
Analysis of paper and paperboard, [T 401](#)
Coarseness of pulp fibers, [T 234](#)
Consistency (concentration) of pulp suspensions, [T 240](#)
Identification of from conifers, [T 263](#)
Species identification of nonwood plant fibers, [T 259](#)
Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)
Fiber analysis
Of paper and paperboard, [T 401](#)
Fiber bonding
Internal bond strength of paperboard (z-direction tensile), [T 541](#)
Internal bond strength (Scott type), [T 569](#)
Fiber clarifier
see Fiber classification
Fiber classification
Fiber length of pulp, [T 233](#)
Fiber debris
Screening of pulp (Somerville-type equipment), [T 275](#)
Fiber diameter
Average fiber diameter of fiber glass mats, [T 1016](#)
Fiber glass mats
Average fiber diameter, [T 1016](#)
Basis weight, [T 1011](#)
Loss on ignition, [T 1013](#)
Moisture content, [T 1012](#)
Moisture sensitivity, [T 1014](#)
Uniformity (visual defects), [T 1015](#)
Fiber identification
see Identification
Fiber length
By classification, [T 233](#)
Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)

Of pulp by projection, [T 232](#)

Fiber length distribution
Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)

Fiber mats
Sample location for fiber glass mat sheets, [T 1007](#)
Tensile strength and elongation at break for fiber glass mats, [T 1009](#)
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
Test conditions for fiber glass mat test methods, [T 1008](#)

Fiber suspensions
see Dispersions

Fiberboard containers
see Containers, Fiberboard

Fiberboard shipping containers
see Containers, Fiber boards

Fiberboards
see also Corrugated boards
Box blank dimensioning, [T 827](#)
Compression test of fiberboard shipping containers, [T 804](#)
Drop test for fiberboard shipping containers, [T 802](#)
Drum test for fiberboard shipping containers, [T 800](#)
Edge crush using neckdown, [T 838](#)
Flexural stiffness of corrugated board, [T 820](#)
Ink rub, [T 830](#)
Ply separation of solid and corrugated fiberboard (wet), [T 812](#)
Ring crush of paperboard (flexible beam method), [T 818](#)
Ring crush of paperboard (rigid support method), [T 822](#)
Sampling and accepting a single lot of, [T 400](#)
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
Stiffness, four point method, [T 836](#)

Fiber boards
Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)

Filled papers
Zinc and cadmium in paper, [T 438](#)

Fillers
see also Pigments
Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)
Determination of titanium dioxide, [T 627](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Sampling of fillers and pigments, [T 657](#)

Films
Envelope seal, seam, and window patch testing, [T 516](#)

Fineness
Coarseness of pulp fibers, [T 234](#)
Specific external surface of pulp, [T 226](#)

Fire resistance
see Flameproof papers

Fireproof papers
see Flameproof papers

Fixed suspended solids
see Suspended solids

Flakes
Pulp screening (Valley-type screening device), [T 278](#)

Flame resistance
see Flameproof papers

Flameproof papers
Treated paper and paperboard, [T 461](#)

Flat crush tests
Corrugated board, [T 808](#)
Corrugating medium, [T 809](#)
Flat crush test of corrugated board (rigid support method), [T 825](#)

Flax
Fiber analysis of paper and paperboard, [T 401](#)
Species identification of nonwood plant fibers, [T 259](#)

Flexible packaging
see also Packaging materials
Grease resistance of flexible packaging materials, [T 507](#)
Creasing of flexible packaging material paper specimens for testing, [T 512](#)

Flexural properties
see Bend strength

Flexural resistance/stiffness
see Stiffness

Float curl method
Water absorption of corrugating medium, [T 832](#)

Flow measurement
Measuring, sampling, and analyzing white waters, [T 656](#)

Fluorescence
Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)

Fluorescent dyes
Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
Visual grading and color matching of paper, [T 515](#)

Fluorescent whitening agents
see Fluorescent dyes

Fluorine compounds
Grease resistance for paper and paperboard, [T 559](#)

Flute rigidity
see Flutes, Compressibility

Flute-tip adhesion
see Pin adhesion tests

Fluted edge crush
see Edge crush resistance

Flutes
Flat crush test of corrugated board (flexible beam method), [T 808](#)
Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
Fluted edge crush of corrugating medium (rigid support method), [T 843](#)

Fold
Folding endurance of paper (Schopper type tester), [T 423](#)

Folding
Bending number of paperboard, [T 495](#)

Folding endurance
see also Bending, Stiffness
Folding endurance of paper (Schopper type tester), [T 423](#)
Paper, [T 511](#)

Folding number
Folding endurance of paper (Schopper type tester), [T 423](#)

Folding resistance
see Folding endurance

Food boards
Odor of packaging materials, [T 483](#)

Food packaging
see Food boards, Food wrap papers

Food wrap papers
Odor of packaging materials, [T 483](#)

Foreign particles
see Impurities

Formaldehyde
Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)

Formate
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

Formation
Fiber glass mat uniformity (visual defects), [T 1015](#)
Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)

Four point method
see Stiffness

Free fall drops
see Impact test

Free mineral acids
see Inorganic acids

Free moisture
see Moisture content

Freeness
see also Drainage
Drainage time of pulp, [T 221](#)
Pulp, [T 227](#)

Friction
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)

Friction factor
see also Friction
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid

fiberboard) (inclined plane method), [T 815](#)

Fungi
Microbiological enumeration of process water and slush pulp, [T 631](#)

Fungus resistance
see Fungi

Furnish
Drainage time of pulp, [T 221](#)

G

Galactan
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Gamma cellulose
In pulp, [T 203](#)

Gas chromatography
Carbohydrate composition of extractive-free wood and wood pulp, [T 249](#)

Gas-liquid chromatography
see Gas chromatography

Gelatin
Glue in paper (qualitative and quantitative determination) [T 504](#)

Geometry
Calibration of reflectance standards for hemispherical geometry, [T 1218](#)

Glass fibers
see also Fiber glass mats
Sample location for fiber glass mat sheets, [T 1007](#)
Tensile strength and elongation at break for fiber glass mats, [T 1009](#)
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
Test conditions for fiber glass mat test methods, [T 1008](#)

Glassine papers
Grease resistance of flexible packaging materials, [T 507](#)
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Gloss
Specular gloss of paper and paperboard at 20 degrees, [T 653](#)
Specular gloss of paper and paperboard at 75°, [T 480](#)

Glucan
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Glue
see also Adhesion
In paper (qualitative and quantitative determination), [T 504](#)
Organic nitrogen in paper and paperboard, [T 418](#)

Glued lap joints
see Joints

Graff C stain
see Fiber analysis, Staining

Grammage
 see Basis weight

Grasses
 Species identification of nonwood plant fibers, [T 259](#)

Gravimetry
 Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)
 Water vapor transmission rate of paper and paperboard at high temperature and humidity, [T 464](#)
 Zinc and cadmium in paper, [T 438](#)

Grease resistance
 Flexible packaging materials, [T 507](#)
 Grease resistance for paper and paperboard, [T 559](#)
 Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Greaseproof papers
 Grease resistance of flexible packaging materials, [T 507](#)
 Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Green density
 see Density

Green liquor
 Analysis of by suppressed ion chromatography, [T 699](#)
 Suspended solids in, [T 692](#)

Green volume
 see Volume

Green weight
 see Weight

Green-Yorston stain
 see Fiber analysis, Staining

Gross heating value
 see Heating value

Gross sample
 see Sample

Groundwood
 Drainage time, [T 221](#)
 Specific external surface of pulp, [T 226](#)

Gum rosin
 see Rosin

Gummed papers
 Curl of, [T 520](#)

Gums
 Water solubility of wood and pulp, [T 207](#)

Gurley testers
 Bending resistance of paper (Gurley-type tester), [T 543](#)

H

Halpin-Hicks test
 see Rosin

Hammers
 Determination of containerboard roll hardness, [T 834](#)

Handling stiffness
 see Stiffness

Handsheet formers
 Forming handsheets for reflectance testing of pulp

(sheet machine procedure), [T 272](#)

Handsheets
 Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
 Diffuse brightness of paper, paperboard and pulp (*d/0*) – Ultraviolet Level C, [T 525](#)
 Diffuse brightness of paper, paperboard and pulp (*d/0*) (ultraviolet level D65), [T 579](#)
 Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)
 Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)
 Forming handsheets for physical tests of pulp, [T 205](#)
 Physical testing of pulp handsheets, [T 220](#)
 Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)

Hardness
 Determination of containerboard roll hardness, [T 834](#)

Hardness (of pulp)
 see Cooking degree

Hardwoods
 Fiber analysis of paper and paperboard, [T 401](#)

Heat
 Aging of paper and board with moist heat, [T 544](#)
 Effect of dry heat on properties of paper and board, [T 453](#)

Heat conductivity
 see Thermal conductivity

Heat set ink
 Blister resistance of coated paper in heatset printing, [T 526](#)

Heat setting
 Blister resistance of coated paper in heatset printing, [T 526](#)

Heat treatment
 Aging of paper and board with moist heat, [T 544](#)
 Effect of dry heat on properties of paper and board, [T 453](#)

Heating value
 Black liquor, [T 684](#)

Hemicelluloses
 Alkali solubility of pulp at 25°C, [T 235](#)
 Determination of gamma-cellulose in pulp, [T 203](#)
 Extraction of by hot alkali, [T 212](#)
 Pentosans in wood and pulp, [T 223](#)

Hemp
 Species identification of nonwood plant fibers, [T 259](#)

Hexeneuronic acid
 Hexeneuronic acid content of chemical pulp, [T 282](#)

Hercules test
 see Sized papers

Herzberg stain
 see Fiber analysis, Staining

Hide glue
 Glue in paper (qualitative and quantitative determination), [T 504](#)

- High heating value
see Gloss
- High-molecular-weight cellulose
see Cellulose
- High temperature
Water vapor transmission rate of paper and paperboard at high temperature and humidity, [T 464](#)
- Horizontal plane method
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
- Horizontal planes
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
- Hot extraction
see Extractives
- Hot water extractable alkalinity
see Extractives
- Hot water extracts
See also Extractives
pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
- Hot water solubles
see Water solubles
- Humidity
Envelope, seal, seam, and window patch testing, [T 516](#)
Equilibrium relative humidity of paper and paperboard, [T 502](#)
- Humidity control
Test conditions for fiber glass mat test methods, [T 1008](#)
- Humidity rooms
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
- Hydrocarbons
Determination of non-volatile hydrocarbons in wood and pulp, [T 204](#)
- Hydrochloric acid
Preparation of indicators and standard solutions, [T 610](#)
- Hydrogen ion concentration
see pH
- Hydrolysis
Hexeneuronic acid content of chemical pulp, [T 282](#)
- Hydroxyproline
Glue in paper (qualitative and quantitative determination), [T 504](#)
-
- Identification
Compression wood, [T 267](#)
Nonwood plant fibers, [T 259](#)
Wire side of paper, [T 455](#)
Wood and fibers from conifers, [T 263](#)
- Illumination
Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
- Visual grading and color matching of paper, [T 515](#)
- Image analysis
Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
Macro stickies content in pulp: the “pick-up” method, [T 277](#)
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
- Immersion
see Submersion
- Impact
Internal bond strength (Scott type), [T 569](#)
- Impact tests
Drop test for fiberboard shipping containers, [T 802](#)
Drum test for fiberboard shipping containers, [T 800](#)
- Impurities
Acid-insoluble ash in wood, pulp, paper, and paperboard, [T 244](#)
Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
Macro stickies content in pulp: the “pick-up” method, [T 277](#)
Pulp screening (Valley-type screening device), [T 278](#)
Silicates and silica in pulp (wet ash method), [T 245](#)
- Inclined planes
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
- Indicators
Preparation of, [T 610](#)
- Industrial process water
see Process water
- Ink
Blotting paper absorption of, [T 431](#)
Castor-oil penetration test for paper, [T 462](#)
Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
Size test for paper by ink resistance (Hercules-type method), [T 530](#)
Titanium dioxide content in, [T 627](#)
- Ink absorption
Ink absorbency of blotting paper, [T 431](#)
Size test for paper by ink resistance (Hercules-type method), [T 530](#)
- Ink absorptivity
see Absorptivity
- Ink resistance
see Printability
- Ink rub resistance
Containerboard, [T 830](#)
- Inorganic color pigments
see Pigments
- Insoluble matter
see Solubility
- Instrument characteristics
Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)

Interfiber bonding
 see Fiber bonding

Interlaboratory evaluation
 Interlaboratory evaluation of test methods to determine TAPPI repeatability and reproducibility, [T 1200](#)

Internal bond
 see also Bond strength
 Internal bond strength (Scott type), [T 569](#)

Internal fiber bond strength
 see Bond strength

Internal tear
 see Tear strength

Iodine
 Preparation of indicators and standard solutions, [T 610](#)

Ion chromatography
 Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

Ion exchange
 Carboxyl content of pulp, [T 237](#)

Iron
 Acid-soluble iron in paper, [T 434](#)
 Analysis of caustic soda, [T 613](#)
 Analysis of limestone, [T 618](#)
 Analysis of salt cake, [T 619](#)
 Analysis of soda and sulfate black liquor, [T 625](#)
 Analysis of sulfuric acid, [T 602](#)
 Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
 Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Iron oxide
 Analysis of limestone, [T 618](#)

ISO
 see Units of measurement

ISO brightness
 see Diffuse reflection

J

No listings

K

Kantrowitz-Simmons stain
 see Fiber analysis, Staining

Kaolin
 Accelerated test for viscosity stability of clay slurries, [T 697](#)

Kaolin clay dispersion
 see Clay

Kappa number
 Kappa number of pulp, [T 236](#)

Kenaf
 Species identification of nonwood plant fibers, [T 259](#)

Kinetic friction
 Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the

horizontal plane method, [T 549](#)

Kjeldahl procedure
 see Nitrogen

Klemm method
 see Blotting papers

Kraft liquor
 Suspended solids in, [T 692](#)

Kraft pulping
 Analysis of soda and sulfate black liquor, [T 625](#)

Kraft pulps
 see Pulps

Kubelka-Munk equation
 Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
 Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

L

L, a, b color values
 see Color

Laboratories
 Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)

Laboratory beating
 Laboratory beating of pulp (PFI mill method), [T 248](#)
 Laboratory beating of pulp (Valley beater method), [T 200](#)

Laboratory pulp processing
 see Laboratory beating

Laboratory refining
 Laboratory beating of pulp (PFI mill method), [T 248](#)
 Laboratory beating of pulp (Valley beater method), [T 200](#)

Lactates
 Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

Lap joints
 see also Joints

Latency
 Preparation of mechanical pulps for testing, [T 262](#)

Length
 Weight-volume measurement of pulpwood, [T 268](#)

Liebermann-Storch test
 see Rosin

Life tests
 Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
 Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

Lift strength
 see Surface strength

Light
 Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Dirt in paper and paperboard, [T 437](#)
Light sources
Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
Visual grading and color matching of paper, [T 515](#)
Light-scattering coefficient
see Optical scattering
Lignin
In wood and pulp, [T 222](#)
Kappa number of pulp, [T 236](#)
Lime
Analysis of, [T 617](#)
Analysis of salt cake, [T 619](#)
Limestone
Analysis of, [T 618](#)
Linearity
Photometric linearity of optical properties instruments, [T 1217](#)
Liner separation
see Separation
Linerboards
Bursting strength, [T 807](#)
Determining construction (nominal basis weight) of corrugated board, [T 844](#)
Roughness of paper and paperboard, stylus method (Emveco-type), [T 575](#)
Liquors
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
Lofton-Merritt stain
see Fiber analysis, Staining
Logs
see also Wood
Basic density and moisture content of pulp wood, [T 258](#)
Sampling and preparing wood for analysis, [T 257](#)
Weight-volume measurement of pulpwood, [T 268](#)
Lorentzen & Wettre-type tester
see Stiffness
Loss on heating
see Weight
Loss on ignition
Analysis of talc, [T 665](#)
Fiber glass mats, [T 1013](#)
Limestone, [T 618](#)
Lot acceptance
see Acceptability
Low-density polyethylene (LDPE)
Rheological measurements for characterization of polyolefins: low-density polyethylene (LDPE) for extrusion coating, [T 702](#)
Luminosity
Color of paper and paperboard (45/0, C/2), [T 524](#)
Color of paper and paperboard (d/0, C/2), [T 527](#)
Luminous factor
see Reflectance
Luminous reflectance
Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

M

Machine direction
Grammage variation measurement (gravimetric method), [T 546](#)
Of paper and paperboard, [T 409](#)
Machine operation
Training standard for paper machine tender, [T 1501](#)
Machine tenders
Training standard for paper machine tender, [T 1501](#)
Magnesia
see Magnesium oxide
Magnesium
Analysis of soda and sulfate black liquor, [T 625](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Magnesium oxide (magnesia)
Analysis of limestone, [T 618](#)
Analysis of salt cake, [T 619](#)
Analysis of talc, [T 665](#)
Magnesium silicate
Analysis of talc, [T 665](#)
Manganese
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
Manila hemp
Species identification of nonwood plant fibers, [T 259](#)
Mannan
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)
Mass per unit area
see Grammage
Mass transfer
Static creasing of paper for water vapor transmission tests, [T 465](#)
Water vapor transmission rate of sheet materials at standard temperature and humidity, [T 448](#)
Mats
see Fiber glass mats
Measurement
Units of, [T 1210](#)
Measuring instruments
Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)
Mechanical properties
see specific property, e.g., Burst strength
Mechanical pulps
Preparation of for testing, [T 262](#)
Pulp screening (Valley-type screening device), [T 278](#)
Screening of pulp (Somerville-type equipment), [T 275](#)
Melamine-formaldehyde resins
see Polymelamines
Melamine resins
see Polymelamines

Metals
see specific metal, e.g., Iron, etc.

Methyl orange
see Indicators, preparation of

Methyl red
see Indicators, preparation of

Metric system
see Units of measurement

Microbiological examination
see Microbiology

Microbiology
Bacteriological examination of paper and paperboard, [T 449](#)
Microbiological enumeration of process water and slush pulp, [T 631](#)

Micrometer
Thickness of paper and paperboard, [T 411](#)

Microorganism control
Bacteriological examination of paper and paperboard, [T 449](#)
Microbiological enumeration of process water and slush pulp, [T 631](#)

Microscopy
Fiber analysis of paper and paperboard, [T 401](#)
Identification of wood and fibers from conifers, [T 263](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Mineral acids
see Inorganic acids

Mineral coating
see Coatings

Mineral components
see Minerals

Mineral constituents
see Ash content

Mineral fillers
see Fillers

Mineral oil
see Oil absorbency

Mineral pigments
see Pigments

Mineral salts
see Ash content

Minerals
Brightness of clay and other mineral pigments (45/0), [T 646](#)
Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
Determination of titanium dioxide, [T 627](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Mixed waste papers
Macro stickies content in pulp: the “pick-up” method, [T 277](#)

MIT folding testers
Folding endurance of paper (MIT tester), [T 511](#)

Modulus of elasticity
see Elastic strength

Modulus of rupture
see Rupture modulus

Moist heat
see Heat

Moisture
see also Moisture content
Sampling and testing wood pulp shipments for moisture, [T 210](#)

Moisture content
Analysis of rosin size, [T 628](#)
Equilibrium moisture in pulp, paper and paperboard for chemical analysis, [T 550](#)
Fiber glass mats, [T 1012](#)
Moisture in pulp, paper and paperboard, [T 412](#)
Preparation of wood for chemical analysis, [T 264](#)
Basic density and moisture content of pulp wood, [T 258](#)
Salt cake, [T 619](#)
Sampling and testing wood pulp shipments for moisture, [T 210](#)

Moisture sensitivity
Fiber glass mats, [T 1014](#)

Monosaccharides
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Morphological characteristics
see Fiber analysis

Morris method
see Edge crush resistance

Mullen
see Burst strength

Multi-ply boards
see Corrugated boards

Multiwall bags
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

N

NIR (Near infrared reflectance)
see Reflectance

Nail resistance
see Edge nail strength

Napkin papers
Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)

Natural dirt
Natural dirt in wood chips, [T 265](#)

NCR stain
see Fiber analysis, Staining

Neckdown
see Edge crush resistance

Neutral sulfite pulps
see Pulps

Nitrogen
Organic nitrogen in paper and paperboard, [T 418](#)

Nitrogen compounds
Organic nitrogen in paper and paperboard, [T 418](#)
Nitrogen oxides
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
Nomenclature
Optical measurements terminology (related to appearance evaluation of paper), [T 1500](#)
Nonbibulous paperboard
see Sized papers
Nonbibulous papers
see Sized paper/paperboard
Nonvolatile matter
see Volatility
Nonwood fibers
Species identification of nonwood plant fibers, [T 259](#)
Nonwood plants
Species identification of, [T 259](#)
Nonwovens
see also Insulating boards
Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

O

Oat straw
Species identification of nonwood plant fibers, [T 259](#)
OCR
Dirt count in paper and paperboard (optical character recognition - OCR), [T 537](#)
Odors
Packaging materials, [T 483](#)
Oil
Grease resistance for paper and paperboard, [T 559](#)
Oil absorption
Castor-oil penetration test for paper, [T 462](#)
Oil penetration tests
Castor-oil penetration test for paper, [T 462](#)
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)
Oil resistance/repellance
see Grease resistance
Okra
Species identification of nonwood plant fibers, [T 259](#)
Opacity
Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
Diffuse opacity of paper, [T 519](#)
Interrelation of reflectance, R_0 ; reflectivity, R_∞ ; TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)
Measurement of paper, [T 425](#)

Opaque pigments
see Pigments
Optical character recognition
see OCR
Optical instruments
Photometric linearity of optical properties instruments, [T 1217](#)
The determination of instrumental color differences, [T 1215](#)
Optical measurement
Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
Optical measurements terminology (related to appearance evaluation of paper), [T 1500](#)
Storage of paper samples for optical measurements and color matching, [T 1219](#)
The determination of instrumental color differences, [T 1215](#)
Optical microscopy
see Microscopy
Optical properties
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
Photometric linearity of optical properties instruments, [T 1217](#)
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
Organic matter
Organic nitrogen in paper and paperboard, [T 418](#)
Oven-dry density
see Density
Oven-dry volume
see Volume
Oven-dry weight
see Weight
Oxalate
Determination of in pulping liquor, [T 699](#)

P

Packaging materials
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
Grease resistance of, [T 507](#)
Odor of, [T 483](#)
Packaging paper
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
Paper
see also specific properties, e.g., Grammage, Thickness, *etc.*
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)

Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

Acceptance sampling, [T 400](#)

Acid-soluble iron in paper, [T 434](#)

Aging of paper and board with moist heat, [T 544](#)

Air permeance of paper and paperboard (Sheffield method), [T 547](#)

Alkalinity as calcium carbonate (alkaline reserve), [T 553](#)

Alpha-cellulose content, [T 429](#)

Ash content, acid-insoluble, [T 244](#)

Ash content, combustion at 525°C, [T 211](#)

Ash content, combustion at 900°C, [T 413](#)

Bacteria count, [T 449](#)

Bending resistance of paper (Gurley-type tester), [T 543](#)

Bending resistance of paper and paperboard by single-point bending methods, [T 556](#)

Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)

Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration), [T 566](#)

Blister resistance of coated paper in heatset printing, [T 526](#)

Brightness, [T 452](#), [T 525](#), [T 579](#)

Bulking number, [T 500](#)

Bursting strength, [T 403](#)

Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)

Color of paper and paperboard (d/0, C/2), [T 527](#)

Color of paper and paperboard (45/0, C/2), [T 524](#)

Copper number, [T 430](#)

Creasing of flexible packaging material paper specimens for testing, [T 512](#)

Curl, [T 520](#)

Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)

Diffuse opacity, [T 519](#)

Dirt in paper and paperboard, [T 437](#)

Dirt count in paper and paperboard (optical character recognition – OCR), [T 537](#)

Effect of dry heat on properties of paper and board, [T 453](#)

Equilibrium moisture content, [T 550](#)

Equilibrium relative humidity of paper and paperboard, [T 502](#)

Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)

Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)

Flame resistance, [T 461](#)

Folding endurance, [T 511](#)

Folding endurance of paper (Schopper type tester), [T 423](#)

Glue content, [T 504](#)

Grease resistance for paper and paperboard, [T 559](#)

Grease resistance of flexible packaging materials, [T 507](#)

Hot water extractable acidity or alkalinity, [T 428](#)

Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)

Hydrogen ion concentration of paper extracts (hot extraction method), [T 435](#)

Identification and determination of melamine resin in paper, [T 493](#)

Ink absorbency, [T 431](#)

Internal tearing resistance of paper (Elmendorf-type method), [T 414](#)

Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)

Liquid penetration resistance, [T 530](#)

Machine direction determination, [T 409](#)

Moisture content, [T 412](#), [T 550](#)

Nitrogen content, [T 418](#)

Oil penetration, [T 462](#)

Opacity, [T 425](#)

pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)

Pick resistance, [T 459](#)

Fiber analysis of paper and paperboard, [T 401](#)

Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)

Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Reducible sulfur in paper and paperboard, [T 406](#)

Rosin content, [T 408](#)

Roughness, [T 555](#)

Roughness, stylus method (Emveco-type), [T 575](#)

Silver tarnishing by paper and paperboard, [T 444](#)

Smoothness of paper (Bekk method), [T 479](#)

Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

Specular gloss, [T 480](#)

Specular gloss of paper and paperboard at 20 degrees, [T 653](#)

Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)

Starch in paper, [T 419](#)

Static creasing of paper for water vapor transmission tests, [T 465](#)

Surface pH measurement of paper, [T 529](#)

Surface strength, [T 459](#)

Surface wettability, [T 458](#), [T 558](#)

Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)

Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

Thickness, [T 411](#)

Thickness of paper and paperboard (soft platen method), [T 551](#)

Titanium dioxide, [T 627](#)

- Turpentine test for voids in glassine and greaseproof papers, [T 454](#)
Visual grading and color matching of paper, [T 515](#)
Water absorbency of bibulous papers, [T 432](#)
Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
Water resistance, [T 433](#)
Water vapor transmission rate of sheet materials at standard temperature and humidity, [T 448](#)
Water-soluble chlorides in pulp and paper, [T 256](#)
Water-soluble sulfates in pulp and paper, [T 255](#)
Wettability, [T 458](#)
Wire side, identification of, [T 455](#)
Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)
Zinc and cadmium in paper, [T 438](#)
- Paper coating clays
see Clay
- Paper properties
Aging of paper and board with moist heat, [T 544](#)
Effect of dry heat on properties of paper and board, [T 453](#)
- Paper machines
Training standard for paper machine tender, [T 1501](#)
- Paper sheets
Water vapor transmission rate of sheet materials at standard temperature and humidity, [T 448](#)
- Paper shipping sacks
see Shipping sack papers
- Paperboard
see also Corrugated board, Fiberboard; *see also specific properties, e.g.*, Abrasion resistance, Brightness, *etc.*
Acid-insoluble ash in, [T 244](#)
Acid-soluble iron in paper, [T 434](#)
Aging of paper and board with moist heat, [T 544](#)
Air permeance of paper and paperboard (Sheffield method), [T 547](#)
Ash content, [T 211](#), [T 413](#)
Bacteria content, [T 449](#)
Bending number of paperboard, [T 495](#)
Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)
Bending resistance of paper (Gurley-type tester), [T 543](#)
Bending resistance of paper and paperboard by single-point bending methods [T 556](#)
Blister resistance of coated paper in heatset printing, [T 526](#)
Brightness, [T 452](#), [T 525](#), [T 579](#)
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
Color of paper and paperboard (45/0, C/2), [T 524](#)
Color of paper and paperboard (d/0, C/2), [T 527](#)
Copper number, [T 430](#)
Dirt in paper and paperboard, [T 437](#),
Dirt count in paper and paperboard (optical character recognition – OCR), [T 537](#)
Effect of dry heat on properties of paper and board, [T 453](#)
Equilibrium moisture in pulp, paper and paperboard for chemical analysis, [T 550](#)
Equilibrium relative humidity of paper and paperboard, [T 502](#)
Equivalent black area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
Fiber analysis of, [T 401](#)
Flame resistance, [T 461](#)
Gloss, [T 653](#)
Grease resistance test for paper and paperboard, [T 559](#)
Internal bond strength of paperboard (z-direction tensile), [T 541](#)
Machine direction, [T 409](#)
Moisture content, [T 412](#)
Organic nitrogen, [T 418](#)
pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
Reducible sulfur in paper and paperboard, [T 406](#)
Ring crush, [T 822](#)
Ring crush of paperboard (flexible beam method), [T 818](#)
Rosin, [T 408](#)
Roughness, [T 555](#)
Roughness, stylus method (Emveco-type), [T 575](#)
Sampling and accepting a single lot of, [T 400](#)
Score bend test, [T 577](#)
Silver tarnishing by paper and paperboard, [T 444](#)
Size test for paper by ink resistance (Hercules-type method), [T 530](#)
Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)
Specular gloss of paper and paperboard at 75°, [T 480](#)
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
Stiffness, [T 836](#)
Surface strength of paper (wax pick test), [T 459](#)
Surface wettability, [T 458](#), [T 558](#)
Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)
Thickness, [T 411](#)
Thickness of paper and paperboard (soft platen method), [T 551](#)
Water immersion number of paperboard, [T 491](#)
Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)
Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)

- Paper board
 - Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
- Papermaking fibers
 - see* Fibers
- Papers, impregnated
 - see* Impregnated papers
- Parchment papers
 - Grease resistance of flexible packaging materials, [T 507](#)
 - Turpentine test for voids in glassine and greaseproof papers, [T 454](#)
- Paste size
 - see* Rosin size
- Pastes
 - see* Pigments
- Penetration
 - Castor-oil test for paper, [T 462](#)
 - Size test for paper by ink resistance (Hercules-type method), [T 530](#)
- Pentosans
 - Pentosans in wood and pulp, [T 223](#)
- Permeability
 - see also* Air permeability
 - Water vapor transmission rate of sheet materials at normal temperature, [T 448](#)
- Permeance
 - see* Permeability
- Permanence
 - Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
 - Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Personnel
 - Training standard for paper machine tender, [T 1501](#)
- Petroleum wax
 - see* Paraffin wax
- PFI mills
 - Laboratory beating of pulp (PFI mill method), [T 248](#)
- pH
 - Hydrogen ion concentration (pH) of paper extracts (cold extraction method), [T 509](#)
 - Hydrogen ion concentration (pH) of paper extracts (hot extraction method), [T 435](#)
 - pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
 - Surface pH measurement of paper, [T 529](#)
- Phenol red
 - see* Indicators, preparation of
- Phenolphthalein
 - see* Indicators, preparation of
- Photochemistry
 - Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
- Photometers
 - Color of paper and paperboard (*d*/0, *C*/2), [T 527](#)
 - Color of paper and paperboard (45/0, *C*/2), [T 524](#)
- Photometry
 - Photometric linearity of optical properties instruments, [T 1217](#)
- Physical properties
 - Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
 - Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Physical tests
 - Physical testing of pulp handsheets, [T 220](#)
- Phytosterols
 - Determination of in wood and pulp, [T 204](#)
- Pick resistance
 - Surface strength of paper, [T 459](#)
- Picking
 - Internal bond strength (Scott type), [T 569](#)
- Pigments
 - see also* Fillers
 - Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)
 - Brightness of clay and other mineral pigments (45/0), [T 646](#)
 - Brightness of clay and other mineral pigments (*d*/0 diffuse), [T 534](#)
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
 - Sampling of fillers and pigments, [T 657](#)
 - Titanium dioxide in, [T 627](#)
 - Zinc and cadmium in paper, [T 438](#)
- Pin adhesion tests
 - Corrugated board by selective separation, [T 821](#)
 - Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Pitch
 - Wood pulp, [T 204](#)
- Plant fibers
 - Species identification of nonwood plant fibers, [T 259](#)
- Plastics
 - Pulp screening (Valley-type screening device), [T 278](#)
 - Screening of pulp (Somerville-type equipment), [T 275](#)
- Ply separation
 - Solid and corrugated fiberboard, [T 812](#)
- Polarography
 - Zinc and cadmium in paper, [T 438](#)
- Polarized light
 - Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
- Polychromatic illumination
 - see* Spectral reflectance
- Polyethylene adhesion
 - see* Adhesion, Polyethylene
- Polymelamines
 - Identification and determination of melamine resin in paper, [T 493](#)
 - Organic nitrogen in paper and paperboard, [T 418](#)

- Polyolefin film
see Films
- Polysulfides
Analysis of soda and sulfate white and green liquors, [T 624](#)
Reducible sulfur in paper and paperboard, [T 406](#)
- Polythionates
Reducible sulfur in paper and paperboard, [T 406](#)
- Polyureas
Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)
Organic nitrogen in paper and paperboard, [T 418](#)
- Porosity
Air permeance of paper and paperboard (Sheffield method), [T 547](#)
Air resistance of paper (Gurley method), [T 460](#)
Castor-oil penetration test for paper, [T 462](#)
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Porous substrates
see Substrates
- Potassium dichromate
Preparation of indicators and standard solutions, [T 610](#)
- Potassium hydroxide
Preparation of indicators and standard solutions, [T 610](#)
- Potassium permanganate
Preparation of indicators and standard solutions, [T 610](#)
- Potassium thiocyanate
Preparation of indicators and standard solutions, [T 610](#)
- Potassium titanate
see Pigments
- Precision
Interlaboratory evaluation of test methods to determine TAPPI repeatability and reproducibility, [T 1200](#)
- Preconditioning
see Conditioning
- Preparation
see Sample preparation
- Preparation of solutions
see Standard solutions
- Preservation of paper
see Permanence
- Print quality
see Printability
Roughness of paper and paperboard (Sheffield method), [T 538](#)
- Printability
Roughness of paper and paperboard (Print-Surf method), [T 555](#)
Roughness of paper and paperboard, stylus method (Emveco-type), [T 575](#)
Surface wettability of paper (angle of contact method), [T 458](#)
- Printing
Blister resistance of coated paper in heatset printing, [T 526](#)
Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)
- Printing ink
see Ink
- Printing opacity
see Opacity
- Printing paper
see also Paper
Blister resistance of coated, [T 526](#)
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
- Print-Surf method
see Smoothness
- Probability sampling plan
see Sampling
- Process water
Microbiological enumeration of, [T 631](#)
- Processing of pulp
see Laboratory beating
- Profile
Cross-machine grammage profile measurement (gravimetric method), [T 545](#)
Machine direction grammage variation measurement (gravimetric method), [T 546](#)
- Projection
Fiber length of pulp, [T 232](#)
Surface wettability of paper (angle of contact method), [T 458](#)
- Propionate
Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)
- Pulp
Acid-insoluble ash content, [T 244](#)
Acid-insoluble lignin content, [T 222](#)
Alkali solubility at 25°C, [T 235](#)
Alpha-, beta-, gamma-cellulose fraction determination, [T 203](#)
Ash content, [T 211](#), [T 413](#)
Brightness, [T 452](#), [T 525](#), [T 579](#)
Carbohydrate composition, [T 249](#)
Carboxyl group content, [T 237](#)
Consistency (concentration) of pulp suspensions, [T 240](#)
Copper number, [T 430](#)
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
Dirt in pulp, [T 213](#)
Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
Drainage time, [T 221](#)
Equivalent Black Area (EBA) and count of visible dirt in pulp, [T 213](#)
Fiber coarseness, [T 234](#)
Fiber length (classification), [T 233](#)
Fiber length (projection), [T 232](#)

Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
Freeness, [T 227](#)
Kappa number of pulp, [T 236](#)
Laboratory beating of pulp (PFI mill method), [T 248](#)
Laboratory beating of pulp (Valley beater method), [T 200](#)
Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
Macro stickies content in pulp: the “pick-up” method, [T 277](#)
Microbiological enumeration, [T 631](#)
Moisture content, [T 210](#), [T 412](#), [T 550](#)
Pentosans in wood and pulp, [T 223](#)
pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
Physical testing of pulp handsheets, [T 220](#)
Physical tests, [T 262](#)
Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)
Silicate/silica content, [T 245](#)
Sodium hydroxide (1%) solubility, [T 212](#)
Solvent extractives determination, [T 204](#)
Specific external surface, [T 226](#)
Sulfur dioxide in sulfite cooking liquor, [T 604](#)
Viscosity, [T 254](#)
Viscosity of pulp (capillary viscometer method), [T 230](#)
Water solubility, [T 207](#)
Water soluble chlorides in pulp and paper, [T 256](#)
Water soluble sulfates in pulp and paper, [T 255](#)
Zero-span breaking strength, [T 231](#)

Pulp bales
see Baled pulp

Pulp dispersion apparatus
see Pulp

Pulp fibers
see Fibers

Pulp handsheets
see Handsheets

Pulp properties
Forming handsheets for physical tests of pulp, [T 205](#)

Pulp quality
see Pulp

Pulp slush stock
see Slush pulps

Pulp suspensions
see Pulp

Pulp tests
Forming handsheets for physical tests of pulp, [T 205](#)

Pulp yields
Compression wood identification in pulpwood, [T 267](#)

Pulping
Pulp screening (Valley-type screening device), [T 278](#)
Pulping liquors
see Liquors, *or see specific liquor, e.g.,* White liquor, Black liquor, *etc.*

Pulps
Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)

Pulpwood
see also Wood
Weight-volume measurement of pulpwood, [T 268](#)

Pulpwood chips
see Chips

Pulpwood fibers
see Fibers

Puncture resistance
Container board, [T 803](#)

Puncture tests
Puncture test of containerboard, [T 803](#)

Purified calfskin gelatin
Glue in paper (qualitative and quantitative determination), [T 504](#)

Q

Qualitative analysis
Starch in paper, [T 419](#)

Quality
Training standard for paper machine tender, [T 1501](#)

Quality control
Sampling and accepting a single lot of paper, paperboard, containerboard, or related product, [T 400](#)

Quantitative analysis
Reducible sulfur in paper and paperboard, [T 406](#)
Starch in paper, [T 419](#)

R

Radiation effects
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Ramie
Species identification of nonwood plant fibers, [T 259](#)

Raspail test
see Rosin

Rate of elongation
see Tensile strength

Reagents
Preparation of indicators and standard solutions, [T 610](#)

Ream weight
see Basis weight

Reclaimed fibers
Macro stickies content in pulp: the “pick-up” method, [T 277](#)
Screening of pulp (Somerville-type equipment), [T 275](#)

- Recycling
Pulp screening (Valley-type screening device), [T 278](#)
Screening of pulp (Somerville-type equipment), [T 275](#)
- Reducible sulfur
Reducible sulfur in paper and paperboard, [T 406](#)
Silver tarnishing by paper and paperboard, [T 444](#)
- Reeds
Species identification of nonwood plant fibers, [T 259](#)
- Refining
see Laboratory beating
- Reflectance
see also Brightness
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
Brightness of clay and other mineral pigments (45/0), [T 646](#)
Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)
Calibration of reflectance standards for hemispherical geometry, [T 1218](#)
Color of paper and paperboard (45/0, C/2), [T 524](#)
Color of paper and paperboard (d/0, C/2), [T 527](#)
Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
Diffuse opacity of paper (d/0 paper backing), [T 519](#)
Dirt in paper and paperboard, [T 437](#)
Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)
Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)
Interrelation of reflectance, R_0 ; reflectivity, R_∞ ; TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)
Opacity of paper (15/d geometry, illuminant A/2°, 89% reflectance backing and paper backing), [T 425](#)
Size test for paper by ink resistance (Hercules-type method), [T 530](#)
Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)
- Reflectance factor
see Reflectance
- Reflectometry
see Reflectance
- Reflectivity
Interrelation of reflectance, R_0 ; reflectivity, R_∞ ; TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)
- Relative humidity
see Humidity
- Remoistening adhesives
Curl of flat gummed papers, [T 520](#)
- Repeatability
Interlaboratory evaluation of test methods to determine TAPPI repeatability and reproducibility, [T 1200](#)
- Repellance
Grease resistance for paper and paperboard, [T 559](#)
- Reproducibility
Interlaboratory evaluation of test methods to determine TAPPI repeatability and reproducibility, [T 1200](#)
- Repulping
Pulp screening (Valley-type screening device), [T 278](#)
- Resin
see also Wood resin, Rosin
Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)
Identification and determination of melamine resin in paper, [T 493](#)
- Resistance
Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration), [T 566](#)
- Resistance to bending
Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)
- Resistivity
see Conductivity
- Resonance length method
see Stiffness
- Revolutions
Laboratory beating of pulp (PFI mill method), [T 248](#)
- Revolving hexagonal drum
see Impact tests
- Rheology
Rheological measurements for characterization of polyolefins: low-density polyethylene (LDPE) for extrusion coating, [T 702](#)
- Rice straw
Species identification of nonwood plant fibers, [T 259](#)
- Rigid support method
see Flat crush resistance
- Rigidity
see Stiffness
- Ring crush tests
Ring crush of paperboard (flexible beam method), [T 818](#)
Paperboard (rigid support method), [T 822](#)
- Roese-Gottlieb method
see Casein, analysis of
- Rolls (paperboard)
see Wound rolls
- Rosin
Analysis of, [T 621](#)
Analysis of rosin size, [T 628](#)
In paper and paperboard, [T 408](#)
- Rosin size
Analysis of rosin size, [T 628](#)

Rotating spindle viscometer
see Viscosity
Roughness
see also Smoothness
Roughness of paper and paperboard (Sheffield method), [T 538](#)
Stylus method (Emveco-type), [T 575](#)
Ruling quality
see Printability
Rupture work
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)
Rutile titanium dioxide
see Pigments
Rye straw
Species identification of nonwood plant fibers, [T 259](#)

S

Salt cake
Analysis of, [T 619](#)
Sample preparation
Creasing of flexible packaging material paper specimens for testing, [T 512](#)
Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)
Sample and preparing wood for analysis, [T 257](#)
Wood for chemical analysis, [T 264](#)
Samples
Storage of paper samples for optical measurements and color matching, [T 1219](#)
Creasing of flexible packaging material paper specimens for testing, [T 512](#)
Sampling
Sampling of fillers and pigments, [T 657](#)
Pulp for moisture, [T 210](#)
Sample location for fiber glass mat sheets, [T 1007](#)
Single lot of paper and paperboard, [T 400](#)
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
Weight-volume measurement of pulpwood, [T 268](#)
White waters, [T 656](#)
Sampling and preparing wood for analysis, [T 257](#)
Sand
Analysis of rosin, [T 621](#)
Sanitary tissues
see Tissue papers
Saponification number
Analysis of rosin, [T 621](#)
Saturation
Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
Sawdust
Sampling and preparing wood for analysis, [T 257](#)
Scattering
Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

Interrelation of reflectance, R_0 ; reflectivity, R_∞ ; TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)
Opacity of paper (15/ d geometry, illuminant $A/2^\circ$, 89% reflectance backing and paper backing), [T 425](#)
Scattering coefficient
see Optical scattering
Schopper-type tester
see Folding endurance
Score bend efficiency
Score bend test, [T 577](#)
Score-line rupture
see Scores
Scores
Score bend test, [T 577](#)
Score quality test, [T 829](#)
Scoring
Bending number of paperboard, [T 495](#)
Scott bond
see Internal bond
Screen residue
see Mesh residue
Screening
Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
Macro stickies content in pulp: the “pick-up” method, [T 277](#)
Pulp screening (Valley-type screening device), [T 278](#)
Screening of pulp (Somerville-type equipment), [T 275](#)
Screens
Fiber length of pulp by classification, [T 233](#)
Seal adhesion
see Sealants
Sealants
Envelope seal, seam, and window patch testing, [T 516](#)
Seals
see Window envelopes
Seams
see Window envelopes
Sedimentation method
see Particle size distribution
Selleger's stain
see Fiber analysis, Staining
Sensitivity
Moisture sensitivity of fiber glass mats, [T 1014](#)
Separation
Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
Of liner from medium (pin adhesion test), [T 821](#)
Screening of pulp (Somerville-type equipment), [T 275](#)
Wet pin adhesion of corrugated board by selective separation, [T 845](#)
Sheet formation
see Formation
Sheet machines (laboratory)
see Handsheet formers

Sheet materials
 see Sheets

Sheets
 Water vapor transmission rate of sheet materials at standard temperature and humidity, [T 448](#)

Sheffield method
 see Smoothness, Air permeability

Sheffield smoothness
 Roughness of paper and paperboard (Sheffield method), [T 538](#)

Shipping containers
 see also Containers
 Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

Shives
 Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
 Pulp screening (Valley-type screening device), [T 278](#)
 Screening of pulp (Somerville-type equipment), [T 275](#)

Shock
 Drum test for fiberboard shipping containers, [T 800](#)

Short column test
 see Edge crush resistance

SI units
 see Units of measurement

Sides
 Identification of wire side of paper, [T 455](#)

Silica
 Acid-insoluble ash in pulp, [T 244](#)
 Analysis of limestone, [T 618](#)
 Analysis of soda and sulfate black liquor, [T 625](#)
 Analysis of sodium silicate, [T 632](#)
 Analysis of talc, [T 665](#)
 Silicates and silica in pulp (wet ash method), [T 245](#)
 Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Silicate pigments
 see Pigments

Silicates
 Acid-insoluble ash in pulp, [T 244](#)
 Silicates and silica in pulp (wet ash method), [T 245](#)
 Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Silicon dioxide
 see Silica

Silver nitrate
 Preparation of indicators and standard solutions, [T 610](#)

Silver tarnish tests
 Silver tarnishing by paper and paperboard, [T 444](#)

Silvering method
 see Specific surface

Sisal
 Species identification of nonwood plant fibers, [T 259](#)

Size
 Grease resistance for paper and paperboard, [T 559](#)

Size emulsion
 see Rosin size

Sized papers
 Size test for paper by ink resistance (Hercules-type method), [T 530](#)
 Surface wettability of paper (angle of contact method), [T 458](#)
 Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
 Water resistance of, [T 433](#)

Sizing
 Degree of in paper by ink resistance, [T 530](#)
 Water absorption of corrugating medium: water drop penetration test, [T 831](#)
 Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
 Water immersion number of paperboard, [T 491](#)
 Water resistance of size paper and paperboard (dry indicator method), [T 433](#)

Slide angle
 Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

Slide resistance
 see Friction, Slide angle

Slowness of pulp/stock
 see Freeness

Slurry
 Accelerated test for viscosity stability of clay slurries, [T 697](#)
 Viscosity of coating clay slurry, [T 648](#)

Slush pulps
 Microbiological enumeration of process water and slush pulp, [T 631](#)

Smelt
 Analysis of pulping liquors by suppressed ion chromatography, [T 699](#)

Smoothness
 Smoothness of paper (Bekk method), [T 479](#)
 Paper and paperboard (Print-Surf method), [T 555](#)
 Roughness of paper and paperboard, stylus method (Emveco-type), [T 575](#)
 Roughness of paper and paperboard (Sheffield method), [T 538](#)

Soda ash
 see Sodium carbonate

Soda pulping
 Analysis of soda and sulfate black liquor, [T 625](#)

Soda pulps
 see Pulps

Sodium
 Analysis of soda and sulfate black liquor, [T 625](#)
 Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)

Sodium bicarbonate
 Analysis of salt cake, [T 619](#)

- Sodium chloride
 - Analysis of salt cake, [T 619](#)
- Sodium hydrosulfite
 - Analysis of sodium hydrosulfite, [T 622](#)
- Sodium hydroxide
 - Analysis of caustic soda, [T 613](#)
 - One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
 - Preparation of indicators and standard solutions, [T 610](#)
 - Use of in determining alkali solubility of pulp, [T 235](#)
- Sodium oxide
 - Analysis of salt cake, [T 619](#)
 - Analysis of sodium silicate, [T 632](#)
- Sodium silicate
 - Analysis of, [T 632](#)
- Sodium sulfate
 - Analysis of salt cake, [T 619](#)
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Sodium sulfide
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Sodium sulfite
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Sodium thiosulfate
 - Preparation of indicators and standard solutions, [T 610](#)
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Softwoods
 - Fiber analysis of paper and paperboard, [T 401](#)
 - Wood/fiber identification method for, [T 263](#)
- Solid fiberboard
 - see* Fiberboard
- Solids content
 - Analysis of rosin size, [T 628](#)
 - Black liquor, [T 650](#)
 - Measuring, sampling, and analyzing white waters, [T 656](#)
 - Suspended solids in kraft green and black liquor, [T 692](#)
- Solubility
 - Alkali solubility of pulp at 25°C, [T 235](#)
 - Analysis of limestone, [T 618](#)
 - Analysis of rosin, [T 621](#)
 - One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
- Soluble material
 - see* Solubility
- Solutions
 - Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)
- Solvent extractives
 - see* Solvents
- Solvents
 - Extractives of wood and pulp, [T 204](#)
- Soxhlet apparatus
 - see* Extraction, Rosin
- Species identification
 - Species identification of nonwood plant fibers, [T 259](#)
- Specific gravity
 - see* Density
- Specific handling stiffness
 - see* Stiffness
- Specific surface
 - Of pulp, [T 226](#)
- Specific volume
 - see* Bulk
- Spectrometers
 - Color of paper and paperboard (45/0, C/2), [T 524](#)
 - Color of paper and paperboard (d/0, C/2), [T 527](#)
- Spectrophotometry
 - see* Spectroscopy
- Spectroscopy
 - Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
 - Identification and determination of melamine resin in paper, [T 493](#)
- Specular gloss
 - see* Gloss
- Splitting
 - see* Ply separation
- Spore-cloud method
 - see* Fungi
- Spore-mycelial method
 - see* Fungi
- Stability
 - see also* Permanence
 - Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
 - Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
 - Accelerated test for viscosity stability of clay slurries, [T 697](#)
 - Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
 - Effect of dry heat on properties of paper and board, [T 453](#)
- Staining
 - Envelope seal, seam, and window patch testing, [T 516](#)
 - Fiber analysis of paper and paperboard, [T 401](#)
- Standard practice
 - Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)
- Standard solutions
 - Preparation of, [T 610](#)
- Standards
 - Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)
 - Calibration of reflectance standards for hemispherical geometry, [T 1218](#)
- Starch
 - Starch in paper, [T 419](#)
 - Water solubility of wood and pulp, [T 207](#)

Starch indicator
see Indicators, preparation of

Static creasing
see Creasing

Static friction
see Friction

Static tests
Static creasing of paper for water vapor transmission tests, [T 465](#)

Stickies
Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
Macro stickies content in pulp: the “pick-up” method, [T 277](#)
Pulp screening (Valley-type screening device), [T 278](#)
Screening of pulp (Somerville-type equipment), [T 275](#)

Stiffness
Bending resistance of paper and paperboard by single-point bending methods, [T 556](#)
Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration), [T 566](#)
Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)
Corrugated board stiffness, four point method, [T 836](#)
Flexural stiffness of corrugated board, [T 820](#)
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)

Stokes' Law
see Particle size distribution

Storage
Storage of paper samples for optical measurements and color matching, [T 1219](#)

Straw
Fiber analysis of paper and paperboard, [T 401](#)
Species identification of nonwood plant fibers, [T 259](#)

Strength tests
see Bond strength, Burst strength, Compression tests, Tear strength, Tensile strength, Impact tests
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

Stretch
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)
Tensile strength and elongation at break for fiber glass mats, [T 1009](#)

Strip method
see Baled pulp

Stripping strength
see Peel strength

Structural fiber insulating board
see Insulating board

Submersion
Water immersion number of paperboard, [T 491](#)

Substance
see Basis weight

Sugar cane
Species identification of nonwood plant fibers, [T 259](#)

Sugars
Water solubility of wood and pulp, [T 207](#)

Sulfate liquors
see Kraft liquors

Sulfate soap
see Tall oil soap

Sulfated ash
see Ash content

Sulfates
Analysis of caustic soda, [T 613](#)
Determination of in pulping liquor, [T 699](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Water-soluble sulfates in pulp and paper, [T 255](#)

Sulfide
Determination of in pulping liquor, [T 699](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Reducible sulfur in paper and paperboard, [T 406](#)

Sulfide-free reducing compounds
Analysis of soda and sulfate white and green liquors, [T 624](#)

Sulfite
Determination of in pulping liquor, [T 699](#)
Reducible sulfur in paper and paperboard, [T 406](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Sulfite liquors
Sulfur dioxide in sulfite cooking liquor, [T 604](#)

Sulfite pulps
Sulfur dioxide in sulfite cooking liquor, [T 604](#)

Sulfur
Analysis of soda and sulfate black liquor, [T 625](#)
Reducible sulfur in paper and paperboard, [T 406](#)

Sulfur dioxide
Analysis of sulfuric acid, [T 602](#)
Sulfur dioxide in sulfite cooking liquor, [T 604](#)

Sulfur trioxide
Analysis of salt cake, [T 619](#)

Sulfuric acid
Analysis of sulfuric acid, [T 602](#)
Preparation of indicators and standard solutions, [T 610](#)

Sunn hemp
Species identification of nonwood plant fibers, [T 259](#)

Surface area
see Specific surface

Surface pH
see pH

Surface roughness
Roughness of paper and paperboard (Sheffield method), [T 538](#)

Surface strength
Abrasion loss of paper and paperboard (Taber-type method), [T 476](#)
Of paper (wax pick test), [T 459](#)

Surface wettability
see Wettability

Surfaces
Dirt in paper and paperboard, [T 437](#)

Suspect test determinations
see Test determinations

Suspended solids
Determination of in kraft green and white liquor, [T 692](#)
Measuring, sampling, and analyzing white waters, [T 656](#)

Suspensions (pulp)
see Dispersions

Sutherland test
see Ink rub resistance

T

Taber stiffness
Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)

Talc
Analysis of, [T 665](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Tall oil rosin
see Rosin

Tear factor
see Tear strength

Tear strength
Internal tearing resistance of paper (Elmendorf-type method), [T 414](#)
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)

Tearing resistance
See also Tear strength
Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

Temperature control
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
Test conditions for fiber glass mat test methods, [T 1008](#)

Tensile breaking strength
see also Tensile strength

Tensile energy absorption (TEA)
Internal bond strength (Scott type), [T 569](#)
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

Tensile index
see Tensile strength

Tensile properties
Internal tearing resistance of paper (Elmendorf-type method), [T 414](#)

Tensile strength
Elongation at break for fiber glass mats, [T 1009](#)
Internal bond strength of paperboard (z-direction tensile), [T 541](#)
Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

Tensile stress
Internal bond strength (Scott type), [T 569](#)

Tensile tests
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

Terminology
Optical measurements terminology (related to appearance evaluation of paper), [T 1500](#)

Test conditions
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)

Test facilities
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)

Test sheets
see Handsheets

Test methods
Dealing with suspect (outlying) test determinations, [T 1205](#)

Testing
Compression wood identification in pulping, [T 267](#)
Dealing with suspect (outlying) test determinations, [T 1205](#)
Interlaboratory evaluation of test methods to determine TAPPI repeatability and reproducibility, [T 1200](#)
Test conditions for fiber glass mat test methods, [T 1008](#)

Testing atmospheres
see Atmospheres, Test conditions

Thickness
Book bulk and bulking number of paper, [T 500](#)
Envelope seal, seam, and window patch testing, [T 516](#)
Paper, paperboard, and combined board, [T 411](#)
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
Thickness of paper and paperboard (soft platen method), [T 551](#)
Towel, tissue, napkin and facial products, [T 580](#)

Thiosulfate
Determination of in pulping liquor, [T 699](#)
Reducible sulfur in paper and paperboard, [T 406](#)

Thymol blue
see Indicators, preparation of

Tinting

- CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)
- CIE whiteness and tint of paper and paperboard (d/0 geometry, C/2 illuminant/observer), [T 560](#)

Tissue papers

- see also* Absorptivity, Paper products
- Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
- Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)
- Water absorbency of bibulous papers, [T 432](#)

Tissues

- see* Absorptivity, Paper products, Tissue papers

Titanium

- Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Titanium dioxide

- see also* Fillers, Pigments
- Determination of, [T 627](#)

Titrateable alkali

- Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)

Toluene

- Analysis of rosin, [T 621](#)

Total alkali

- Caustic soda, [T 613](#)
- Analysis of soda and sulfate black liquor, [T 625](#)

Total alkalinity

- see* Total alkali

Total reducing compounds

- Analysis of soda and sulfate white and green liquors, [T 624](#)

Total solids

- see* Solids content

Total suspended solids

- see* Suspended solids

Toweling

- see* Absorptivity

Toweling papers

- Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
- Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)
- Water absorbency of bibulous papers, [T 432](#)

Training

- Training standard for paper machine tender, [T 1501](#)

Transmission rate

- see* Water vapor transmission rate

Treated paper and paperboard

- see* Flameproof papers, Fungi

Tristimulus values

- Color of paper and paperboard (d/0, C/2), [T 527](#)
- Color of paper and paperboard (45/0, C/2), [T 524](#)

Tub-sized starch

- see* Starch

Turpentine tests

- see* Grease resistance, Oil penetration tests

U

Ultraviolet radiation

- Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)

Ultraviolet spectroscopy

- Hexeneuronic acid content of chemical pulp, [T 282](#)

Ultraviolet-containing daylight illuminant

- see* Illumination

Uniformity

- Fiber glass mat uniformity (visual defects), [T 1015](#)

Units of measurement

- Measurement and conversion factors, [T 1210](#)

Unsaponifiable materials

- see* Saponification number

Urea-formaldehyde resins

- see* Polyureas

Useful fiber

- see* Fiber

V

Valley beater

- Laboratory beating of pulp (Valley beater method), [T 200](#)

Variation

- Cross-machine grammage profile measurement (gravimetric method), [T 545](#)
- Machine direction grammage variation measurement (gravimetric method), [T 546](#)

Vegetable parchment

- see* Parchment papers

Viewing device

- see* Compression wood

Viscosity

- Accelerated test for viscosity stability of clay slurries, [T 697](#)
- Coating clay slurry, [T 648](#)
- Cupriethylenediamine disperse viscosity of pulp (falling ball method), [T 254](#)
- Viscosity of pulp (capillary viscometer method), [T 230](#)

- Sodium silicate, [T 632](#)

Viscosity stability

- see* Viscosity

Viscosity-velocity product

- see* Printing

Vision

- Fiber glass mat uniformity (visual defects), [T 1015](#)
- Visual grading and color matching of paper, [T 515](#)

Visual defects

- Fiber glass mat uniformity, [T 1015](#)

Visual efficiency

- Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

Visual grading

- Visual grading and color matching of paper, [T 515](#)

Voids

- Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Volatile suspended solids
 see Suspended solids
Volatiles content
 Analysis of rosin size, [T 628](#)
Volatility
 Solvent extractives in wood and pulp, [T 204](#)
 Analysis of sulfuric acid, [T 602](#)
Volume
 Basic density and moisture content of pulp wood, [T 258](#)
 Measuring, sampling, and analyzing white waters, [T 656](#)
 Weight-volume measurement of pulpwood, [T 268](#)
Volumetric reagent solutions
 see Standard solutions
Volumetry
 Zinc and cadmium in paper, [T 438](#)

W

Washer
 Open drum washer mat sampling technique, [T 281](#)
Water absorbency/absorption/absorptivity
 see Absorptivity
Water absorption
 Water absorption of corrugating medium: float curl method, [T 832](#)
 Water absorption of corrugating medium: water drop absorption test, [T 835](#)
 Water absorption of corrugating medium: water drop penetration test, [T 831](#)
 Water immersion number of paperboard, [T 491](#)
Water content
 see Moisture content
Water drop tests
 Water absorption of corrugating medium: water drop absorption test, [T 835](#)
 Water absorption of corrugating medium: water drop penetration test, [T 831](#)
Water immersion
 see Submersion
Water immersion tests
 see Water resistance
Water resistance
 Sized paper and paperboard, [T 433](#)
 Water immersion number of paperboard, [T 491](#)
Water saturation
 see Saturation
Water solubility
 see Water solubles
Water solubles
 Water-soluble chlorides in pulp and paper, [T 256](#)
 Water-soluble sulfates in pulp and paper, [T 255](#)
 Wood and pulp, [T 207](#)
Water vapor permeability
 Static creasing of paper for water vapor transmission tests, [T 465](#)
Water vapor transfer rate
 see Water vapor transmission rate
Water vapor transmission rate (WVTR)
 Sheet materials at normal temperature, [T 448](#)

 Water vapor transmission rate of paper and paperboard at high temperature and humidity, [T 464](#)
Water-soluble acidity
 see Acidity
Water-soluble alkalinity
 see Alkalinity
Wax
 Determination in wood and pulp, [T 204](#)
Wax pick tests
 Surface strength of paper, [T 459](#)
Wax strength number
 see Wax pick tests
Wedge method
 see Baled pulp
Weight
 Basic density and moisture content of pulp wood, [T 258](#)
 Weight/volume measurement of pulpwood, [T 268](#)
Weight fraction fines
 Fines fraction by weight of paper stock by wet screening, [T 261](#)
Weight percent fines
 Fines fraction by weight of paper stock by wet screening, [T 261](#)
Weight/area measurement
 see Grammage
Weight/volume measurement
 see Volume, Weight
Weighted average fiber length
 see Fiber length
Wet abrasion test
 see Abrasion
Wet ash method
 Silicates and silica in pulp (Wet ash method), [T 245](#)
Wet curl
 see Curl
Wet density
 see Density
Wet ply separation
 see Ply separation
Wet screening
 see also Screening
 Fines fraction by weight of paper stock by wet screening, [T 261](#)
Wet strength
 Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
Wet tensile breaking strength
 see Tensile strength
Wettability
 Surface wettability of paper (angle of contact method), [T 458](#)
 Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)
Wetting
 Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)
Wetting resistance
 see Wettability

Wheat straw
Species identification of nonwood plant fibers, [T 259](#)

White liquors
Analysis of by suppressed ion chromatography, [T 699](#)
Suspended solids in, [T 692](#)

White waters
Determination of titanium dioxide, [T 627](#)
Measuring, sampling, and analyzing, [T 656](#)

Whiteness
Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)
CIE whiteness and tint of paper and paperboard (d/0 geometry, C/2 illuminant/observer), [T 560](#)
Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

Wilson's stain
see Fiber analysis, Staining

Window envelopes
Seal, seam, and window patch testing in, [T 516](#)

Wire side
Identification of in paper, [T 455](#)

Wood
Acid-insoluble ash in, [T 244](#)
Acid-soluble lignin in, [T 222](#)
Alcohol-benzene and dichloromethane solubles in, [T 204](#)
Ash determination, [T 211](#), [T 413](#)
Basic density and moisture content of pulp wood, [T 258](#)
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)
Compression wood identification in pulpwood, [T 267](#)
Identification of from conifers, [T 263](#)
Natural dirt in wood chips, [T 265](#)
One percent sodium hydroxide solubility of, [T 212](#)
Pentosans in wood and pulp, [T 223](#)
Preparation of for chemical analysis, [T 264](#)
Sampling and preparing wood for analysis, [T 257](#)
Water solubility of, [T 207](#)

Wood chips
see Chips

Wood extractives
see Extractives

Wood fibers
see Fibers

Wood flour
Specific external surface of pulp, [T 226](#)

Wood pulp
see Pulp

Wood resins
Solvent extractives in wood and pulp, [T 204](#)

Wound rolls
Determination of containerboard roll hardness, [T 834](#)

Writing paper
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
Surface wettability of paper (angle of contact method), [T 458](#)

Writing quality
see Feathering

WVTR
see Water vapor transmission rate

X

Xenon lamps
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

X-ray diffraction
Analysis of talc, [T 665](#)

Xylan
Carbohydrate composition of extractive-free wood and wood pulp chromatography, [T 249](#)

Y

Y reflectance
Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)

Yellowness coefficient
Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

Young's modulus
see Elastic strength

Z

Z-direction
Internal bond strength (Scott type), [T 569](#)

Z-directional tensile strength
see Tensile strength

Zero-span breaking strength
see Tensile strength

Zero-span tensile strength
see also Tensile strength
Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)

Zinc
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Zinc and cadmium in paper, [T 438](#)

Zinc oxide
see Pigments

Zinc sulfide
see Pigments